



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

[Create Device](#)

5/2/2025

Create Device

This operation is used to create a device.

Contents

- [1 Create Device](#)
 - [1.1 Request](#)
 - [1.2 Example](#)

Request

- **POST .../api/v2/devices**

Important

Requires the administrator role

The body includes 1 mandatory parameter:

- `phoneNumber` must be present.

The property `telephonyNetwork` can optionally be provided with a value of `Public` or `Private`. See the [device attributes table](#) for additional details.

The `model` and `vendor` properties have been deprecated in Version 2 of the API and will be ignored if present in creation requests.

```
POST .../api/v2/devices
{
  "phoneNumber": "3001"
}
```

The Response contains the `uri` and `id` of the device.

Example

```
{
  "statusCode": 0,
  "id": "0bf06531-9cb7-4d6e-bff3-d910f83a493d",
  "uri": "http://172.21.16.123:8080/cloud-web/api/v2/devices/0bf06531-9cb7-4d6e-bff3-d910f83a493d"
}
```

If the phone number is already in use, **403 FORBIDDEN** will be returned.