



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services API Reference

Intrude

---

# Intrude

This operation is part of the [SMS Session API](#) section of the [Web Services API](#).

## Overview

This request allows the supervisor to intrude in an active SMS Session interaction that an agent is currently handling (if this agent is monitored by the supervisor).

<b>Request URL</b>	/api/v2/users/{userId}/smsessions/{smsessionId}
<b>HTTP Method</b>	POST
<b>Required Features</b>	api-multimedia

## Parameters

Parameter	Value
operationName	Intrude
supervisorVisibilityMode	This optional parameter specifies the visibility mode of the Supervisor in the SMS session interaction.  Possible values are Monitor, Coach, and Bargain. If the parameter is not specified and the Supervisor is monitoring an agent, then the visibility mode of the agent monitoring is used, otherwise an error occurs.

## Sample

### Request

```
POST api/v2/users/4ff5b43c856d4cb2a3d6c20a88740257/smsessions/0000UaB58WAR003N
{
  "operationName": "Intrude",
  "supervisorVisibilityMode": "Monitor"
}
```

### Response

```
{
  "statusCode": 0
}
```

---

```
}
```

## Notification

After intruding in an SMS session, you should receive a notification that the status changed to **Invited**.

```
{
  "smssession": {
    "userData": {
      "IdentifyCreateContact": "3",
      "RTargetTypeSelected": "2",
      "RTargetObjectSelected": "?:2>1",
      "RVQID": "",
      "ChatServerAppName": "esv_chat_srv",
      "ChatServerHost": "dev-ip9-152.gws.genesys.com",
      "TimeZone": "60",
      "RTargetObjSelDBID": "",
      "ChatServerPort": "7160",
      "CBR-Interaction_cost": "",
      "CBR-contract_DBIDs": "",
      "RTargetAgentSelected": "a1",
      "CBR-IT-path_DBIDs": "",
      "RTargetRuleSelected": "",
      "RTargetPlaceSelected": "a1",
      "CBR-actual_volume": "",
      "RTenant": "Environment",
      "ChatServerDBID": "147",
      "RRequestedSkills": None,
      "RRequestedSkillCombination": "",
      "RVQDBID": "",
      "RStrategyDBID": "472",
      "CustomerSegment": "default",
      "PegAG?:2>1": 1,
      "_data_id": "155-a158a722-d1a9-47a1-9bd6-cf10b157e7fa",
      "ServiceType": "default",
      "OccuredAt": "2015-11-26T16:39:41Z",
      "ServiceObjective": 0,
      "RTargetRequested": "?:2>1",
      "RTargetAgentGroup": "?:2>1",
      "RStrategyName": "CloudPoDSimpleChatInStrategy",
      "Subject": "GMS Chat"
    },
    "receivedDate": "2015-11-26 18:39:38.000+0200",
    "chatType": "Inbound",
    "participants": [],
    "capabilities": ["Accept", "Reject"],
    "uri": "http://localhost:8090/api/v2/smsessions/0000UaB58WAR003N",
    "state": "Invited",
    "supervisorMode": "Monitor",
    "id": "0000UaB58WAR003N"
  },
  "messageType": "SMSsessionStateChangeMessage",
  "notificationType": "StatusChange"
}
```