



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Web Services API Reference

[AddComment](#)

# AddComment

This operation is part of the [Twitter API](#) section of the [Web Services API](#).

## Overview

Sets a comment on the specified Twitter interaction.

<b>Request URL</b>	/api/v2/me/tweets/{id}
<b>HTTP Method</b>	POST
<b>Required Features</b>	api-multimedia

## Parameters

Parameter	Value
operationName	AddComment
comment	A string value used for the Twitter comment.

## Samples

### Request

```
POST api/v2/me/tweets/01QQG2MU214P05H
```

```
{  
  "operationName": "AddComment",  
  "comment": "I am crazy about my test"  
}
```

### HTTP Response

```
{  
  "statusCode": 0,  
  "referenceId": 22  
}
```

### CometD Response

```
{
```

---

## AddComment

---

```
"messageType": "TwitterStateChangeMessage",
"notificationType": "StatusChange",
"referenceId": 22,
"twitter": {
  "capabilities": [],
  "comment": "I am crazy about my test",
  "id": "01QQQG2MU214P05H",
  "state": "Canceled",
  "twitterType": "Outbound",
  "uri": "http://192.168.83.25:8080/api/v2/tweet/01QQQG2MU214P05H"
}
}
```