



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

[PullInteractionFromWorkbin](#)

PullInteractionFromWorkbin

This operation is part of the [Workbins API](#) section of the [Web Services API](#).

Overview

Agent can grab an interaction from a workbin. Removes the association between an interaction and a workbin and restores the user's ownership of the Interaction.

Parameters

Request URL	/api/v2/workbins/{id}
HTTP Method	POST
Required Features	api-multimedia
Parameter	Value
nickname	The agent nickname as displayed to the customer. Used for PullChat only.

Important

To use the **PullChat** operation, you must enable the **enableNotificationOnPullChat** and **enableJoinOnPullChat** options. For details, refer to [Web Services configuration options](#).

Sample

The request involves sending a JSON body as well as adhering to the url path listed above.

Request

```
POST api/v2/workbins/3434543fafwe987
```

Listed below are possible valid JSON for requests:

```
{  
  "operationName": "PullInteraction|PullChat|PullEmail|PullWorkitem",  
  "id": "FE7978FEWFE"
```

}

Response

The response consists of an HTTP response, and several cometd responses. For details on the JSON body result, please refer to the Workbin Resource reference.

HTTP response

```
{  
    "statusCode": 0,  
    "referenceId": 17  
}
```

CometD Responses

```
{  
    u'workitem': {  
        u'userData': {  
            u'SubmittedAt': u'2014-04-17T04: 03: 21Z',  
            u'RTargetTypeSelected': u'2',  
            u'RTargetObjectSelected': u'??: 2>1',  
            u'RVQID': u'',  
            u'InteractionId': u'02F0ASAK8EAFA00W',  
            u'AssignedAt': u'2014-04-17T04: 03: 25Z',  
            u'RTargetObjSelDBID': u'',  
            u'CBR-IT-path_DBIDs': u'',  
            u'Workbin': u'testWorkbin',  
            u'RTargetAgentSelected': u'MaratTest',  
            u'CBR-Interaction_cost': u'',  
            u'CBR-contract_DBIDs': u'',  
            u'PlacedInQueueAt': u'2014-04-17T04: 03: 56Z',  
            u'DeliveredAt': u'2014-04-17T04: 03: 25Z',  
            u'SubmittedBy': u'es_inx_wscp',  
            u'SubmitSeq': u'71051572',  
            u'IsHeld': 0,  
            u'RTargetPlaceSelected': u'',  
            u'CBR-actual_volume': u'',  
            u'RTenant': u'Environment',  
            u'RRequestedSkills': None,  
            u'AssignedTo': u'MaratTest',  
            u'IsLocked': 0,  
            u'RRequestedSkillCombination': u'',  
            u'RVQDBID': u'',  
            u'RStrategyDBID': u'197',  
            u'CustomerSegment': u'default',  
            u'PlaceInQueueSeq': u'71051592',  
            u'PegAG?: 2>1': 1,  
            u'IsOnline': 0,  
            u'ServiceType': u'default',  
            u'RTargetRuleSelected': u'',  
            u'WorkbinAgentId': u'MaratTest',  
            u'MovedToQueueAt': u'2014-04-17T04: 03: 56Z',  
            u'ReceivedAt': u'2014-04-17T04: 03: 21Z',  
            u'RTargetRequested': u'??: 2>1',  
            u'RTargetAgentGroup': u'??: 2>1',  
            u'RStrategyName': u'RouteWorkitemToAgent',  
            u'ServiceObjective': 0  
        },  
        u'state': u'Processing',  
        u'id': u'02F0ASAK8EAFA00W'  
    }  
}
```

PullInteractionFromWorkbin

```
u'capabilities': [
    u'Transfer',
    u'AttachUserData',
    u'UpdateUserData',
    u'DeleteUserData',
    u'SetInFocus',
    u'Complete'
]
},
u'referenceId': 17,
u'notificationType': u'StatusChange',
u'messageType': u'WorkitemStateChangeMessage'
}messageType[
    WorkitemStateChangeMessage
]
```