



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

[Get contacts](#)

12/19/2025

Get contacts

This operation is part of the [Contacts API](#) section of the [Web Services API](#).

Overview

Retrieves a list of contacts. The contacts resources supports queries with [filtering](#) (see Parameters below) and [pagination](#).

Request URL	/api/v2/contacts
HTTP Method	GET
Required Features	

Parameters

Parameter	Type	Description
name	Comma-separated list of names	Retrieves all contacts whose name exactly matches any of the names specified in the comma-separated list. The "name" parameter corresponds to the "username" for User contacts, and the "name" for Queue and Custom contacts.
phoneNumber	Comma-separated list of phone numbers	Retrieves all contacts whose phone number exactly matches any of the phone numbers specified in the comma-separated list. The "phone number" parameter corresponds to the number of any devices associated with the User contact, or the "phoneNumber" for the Queue or Custom contacts. When indexing, Web Services removes all non-alphanumeric symbols from phone numbers, so "phoneNumber" values should not contain any non-digits, except in the the special value '*', which is supported for backwards compatibility. If you specify '*', contacts with any phone number assigned to them are searched.

Parameter	Type	Description
channel	Comma-separated list of channels	Retrieves contacts whose channel exactly matches any of the channels specified in the comma-separated list.
type	Type of contact	Retrieves contacts with the specified type: User, Queue or Custom.
filterName	String	The name of a custom filter. NamesOrPhoneNumberMatches — For each argument passed in filterParameters, contacts are searched with fields matching the passed parameter (case-insensitive string matching with wildcard * are supported). The following fields are checked using the OR rule: • User: firstName, lastName, userName, number of assigned devices • Queue: name, phoneNumber • Custom: name, phoneNumber For a contact to match the query, the contact must satisfy the above rule for EACH argument passed in filterParameters (AND rule). Important Web Services currently supports the sortBy field only for "name".
filterParameters	Comma-separated list of strings	The parameters to be passed to filter specified in filterName.
includeBusinessUnits	Comma-separated list of URL-encoded business unit names. Wildcard (*) is supported.	Retrieves objects that belong to at least one of the business units included in the list.
excludeBusinessUnits	Comma-separated list of URL-encoded business unit names. Wildcard (*) is supported.	Retrieves objects that do not belong to any of the business units in the list. Note: This overrides includeBusinessUnits where there is an overlap.
includeUsersInBusinessUnits	Comma-separated list of URL-encoded business unit names. Wildcard (*) is supported.	Retrieves agents who belong to at least one of the business units included in the list.
excludeUsersInBusinessUnits	Comma-separated list of URL-encoded business unit names. Wildcard (*) is supported.	Retrieves agents who do not belong to any of the business units in the list. Note: This overrides includeUsersInBusinessUnits where

Parameter	Type	Description
		there is an overlap. For example, if an agent belongs to groups A and B, and <code>excludeUsersInBusinessUnits</code> specifies "B" while <code>includeUsersInBusinessUnits</code> specifies "A", the agent is excluded from the returned list.
<code>includeBusinessUnitsExactMatch</code>	Comma-separated list of URL-encoded business unit names	Retrieves objects that exactly matches at least one of the business units included in the list.
<code>excludeBusinessUnitsExactMatch</code>	Comma-separated list of URL-encoded business unit names	Retrieves objects that do not belong to any of the business units in the list. Note:: This overrides <code>includeBusinessUnitsExactMatch</code> where there is an overlap.
<code>includeVirtualAgentGroupsExactMatch</code>	Comma-separated list of URL-encoded virtual agent group names	Retrieves objects that exactly matches at least one of the virtual agent groups included in the list.
<code>excludeVirtualAgentGroupsExactMatch</code>	Comma-separated list of URL-encoded virtual agent group names	Retrieves objects that do not belong to any of the virtual agent groups in the list.
<code>availability.channels.<channel_name></code>	Boolean	Retrieves contacts based on their availability on the specified channel. For example, if you submit <code>availability.channels.voice=true</code> , the response contains only those users who are available on the voice channel. If a channel is not available due to feature restrictions, Web Services ignores the corresponding filter.
<code>roles</code>	Comma-separated list of user roles	Retrieves all contacts of type User who have at least one of the specified roles. The possible role values are <code>ROLE_ADMIN</code> , <code>ROLE_AGENT</code> , <code>ROLE_SUPERVISOR</code> , and <code>ROLE_APIUSER</code> .

Samples

Using the NamesOrPhoneNumberMatches filter

Request

```
GET /api/v2/contacts?limit=100&filterName=NamesOrPhoneNumberMatches&filterParameters=*ob*&sortBy=nameo=Ascending
```

HTTP Response

```
{
  "statusCode":0,
  "totalCount":3,
  "contacts":[
    {
      "id":"65543402f8a4429ab74559dd2cde999f",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/65543402f8a4429ab74559dd2cde999f",
      "name":"Bob.Fitz@Genesys.com",
      "type":"User",
      "userName":"Bob.Fitz@Genesys.com",
      "firstName":"Bob",
      "lastName":"Fitz",
      "employeeId":"Bob.Fitz@Genesys.com"
    },
    {
      "id":"a1a16d4985894c3897ba6ad424a93b6e",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/a1a16d4985894c3897ba6ad424a93b6e",
      "name":"Bobbba.Fett@GenesysLab.com",
      "type":"User",
      "userName":"Bobbba.Fett@GenesysLab.com",
      "firstName":"Bobbba",
      "lastName":"Fett",
      "employeeId":"Bobbba.Fett@GenesysLab.com"
    },
    {
      "id":"8e41fc673289420fab522724f62cb0f4",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/8e41fc673289420fab522724f62cb0f4",
      "name":"Robert.Lab@genesys.com",
      "type":"User",
      "phoneNumbers":[
        {
          "phoneNumber":"+16501234567",
          "description":""
        }
      ],
      "userName":"Robert.Lab@genesys.com",
      "firstName":"Robert",
      "lastName":"Lab",
      "employeeId":"Robert.Lab@genesys.com"
    }
  ]
}
```

Using the includeUsersInBusinessUnits and excludeUsersInBusinessUnits filters

If you need to limit the visibility of agents by agent group, you can use the

includeUsersInBusinessUnits and **excludeUsersInBusinessUnits** filters. For example, you might want agents in the Support agent group to only see other agents in Support as valid contacts, and not agents in the Sales agent group.

For example, consider the following deployment:

- Agent Group 1: User A, User B
- Agent Group 2: User C, User X
- Internal: User X

Using the **includeUsersInBusinessUnits** filter, you can get only users in Agent Group 1:

Request

```
GET /api/v2/contacts?includeUsersInBusinessUnits=Agent%20Group%201
```

HTTP Response

```
{
  "statusCode":0,
  "totalCount":2,
  "contacts":[
    {
      "id":"65543402f8a4429ab74559dd2cde999f",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/65543402f8a4429ab74559dd2cde999f",
      "name":"User A",
      "type":"User",
      "userName":"Bob.Fitz@Genesys.com",
      "firstName":"Bob",
      "lastName":"Fitz",
      "employeeId":"Bob.Fitz@Genesys.com",
      "businessUnits":[
        {
          "name":"Agent Group 1"
        }
      ]
    },
    {
      "id":"a1a16d4985894c3897ba6ad424a93b6e",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/a1a16d4985894c3897ba6ad424a93b6e",
      "name":"User B",
      "type":"User",
      "userName":"Bobba.Fett@GenesysLab.com",
      "firstName":"Bobba",
      "lastName":"Fett",
      "employeeId":"Bobba.Fett@GenesysLab.com",
      "businessUnits":[
        {
          "name":"Agent Group 1"
        }
      ]
    }
  ]
}
```

Using the **excludeUsersInBusinessUnits** filter, you can get all users except those in the Internal group.

Request

GET /api/v2/contacts?excludeUsersInBusinessUnits=Internal

HTTP Response

```
{
  "statusCode":0,
  "totalCount":3,
  "contacts":[
    {
      "id":"65543402f8a4429ab74559dd2cde999f",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/65543402f8a4429ab74559dd2cde999f",
      "name":"User A",
      "type":"User",
      "userName":"Bob.Fitz@Genesys.com",
      "firstName":"Bob",
      "lastName":"Fitz",
      "employeeId":"Bob.Fitz@Genesys.com",
      "businessUnits":[
        {
          "name":"Agent Group 1"
        }
      ]
    },
    {
      "id":"a1a16d4985894c3897ba6ad424a93b6e",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/a1a16d4985894c3897ba6ad424a93b6e",
      "name":"User B",
      "type":"User",
      "userName":"Bobba.Fett@GenesysLab.com",
      "firstName":"Bobba",
      "lastName":"Fett",
      "employeeId":"Bobba.Fett@GenesysLab.com",
      "businessUnits":[
        {
          "name":"Agent Group 1"
        }
      ]
    },
    {
      "id":"8e41fc673289420fab522724f62cb0f4",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/8e41fc673289420fab522724f62cb0f4",
      "name":"User C",
      "type":"User",
      "phoneNumbers":[
        {
          "phoneNumber":"+16501234567",
          "description":""
        }
      ],
      "userName":"Robert.Lab@genesys.com",
      "firstName":"Robert",
      "lastName":"Lab",
      "employeeId":"Robert.Lab@genesys.com",
      "businessUnits":[
        {
          "name":"Agent Group 2"
        }
      ]
    }
  ]
}
```

Get contacts

```
}
```

Using both the **includeUsersInBusinessUnits** and **excludeUsersInBusinessUnits** filters together, you can get all users who are in Agent Group 2 but not in the Internal group.

Request

```
GET /api/v2/contacts?includeUsersInBusinessUnits=Agent%20Group%20!udeUsersInBusinessUnits=Internal
```

HTTP Response

```
{
  "statusCode":0,
  "totalCount":1,
  "contacts":[
    {
      "id":"8e41fc673289420fab522724f62cb0f4",
      "uri":"http://127.0.0.1:8080/api/v2/contacts/8e41fc673289420fab522724f62cb0f4",
      "name":"User C",
      "type":"User",
      "phoneNumbers":[
        {
          "phoneNumber":"+16501234567",
          "description":""
        }
      ],
      "userName":"Robert.Lab@genesys.com",
      "firstName":"Robert",
      "lastName":"Lab",
      "employeeId":"Robert.Lab@genesys.com",
      "businessUnits":[
        {
          "name":"Agent Group 2"
        }
      ]
    }
  ]
}
```

Using the **includeBusinessUnits** filter with a * wildcard, you can get a list of all business units that match the filter.

Request

```
GET http://localhost:8080/api/v2/contacts?type=BusinessUnit&cludeBusinessUnits=*Group*
```

HTTP Response

```
{
  "statusCode": 0,
  "totalCount": 2,
  "contacts": [
    {
      "id": "2-731fd0f2-ea61-4985-85e6-86a211e26c31",
      "name": "Agent Group 1",
      "type": "BusinessUnit",
      "uri": "http://localhost:8080/api/v2/objects/2-731fd0f2-ea61-4985-85e6-86a211e26c31",
      "path": "/objects/2-731fd0f2-ea61-4985-85e6-86a211e26c31"
    }
  ]
}
```


Get contacts

```
{
  {
    "id": "2-731fd0f2-ea61-4985-85e6-86a211e26c32",
    "name": "Agent Group 2",
    "type": "BusinessUnit",
    "uri": "http://localhost:8080/api/v2/objects/2-731fd0f2-ea61-4985-85e6-86a211e26c32",
    "path": "/objects/2-731fd0f2-ea61-4985-85e6-86a211e26c32"
  }
}
```

Using the **includeBusinessUnitsExactMatch** or the **excludeBusinessUnitsExactMatch** filter, you can get a list of all business units that either match or do not match the filter.

Request

```
GET api/v2/contacts?type=BusinessUnit!udeBusinessUnitsExactMatch=Agent%20Group%201
```

HTTP Response

```
{
  "statusCode": 0,
  "totalCount": 1,
  "contacts": [
    {
      "id": "2-731fd0f2-ea61-4985-85e6-86a211e26c31",
      "name": "Agent Group 2",
      "type": "BusinessUnit",
      "uri": "http://localhost:8080/api/v2/objects/2-731fd0f2-ea61-4985-85e6-86a211e26c31",
      "path": "/objects/2-731fd0f2-ea61-4985-85e6-86a211e26c31"
    }
  ]
}
```

Using the roles filter

Request

```
GET /api/v2/contacts?roles=ROLE_AGENT
```

HTTP Response

```
{
  "statusCode": 0,
  "totalCount": 4,
  "contacts": [
    {
      "id": "754e11130cde4c51b8de389e3a615920",
      "name": "JoshW",
      "type": "User",
      "phoneNumbers": [
        {
          "phoneNumber": "15002",
          "description": ""
        }
      ]
    },
  ],
}
```

Get contacts

```
    "userName": "JoshW",
    "firstName": "Josh",
    "lastName": "Williams",
    "employeeId": "dU4REwzeTFG43jie0mFZIA==.acme",
    "emailAddress": "",
    "businessUnits": [
    ],
    "roles": [
      "ROLE_AGENT"
    ],
    "uri": "http://dev-ip9-187.gws.genesys.com:8090/api/v2/contacts/754e11130cde4c51b8de389e3a615920",
    "path": "/contacts/754e11130cde4c51b8de389e3a615920"
  },
  {
    "id": "844b7a0e30ce46a5b364797a39f8a81f",
    "name": "WillardC",
    "type": "User",
    "phoneNumbers": [
      {
        "phoneNumber": "15000",
        "description": ""
      }
    ],
    "userName": "WillardC",
    "firstName": "Willard",
    "lastName": "Clinton",
    "employeeId": "hEt6DjDORqWzZHL60fioHw==.acme",
    "emailAddress": "",
    "availability": {
      "channels": [
        {
          "channel": "voice",
          "available": true,
          "phoneNumber": "15000",
          "userActivity": "Idle",
          "userState": {
            "id": "9430250E-0A1B-421F-B372-F29E69366DED",
            "displayName": "Ready",
            "state": "Ready"
          }
        }
      ]
    },
    "businessUnits": [
    ],
    "roles": [
      "ROLE_AGENT"
    ],
    "uri": "http://dev-ip9-187.gws.genesys.com:8090/api/v2/contacts/844b7a0e30ce46a5b364797a39f8a81f",
    "path": "/contacts/844b7a0e30ce46a5b364797a39f8a81f"
  },
  {
    "id": "916912be76d44c92ad95d402dacfed80",
    "name": "EmilyJ",
    "type": "User",
    "phoneNumbers": [
      {
        "phoneNumber": "15001",
        "description": ""
      }
    ]
  }
]
```

```
    },
    "userName": "EmilyJ",
    "firstName": "Emily",
    "lastName": "Johnson",
    "employeeId": "kWkSvnbUTJKtldQC2s/tgA==.acme",
    "emailAddress": "",
    "availability": {
      "channels": [
        {
          "channel": "voice",
          "available": true,
          "phoneNumber": "15001",
          "userActivity": "Idle",
          "userState": {
            "id": "9430250E-0A1B-421F-B372-F29E69366DED",
            "displayName": "Ready",
            "state": "Ready"
          }
        }
      ]
    },
    "businessUnits": [
      ],
    "roles": [
      "ROLE_AGENT"
    ],
    "uri": "http://dev-ip9-187.gws.genesys.com:8090/api/v2/contacts/916912be76d44c92ad95d402dacfed80",
    "path": "/contacts/916912be76d44c92ad95d402dacfed80"
  },
  {
    "id": "2c2ba86206504bb99fef7fc60eb848f8",
    "name": "HannahJ",
    "type": "User",
    "phoneNumbers": [
      {
        "phoneNumber": "15005",
        "description": ""
      }
    ],
    "userName": "HannahJ",
    "firstName": "Hannah",
    "lastName": "Jones",
    "employeeId": "LCuoYgZQS7mf73/GDrhI+A==.acme",
    "emailAddress": "",
    "businessUnits": [
      ],
    "roles": [
      "ROLE_AGENT",
      "ROLE_SUPERVISOR"
    ],
    "uri": "http://dev-ip9-187.gws.genesys.com:8090/api/v2/contacts/2c2ba86206504bb99fef7fc60eb848f8",
    "path": "/contacts/2c2ba86206504bb99fef7fc60eb848f8"
  }
]
```

Using the type filter

Use this filter to specify the type of contact to retrieve: **User**, **Queue**, or **Custom**.

Request

GET /api/v2/contacts?type=Custom

HTTP Response

```
{
  "statusCode":0,
  "totalCount":1,
  "contacts":[
    {
      "id":"bd1d8e7a-306d-4fd2-ac5b-f61bfb4e2d84",
      "name":"My Custom Contact",
      "type":"Custom",
      "phoneNumber":"123-456-7899",
      "uri":"http://dev-ip9-187.gws.genesys.com:8090/api/v2/contacts/
bd1d8e7a-306d-4fd2-ac5b-f61bfb4e2d84",
      "path":"/contacts/bd1d8e7a-306d-4fd2-ac5b-f61bfb4e2d84"
    }
  ]
}
```