



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Transfer

Transfer

This operation is part of the [Email API](#) section of the [Web Services API](#).

Overview

Transfers an outbound email interaction.

The agent can perform this operation while working on an email interaction.

The email is transferred to another agent or to a group of agents associated with a skill.

This operation transfers email ownership from one agent to another agent.

Overview

Request URL	/api/v2/me/emails/{id}
HTTP Method	POST
Required Features	api-multimedia

Parameters

Parameter	Value
operationName	Transfer
userUri or queueName	user or queue to transfer to

Sample

Transfer to Agent

Request

```
POST api/v2/me/emails/0071023821aec011
{
  "operationName": "Transfer",
  "userUri": "http://[host]/api/v2/users/e62d21e405a04274bd6bbcaf78bd8c38"
}
```

Transfer to Queue

Request

```
POST api/v2/me/emails/0071023821aec011
{
  "operationName": "Transfer",
  "queueName": "test-queue"
}
```

Response

```
{
  "statusCode": 0
}
```

COMETD Notification

Message after transfer to agent or queue

```
{
  "referenceId": 5,
  "notificationType": "StatusChange",
  "messageType": "EmailStateChangeMessage",
  "email": {
    "userData": {
      "Header_Content-Type": "multipart/mixed;boundary=====1676090965==",
      "RTargetTypeSelected": "2",
      "RTargetObjectSelected": "E-maildistributionforprocessing",
      "_ContainsAttachment": "false",
      "CBR-actual_volume": "",
      "RVQID": "",
      "To": "GWS@gplus-w2k3-gf80",
      "Header_Date": "Tue,
11Mar2014 15: 54: 13+0200",
      "_AttachmentsSize": "0",
      "_AutoReplyCount": 0,
      "RTargetObjSelDBID": "114",
      "Header_MIME-Version": "1.0",
      "Mailbox": "GWS@gplus-w2k3-gf80.emea.int.genesyslab.com",
      "CBR-Interaction_cost": "",
      "CBR-contract_DBIDs": "",
      "ContactId": "0000Wa9CAM6W018X",
      "RTargetAgentSelected": "12345",
      "CBR-IT-path_DBIDs": "",
      "RTargetAgentGroup": "E-maildistributionforprocessing",
      "RTargetRuleSelected": "",
      "FromPersonal": "",
      "RTargetPlaceSelected": "a1",
      "_AttachmentFileNames": "",
      "RTenant": "Environment",
      "RRequestedSkills": None,
      "Origination_Source": "Email",
      "RRequestedSkillCombination": "",
      "RVQDBID": "",
      "RStrategyDBID": "785",
```

```
    "CustomerSegment": "default",
    "ServiceType": "default",
    "FromAddress": "qwerty@hpe-voicevm-34-23.genesyslab.com",
    "ServiceObjective": 0,
    "Header_Message-ID": "<f0v4kdpv8cxt14a.110320141554@192.168.67.43>",
    "PegAGE-maildistributionforprocessing": 1,
    "RTargetRequested": "E-maildistributionforprocessing",
    "EmailAddress": "qwerty@hpe-voicevm-34-23.genesyslab.com",
    "RStrategyName": "SimpleEmailInStrategy",
    "Subject": "Test_V2"
  },
  "from": "qwerty@hpe-voicevm-34-23.genesyslab.com",
  "contactId": "0000Wa9CAM6W018X",
  "capabilities": [
    "Reply",
    "ReplyAll",
    "Transfer",
    "AddComment",
    "AttachUserData",
    "UpdateUserData",
    "DeleteUserData",
    "SetDisposition",
    "SetInFocus",
    "Complete"
  ],
  "uri": "http://localhost:8080/api/v2/email/00012a9HEEG034QM",
  "to": [
    "GWS@gplus-w2k3-gf80"
  ],
  "state": "Processing",
  "revelantResponseTemplateGroups": [
  ],
  "id": "00012a9HEEG034QM",
  "subject": "Test_V2"
}
}
```