



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

Message resource

Message resource

The message resource includes properties that describe who the message was from, when it occurred, and its type. Messages are returned for **chat** or **facebooksession** interactions when you make GET requests to **/v2/ucs/interactions**.

Sample data

```
{
  "index":1,
  "from":{
    "nickname":"You",
    "type":"Customer",
    "participantId":"00AF52939EBE5BC4"
  },
  "timestamp":"2013-11-25T1: 02: 22.000+0200",
  "visibility":"All",
  "type":"ParticipantJoined",
  "timestampSeconds":1385406142000L
}
```

Resource details

Field	Description
index	The chat message's sequence number.
from	The chat's participant data.
type	The chat messages's type. Possible values are Text, TypingStarted, TypingStopping, ParticipantJoined, ParticipantRejoined, ParticipantLeft, PushUrl, Notice, or TranscriptSaveDone.
visibility	The chat message's visibility. Possible values are All, Agents, or Supervisors.
timestamp	The date the chat message was received, in yyyy-MM-dd HH:mm:ss.SSSZ format.
timestampSeconds	The date the chat message was received, in seconds.