

# **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services API Reference

SendMessage

# SendMessage

This operation is part of the IM Session API section of the Web Services API.

## Overview

Sends a message to the other participants in the IM session.

Request URL	/api/v2/me/im-sessions/{id}
HTTP Method	POST
Required Features	api-voice-instant-messaging

### Parameters

Parameter	Value
operationName	SendMessage
text	The message text to send. (mandatory)
destination	The number to reach. This should represent a SIP extension that supports IM. (mandatory)
	To enable IM communication, both agents must be logged in on a place with a SIP multimedia DN — that is, a SIP DN configured with the following Annex options in the <b>[TServer]</b> section:
	<ul> <li>multimedia option set to true</li> </ul>
	• sip-signalling-chat option set to none
devicePath	The path to a device assigned to the current user that is to be used for the operation. (mandatory)

## Samples

#### Request

POST /api/v2/me/im-sessions/00446K0L8GAC3B9R807GK2LAES00000D {
 "operationName": "SendMessage",
 "text": "Hello! This is my first message.",
 "destination":
 {

"phoneNumber": "16001"
},
"devicePath": "/devices/8191741c-bcb7-4e86-9493-98dc993446f"
}

#### HTTP Response

```
{
   "statusCode": 0
}
```

#### CometD Response

```
{
    "messageType": "IMLogUpdateMessage",
    "notificationType": "NewMessage",
    "imSessionPath": "/im-sessions/12398123091823091283012",
    "message":"Hello! This is my first message."
}
```