



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

[Start Preview Session](#)

Start Preview Session

This operation is part of the [Outbound API](#) section of the [Web Services API](#).

Overview

This request starts a preview mode outbound session for the current user on the specified campaign.

Request URL	/api/v2/me/outbound-campaigns/<campaign-name>
HTTP Method	POST
Required Features	api-voice-outbound

Parameters

Parameter	Value	Required
operationName	StartPreviewSession	Yes
applicationId	The unique identifier of the Outbound Contact Server application.	Yes
devicePath	The relative path to the device used for sending the TLib request.	Yes
referenceId	A unique identifier used to map the API call to the CometD response. If the request contains a referenceId, Web Services sends an acknowledgement or other event with the same reference ID via CometD.	No

Samples

Request

```
POST /api/v2/me/outbound-campaigns/Campaign1,
{
  'devicePath': '/devices/5910b027-3e64-4c85-9b9d-87248a21d8a5',
  'operationName': 'StartPreviewSession',
```

Start Preview Session

```
'applicationId': 134,  
'referenceId': '123456789'  
}
```

HTTP Response

```
{  
  "statusCode": 0  
}
```

CometD Response

```
{  
  'messageType': 'OutboundCampaignMessage',  
  'notificationType': 'PreviewSessionStarted',  
  'campaign':  
    {'name': 'Campaign1',  
     'dialingMode': 'Preview',  
     'groupName': 'Campaign1@AgentGroup1',  
     'state': 'Started',  
     'devicePath': '/devices/5910b027-3e64-4c85-9b9d-87248a21d8a5',  
     'applicationId': 134,  
     'groupDescription': '',  
     'description': ''  
    },  
  'referenceId': '123456789'  
}
```