



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Web Services API Reference

[Reply](#)

# Reply

This operation is part of the [Twitter API](#) section of the [Web Services API](#).

## Overview

Creates a Twitter reply.

<b>Request URL</b>	/api/v2/me/tweets/{id}
<b>HTTP Method</b>	POST
<b>Required Features</b>	api-multimedia

## Parameters

Parameter	Value
operationName	Reply
queuePath	The job queue for handling the send operation. (required)
isRetweet	Specifies whether this is a retweet. (optional)
userData	The key value data to attach. (optional)

## Samples

### Request

```
POST api/v2/me/tweets/01QQQG2MU214P05R,
{
  "operationName": "Reply",
  "queuePath": "/contacts/60ebbb94-3cef-4b14-95f8-5c49dbeb355d"
}
```

### HTTP Response

```
{
  "statusCode": 0,
  "referenceId": 42
}
```

## CometD Response

```
{
  "messageType": "TwitterStateChangeMessage",
  "notificationType": "StatusChange",
  "referenceId": 42,
  "twitter": {
    "capabilities": [
      "Cancel",
      "Send",
      "AddComment",
      "AttachUserData",
      "UpdateUserData",
      "DeleteUserData",
      "SetDisposition",
      "SetInFocus",
      "Transfer"
    ],
    "contactId": "0000Ka96XNNU4488",
    "id": "01QQQG2MU214P05S",
    "message": "On 12:58:9 11/5/2013, P created a post saying hello world!.",
    "parentId": "01QQQG2MU214P05R",
    "state": "Composing",
    "twitterType": "Outbound",
    "uri": "http://192.168.83.25:8080/api/v2/tweet/01QQQG2MU214P05S",
    "userData": {
      "To": "vitaliy_onv",
      "_twitterInReplyToStatusId": "16556921",
      "_twitterMsgType": "status",
      "_umsChannel": "channel-twitter"
    }
  }
}
```