



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services and Applications Deployment Guide

[PreviewInteractionExampleStrategy](#)

5/2/2025

PreviewInteractionExampleStrategy

```
<strategy typeStrategy="Custom" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="ird-strategy-schema.xsd">
  <version name="Main">
    <info type="list">
      <description><string value=""/></description>
      <created><string value="03/17/2014 08:14:35 PM"/></created>
      <createdBy><string value="default"/></createdBy>
      <updated><string value="04/16/2014 09:39:24 PM"/></updated>
      <updatedBy><string value=""/></updatedBy>
    </info>
    <variables type="list">
      <row type="complexRow">
        <varName><string value="targets"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="userData"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="connId"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="mediaType"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="integer"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="web_event"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="web_event_name"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="web_event_p1"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="web_event_p2"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
        <varName><string value="payload"/></varName>
        <scope><string value="local"/></scope>
        <type><string value="string"/></type>
      </row>
      <row type="complexRow">
```

```
<varName><string value="callUUID"/></varName>
<scope><string value="local"/></scope>
<type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="dn"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="switch"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="target"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="ss_flag"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="target_val"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="loop"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="integer"/></type>
</row>
<row type="complexRow">
  <varName><string value="agent"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="TargetsToExclude"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="outAgents"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="agentstate"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="one_agent"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
</row>
<row type="complexRow">
  <varName><string value="group_content"/></varName>
  <scope><string value="local"/></scope>
  <type><string value="string"/></type>
```

```

        </row>
        <row type="complexRow">
            <varName><string value="server_url"/></varName>
            <scope><string value="local"/></scope>
            <type><string value="string"/></type>
        </row>
    </variables>
    <objects>
        <miscMultiFunction objID="298868640" next="213850524"
defaultNext="213850524">
            <list type="list">
                <row type="complexRow">
                    <name><variable value="dn"/></name>
                    <expression><string
value="KVListGetStringValue[agentstate, 'dn.#1.number']"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="switch"/></name>
                    <expression><string
value="KVListGetStringValue[agentstate, 'dn.#1.switch']"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="outAgents"/></name>
                    <expression><string value="Cat[outAgents,
StrFormat['{"phoneNumber":"~s", "switchName":"~s"}', dn, switch]"/></expression>
                </row>
            </list>
        </miscMultiFunction>
        <miscFunction objID="434048800" next="692240928"
defaultNext="213850524">
            <name><variable value="agentstate"/></name>
            <expression><string
value="TargetState[one_agent]"/></expression>
        </miscFunction>
        <miscIf objID="98649770" next="434048800" defaultNext="356138992">
            <expression><string value="one_agent != ''"/></expression>
        </miscIf>
        <miscMultiAssign objID="559582724" next="97452840">
            <list type="list">
                <row type="complexRow">
                    <name><variable value="payload"/></name>
                    <expression><string
value="Cat['{"callUUId":"%callUUId%", "connId": "%connId%", "contactCenterId":"qwerty-12345",
"operationName":"%operationName%", "targets":%targets%}', '']"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="userData"/></name>
                    <expression><string
value="UData['']"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="connId"/></name>
                    <expression><string
value="ConnID[]"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="mediaType"/></name>
                    <expression><string
value="GetMediaType[]"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="callUUId"/></name>
                    <expression><string

```

```

value="CallUUID[]"/></expression>
</row>
<row type="complexRow">
  <name><variable value="payload"/></name>
  <expression><string
value="StrReplace[payload,'%connId%',connId]"/></expression>
</row>
<row type="complexRow">
  <name><variable value="payload"/></name>
  <expression><string
value="StrReplace[payload,'%callUUID%',callUUID]"/></expression>
</row>
<row type="complexRow">
  <name><variable value="payload"/></name>
  <expression><string
value="StrReplace[payload,'%operationName%', 'SendPreview']"/></expression>
</row>
<row type="complexRow">
  <name><variable value="payload"/></name>
  <expression><string
value="StrReplace[payload,'%targets%', outAgents]"/></expression>
</row>
<row type="complexRow">
  <name><variable value="server_url"/></name>
  <expression><constant
value="http://172.21.16.102:8080/api/v2/system/preview"/></expression>
</row>
</list>
</miscMultiAssign>
<segmentationGeneric objID="772656760" defaultNext="133451802">
  <segm type="segment" next="154855694">
    <expression><string value="StrLen[outAgents] !=
0"/></expression>
  </segm>
</segmentationGeneric>
<miscMultiFunction objID="100117536" next="54623660"
defaultNext="154855694">
  <list type="list">
    <row type="complexRow">
      <name><variable
value="web_event_name"/></name>
      <expression><string
value="GetStringKey['name',web_event]"/></expression>
    </row>
    <row type="complexRow">
      <name><variable value="web_event_p1"/></name>
      <expression><string
value="GetStringKey['param.phoneNumber',web_event]"/></expression>
    </row>
    <row type="complexRow">
      <name><variable value="web_event_p2"/></name>
      <expression><string
value="GetStringKey['param.switchName',web_event]"/></expression>
    </row>
  </list>
</miscMultiFunction>
<miscMultiFunction objID="45017088" next="399371884"
defaultNext="356138992">
  <list type="list">
    <row type="complexRow">
      <name><variable value="group_content"/></name>
      <expression><string
value="ExpandGroup[ 'AgentGroup1@SS.GA' ]"/></expression>

```

```

        </row>
    </list>
</miscMultiFunction>
<miscIf objID="692240928" next="298868640" defaultNext="213850524">
    <expression><string
value="KVListGetStringValue[agentstate,'voice'] = '1'"/></expression>
</miscIf>
<miscFunction objID="356138992" next="559582724">
    <name><variable value="outAgents"/></name>
    <expression><string value="Cat['[', StrReplace[outAgents,
'},{', '},{', '}]']"/></expression>
</miscFunction>
<dataAccessWeb objID="179886818" next="133451802">
    <type><string value="HTTP"/></type>
    <url><variable value="server_url"/></url>
    <method><string value="POST"/></method>
    <textMessages><variable value="payload"/></textMessages>
    <httpauth type="list">
        <type><string value="basic"/></type>
        <name><string value="admin@pizza.com"/></name>
        <pswd><string value="admin@pizza.com"/></pswd>
    </httpauth>
    <tags type="list">
        <row type="complexRow">
            <key><string value="Content-Type"/></key>
            <value><string value="application/
json"/></value>
        </row>
    </tags>
</dataAccessWeb>
<miscMultiAssign objID="54623660" next="772656760">
    <list type="list">
        <row type="complexRow">
            <name><variable value="target_val"/></name>
            <expression><string
value="Cat['{"phoneNumber":"%phoneNumber%", "switchName":"%switchName%"}', '']"/></expression>
        </row>
        <row type="complexRow">
            <name><variable value="target_val"/></name>
            <expression><string
value="StrReplace[target_val, '%phoneNumber%', web_event_p1]"/></expression>
        </row>
        <row type="complexRow">
            <name><variable value="target_val"/></name>
            <expression><string
value="StrReplace[target_val, '%switchName%', web_event_p2]"/></expression>
        </row>
        <row type="complexRow">
            <name><variable value="outAgents"/></name>
            <expression><string
value="StrReplace[outAgents, '},{', '},{']"/></expression>
        </row>
        <row type="complexRow">
            <name><variable value="outAgents"/></name>
            <expression><string
value="StrReplace[outAgents, target_val, '']"/></expression>
        </row>
        <row type="complexRow">
            <name><variable value="outAgents"/></name>
            <expression><string
value="StrReplace[outAgents, '},{', '},{']"/></expression>
        </row>
    </list>

```

```

        </miscMultiAssign>
        <routingDefault objID="145951464">
        </routingDefault>
        <miscFunction objID="213850524" next="98649770">
            <name><variable value="one_agent"/></name>
            <expression><string
value="StrAsciiTok[group_content,',',0]"/></expression>
        </miscFunction>
        <miscMultiAssign objID="154855694" next="179886818">
            <list type="list">
                <row type="complexRow">
                    <name><variable value="payload"/></name>
                    <expression><string
value="Cat['{"callUUID": "%callUUID%", "connId": "%connId%", "contactCenterId": "qwerty-12345",
"operationName": "%operationName%", "targets": %targets%}', '']"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="payload"/></name>
                    <expression><string
value="StrReplace[payload, '%connId%', connId]"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="payload"/></name>
                    <expression><string
value="StrReplace[payload, '%callUUID%', callUUID]"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="payload"/></name>
                    <expression><string
value="StrReplace[payload, '%operationName%', 'CancelPreview']"/></expression>
                </row>
                <row type="complexRow">
                    <name><variable value="payload"/></name>
                    <expression><string
value="StrReplace[payload, '%targets%', outAgents]"/></expression>
                </row>
            </list>
        </miscMultiAssign>
        <miscFunction objID="399371884" next="98649770">
            <name><variable value="one_agent"/></name>
            <expression><string
value="StrAsciiTok[group_content,',',1]"/></expression>
        </miscFunction>
        <miscFunction objID="196725936" next="100117536">
            <name><variable value="web_event"/></name>
            <expression><string
value="GetExternalEvent[20]"/></expression>
        </miscFunction>
        <dataAccessWeb objID="97452840" next="196725936">
            <type><string value="HTTP"/></type>
            <url><variable value="server_url"/></url>
            <method><string value="POST"/></method>
            <textMessages><variable value="payload"/></textMessages>
            <httpauth type="list">
                <type><string value="basic"/></type>
                <name><string value="admin@pizza.com"/></name>
                <pswd><string value="admin@pizza.com"/></pswd>
            </httpauth>
            <tags type="list">
                <row type="complexRow">
                    <key><string value="Content-Type"/></key>
                    <value><string value="application/
json"/></value>

```

```

        </row>
    </tags>
</dataAccessWeb>
<miscEntry objID="229241292" next="45017088">
</miscEntry>
<miscFunction objID="133451802" next="145951464">
    <name><string value=""/></name>
    <expression><string
value="TRoute[web_event_p1,web_event_p2,RouteTypeUnknown,' ']/></expression>
    </miscFunction>
</objects>
<presentation>
    <presentationObject objRef="298868640">
        <x><integer value="660"/></x>
        <y><integer value="90"/></y>
        <z><integer value="41"/></z>
        <ports type="list">
            <in><string value="left"/></in>
            <out><string value="right"/></out>
            <def><string value="bottom"/></def>
        </ports>
        <links type="list">
            <linkDefault type="list">
                <z><integer value="43"/></z>
                <auto><string value="yes"/></auto>
            </linkDefault>
            <linkOut type="list">
                <row type="complexRow">
                    <z><integer value="44"/></z>
                    <auto><string value="yes"/></auto>
                </row>
            </linkOut>
        </links>
    </presentationObject>
    <presentationObject objRef="434048800">
        <x><integer value="410"/></x>
        <y><integer value="90"/></y>
        <z><integer value="33"/></z>
        <ports type="list">
            <in><string value="left"/></in>
            <out><string value="right"/></out>
            <def><string value="bottom"/></def>
        </ports>
        <links type="list">
            <linkDefault type="list">
                <z><integer value="38"/></z>
                <auto><string value="yes"/></auto>
            </linkDefault>
            <linkOut type="list">
                <row type="complexRow">
                    <z><integer value="37"/></z>
                    <auto><string value="yes"/></auto>
                </row>
            </linkOut>
        </links>
    </presentationObject>
    <presentationObject objRef="98649770">
        <x><integer value="300"/></x>
        <y><integer value="90"/></y>
        <z><integer value="31"/></z>
        <ports type="list">
            <in><string value="left"/></in>
            <out><string value="right"/></out>
        </ports>
    </presentationObject>
</presentation>
</objects>
</dataAccessWeb>
</PreviewInteractionExampleStrategy>
```

```
        <def><string value="bottom"/></def>
    </ports>
    <links type="list">
        <linkDefault type="list">
            <z><integer value="47"/></z>
            <auto><string value="yes"/></auto>
        </linkDefault>
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="34"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="559582724">
    <x><integer value="70"/></x>
    <y><integer value="380"/></y>
    <z><integer value="3"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
    </ports>
    <links type="list">
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="14"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="772656760">
    <x><integer value="570"/></x>
    <y><integer value="450"/></y>
    <z><integer value="21"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
        <def><string value="bottom"/></def>
    </ports>
    <links type="list">
        <linkDefault type="list">
            <z><integer value="26"/></z>
            <auto><string value="no"/></auto>
            <points type="list">
                <row type="complexRow">
                    <x><integer value="590"/></x>
                    <y><integer value="520"/></y>
                </row>
                <row type="complexRow">
                    <x><integer value="780"/></x>
                    <y><integer value="520"/></y>
                </row>
                <row type="complexRow">
                    <x><integer value="780"/></x>
                    <y><integer value="480"/></y>
                </row>
            </points>
        </linkDefault>
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="24"/></z>
```

```

                                <auto><string value="yes"/></auto>
                                </row>
                                </linkOut>
                                </links>
                                </presentationObject>
                                <presentationObject objRef="100117536">
                                    <x><integer value="380"/></x>
                                    <y><integer value="380"/></y>
                                    <z><integer value="9"/></z>
                                    <labels type="list">
                                        <row type="complexRow">
                                            <type><string value="comment"/></type>
                                            <text type="list">
                                                <strText><string value="if event to
urs was: urs/call/<connid>/event/Something?p1=value1&p2=value2 then function block above
sets var web_event_name to Something var web_event_p1 to value1 var web_event_p2 to
value2"/></strText>
                                                <multiline><string
value="yes"/></multiline>
                                                <wordBreak><string
value="no"/></wordBreak>
                                                <alignH><string
value="left"/></alignH>
                                                <alignV><string
value="center"/></alignV>
                                                </text>
                                                <posAndSize type="list">
                                                    <z><integer value="13"/></z>
                                                    <x><integer value="540"/></x>
                                                    <y><integer value="290"/></y>
                                                    <dx><integer value="400"/></dx>
                                                    <dy><integer value="70"/></dy>
                                                </posAndSize>
                                                <font type="list">
                                                    <name><string value="Tahoma"/></name>
                                                    <pointSize><integer
value="10"/></pointSize>
                                                    <color type="list">
                                                        <red><integer
value="0"/></red>
                                                        <green><integer
value="0"/></green>
                                                        <blue><integer
value="0"/></blue>
                                                    </color>
                                                    <strikeOut><string
value="no"/></strikeOut>
                                                    <underLine><string
value="no"/></underLine>
                                                    <style><string
value="regular"/></style>
                                                </font>
                                                <edit type="list">
                                                    <allowPropertyChange><string
value="yes"/></allowPropertyChange>
                                                    <allowMove><string
value="yes"/></allowMove>
                                                    <allowSelect><string
value="yes"/></allowSelect>
                                                    <allowRotate><string
value="yes"/></allowRotate>
                                                    <allowScale><string
value="yes"/></allowScale>

```

value="yes"/></allowStretch>	<allowStretch><string
value="yes"/></allowVertexEdit>	<allowVertexEdit><string
value="no"/></allowContainment>	<allowContainment><string
	</edit>
	<line type="list">
	<color type="list">
value="0"/></red>	<red><integer
value="0"/></green>	<green><integer
value="0"/></blue>	<blue><integer
	</color>
value="no"/></transparent>	<transparent><string
value="1"/></pointSize>	<style><string value="solid"/></style>
	<pointSize><integer
	</line>
	<fill type="list">
	<foregroundColor type="list">
value="255"/></red>	<red><integer
value="255"/></green>	<green><integer
value="255"/></blue>	<blue><integer
	</foregroundColor>
	<backgroundColor type="list">
value="255"/></red>	<red><integer
value="255"/></green>	<green><integer
value="255"/></blue>	<blue><integer
	</backgroundColor>
value="noHatch"/></hatch>	<hatch><string
value="no"/></transparentFill>	<transparentFill><string
value="yes"/></transparentBackground>	<transparentBackground><string
	</fill>
	</row>
	</labels>
	<ports type="list">
	<in><string value="left"/></in>
	<out><string value="right"/></out>
	<def><string value="bottom"/></def>
	</ports>
	<links type="list">
	<linkDefault type="list">
	<z><integer value="27"/></z>
	<auto><string value="no"/></auto>
	<points type="list">
	<row type="complexRow">
	<x><integer value="400"/></x>
	<y><integer value="450"/></y>
	</row>
	<row type="complexRow">

```

        <x><integer value="460"/></x>
        <y><integer value="450"/></y>
    </row>
    <row type="complexRow">
        <x><integer value="460"/></x>
        <y><integer value="450"/></y>
    </row>
    <row type="complexRow">
        <x><integer value="460"/></x>
        <y><integer value="370"/></y>
    </row>
    <row type="complexRow">
        <x><integer value="630"/></x>
        <y><integer value="370"/></y>
    </row>
    <row type="complexRow">
        <x><integer value="630"/></x>
        <y><integer value="470"/></y>
    </row>
</points>
</linkDefault>
<linkOut type="list">
    <row type="complexRow">
        <z><integer value="18"/></z>
        <auto><string value="yes"/></auto>
    </row>
</linkOut>
</links>
</presentationObject>
<presentationObject objRef="45017088">
    <x><integer value="70"/></x>
    <y><integer value="90"/></y>
    <z><integer value="28"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
        <def><string value="bottom"/></def>
    </ports>
    <links type="list">
        <linkDefault type="list">
            <z><integer value="46"/></z>
            <auto><string value="yes"/></auto>
        </linkDefault>
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="30"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="692240928">
    <x><integer value="530"/></x>
    <y><integer value="90"/></y>
    <z><integer value="36"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
        <def><string value="bottom"/></def>
    </ports>
    <links type="list">
        <linkDefault type="list">
            <z><integer value="39"/></z>

```

```

        <auto><string value="yes"/></auto>
    </linkDefault>
    <linkOut type="list">
        <row type="complexRow">
            <z><integer value="42"/></z>
            <auto><string value="yes"/></auto>
        </row>
    </linkOut>
</links>
</presentationObject>
<presentationObject objRef="356138992">
    <x><integer value="190"/></x>
    <y><integer value="230"/></y>
    <z><integer value="45"/></z>
    <ports type="list">
        <in><string value="top"/></in>
        <out><string value="bottom"/></out>
        <def><string value="right"/></def>
    </ports>
    <links type="list">
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="49"/></z>
                <auto><string value="no"/></auto>
                <points type="list">
                    <row type="complexRow">
                        <x><integer
value="210"/></x>
                        <y><integer
value="290"/></y>
                    </row>
                    <row type="complexRow">
                        <x><integer
value="40"/></x>
                        <y><integer
value="290"/></y>
                    </row>
                    <row type="complexRow">
                        <x><integer
value="40"/></x>
                        <y><integer
value="400"/></y>
                    </row>
                </points>
            </row>
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="179886818">
    <x><integer value="720"/></x>
    <y><integer value="450"/></y>
    <z><integer value="15"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
        <def><string value="bottom"/></def>
    </ports>
    <links type="list">
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="19"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>

```

```
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="54623660">
    <x><integer value="490"/></x>
    <y><integer value="380"/></y>
    <z><integer value="16"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
    </ports>
    <links type="list">
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="22"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="145951464">
    <x><integer value="870"/></x>
    <y><integer value="380"/></y>
    <z><integer value="7"/></z>
    <ports type="list">
        <in><string value="left"/></in>
    </ports>
</presentationObject>
<presentationObject objRef="213850524">
    <x><integer value="410"/></x>
    <y><integer value="230"/></y>
    <z><integer value="35"/></z>
    <ports type="list">
        <in><string value="top"/></in>
        <out><string value="left"/></out>
        <def><string value="bottom"/></def>
    </ports>
    <links type="list">
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="40"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>
<presentationObject objRef="154855694">
    <x><integer value="650"/></x>
    <y><integer value="450"/></y>
    <z><integer value="23"/></z>
    <ports type="list">
        <in><string value="left"/></in>
        <out><string value="right"/></out>
    </ports>
    <links type="list">
        <linkOut type="list">
            <row type="complexRow">
                <z><integer value="25"/></z>
                <auto><string value="yes"/></auto>
            </row>
        </linkOut>
    </links>
</presentationObject>
```

```
<presentationObject objRef="399371884">
  <x><integer value="170"/></x>
  <y><integer value="90"/></y>
  <z><integer value="29"/></z>
  <ports type="list">
    <in><string value="left"/></in>
    <out><string value="right"/></out>
    <def><string value="bottom"/></def>
  </ports>
  <links type="list">
    <linkOut type="list">
      <row type="complexRow">
        <z><integer value="32"/></z>
        <auto><string value="yes"/></auto>
      </row>
    </linkOut>
  </links>
</presentationObject>
<presentationObject objRef="196725936">
  <x><integer value="230"/></x>
  <y><integer value="380"/></y>
  <z><integer value="4"/></z>
  <labels type="list">
    <row type="complexRow">
      <type><string value="comment"/></type>
      <text type="list">
        <strText><string
value="GetExternalEvent[20] - waiting event for 20 sec"/></strText>
        <multiLine><string
value="yes"/></multiLine>
        <wordBreak><string
value="no"/></wordBreak>
        <alignH><string
value="left"/></alignH>
        <alignV><string
value="center"/></alignV>
      </text>
      <posAndSize type="list">
        <z><integer value="6"/></z>
        <x><integer value="150"/></x>
        <y><integer value="490"/></y>
        <dx><integer value="296"/></dx>
        <dy><integer value="18"/></dy>
      </posAndSize>
      <font type="list">
        <name><string value="Tahoma"/></name>
        <pointSize><integer
value="10"/></pointSize>
        <color type="list">
          <red><integer
value="0"/></red>
          <green><integer
value="0"/></green>
          <blue><integer
value="0"/></blue>
        </color>
        <strikeOut><string
value="no"/></strikeOut>
        <underLine><string
value="no"/></underLine>
        <style><string
value="regular"/></style>
      </font>
    </row>
  </labels>
</presentationObject>
```

```

value="yes"/></allowPropertyChange>
value="yes"/></allowMove>
value="yes"/></allowSelect>
value="yes"/></allowRotate>
value="yes"/></allowScale>
value="yes"/></allowStretch>
value="yes"/></allowVertexEdit>
value="no"/></allowContainment>

value="0"/></red>
value="0"/></green>
value="0"/></blue>

value="no"/></transparent>

value="1"/></pointSize>

value="255"/></red>
value="255"/></green>
value="255"/></blue>

value="255"/></red>
value="255"/></green>
value="255"/></blue>

value="noHatch"/></hatch>
value="no"/></transparentFill>
value="yes"/></transparentBackground>

<edit type="list">
  <allowPropertyChange><string
    <allowMove><string
      <allowSelect><string
        <allowRotate><string
          <allowScale><string
            <allowStretch><string
              <allowVertexEdit><string
                <allowContainment><string
          </edit>
        <line type="list">
          <color type="list">
            <red><integer
              <green><integer
                <blue><integer
          </color>
          <transparent><string
            <style><string value="solid"/></style>
            <pointSize><integer
          </line>
          <fill type="list">
            <foregroundColor type="list">
              <red><integer
                <green><integer
                  <blue><integer
            </foregroundColor>
            <backgroundColor type="list">
              <red><integer
                <green><integer
                  <blue><integer
            </backgroundColor>
            <hatch><string
              <transparentFill><string
                <transparentBackground><string
            </fill>
          </row>
        <row type="complexRow">
          <type><string value="comment"/></type>
          <text type="list">
            <strText><string value="If through
red port - no events was received during 20 sec timeout"/></strText>

```

value="yes"/></multiline>	<multiline><string
value="no"/></wordBreak>	<wordBreak><string
value="left"/></alignH>	<alignH><string
value="center"/></alignV>	<alignV><string
	</text>
	<posAndSize type="list">
	<z><integer value="8"/></z>
	<x><integer value="119"/></x>
	<y><integer value="430"/></y>
	<dx><integer value="407"/></dx>
	<dy><integer value="40"/></dy>
	</posAndSize>
	
	<name><string value="Tahoma"/></name>
	<pointSize><integer
value="10"/></pointSize>	
	<color type="list">
	<red><integer
value="0"/></red>	
	<green><integer
value="0"/></green>	
	<blue><integer
value="0"/></blue>	
	</color>
	<strikeOut><string
value="no"/></strikeOut>	
	<underLine><string
value="no"/></underLine>	
	<style><string
value="regular"/></style>	
	
	<edit type="list">
	<allowPropertyChange><string
value="yes"/></allowPropertyChange>	
	<allowMove><string
value="yes"/></allowMove>	
	<allowSelect><string
value="yes"/></allowSelect>	
	<allowRotate><string
value="yes"/></allowRotate>	
	<allowScale><string
value="yes"/></allowScale>	
	<allowStretch><string
value="yes"/></allowStretch>	
	<allowVertexEdit><string
value="yes"/></allowVertexEdit>	
	<allowContainment><string
value="no"/></allowContainment>	
	</edit>
	<line type="list">
	<color type="list">
	<red><integer
value="0"/></red>	
	<green><integer
value="0"/></green>	
	<blue><integer
value="0"/></blue>	
	</color>
	<transparent><string

```

value="no"/></transparent>
value="1"/></pointSize>
value="255"/></red>
value="255"/></green>
value="255"/></blue>
value="255"/></red>
value="255"/></green>
value="255"/></blue>
value="noHatch"/></hatch>
value="no"/></transparentFill>
value="yes"/></transparentBackground>
green port - we get event event has string in formt: name:name_of_event|param.name_of
param:valueofparam|etc"/></strText>
value="yes"/></multiLine>
value="no"/></wordBreak>
value="left"/></alignH>
value="center"/></alignV>
value="10"/></pointSize>
value="0"/></red>
value="0"/></green>
value="0"/></blue>
<style><string value="solid"/></style>
<pointSize><integer
</line>
<fill type="list">
  <foregroundColor type="list">
    <red><integer
    <green><integer
    <blue><integer
  </foregroundColor>
  <backgroundColor type="list">
    <red><integer
    <green><integer
    <blue><integer
  </backgroundColor>
  <hatch><string
  <transparentFill><string
  <transparentBackground><string
</fill>
</row>
<row type="complexRow">
  <type><string value="comment"/></type>
  <text type="list">
    <strText><string value="if through
    <multiline><string
    <wordBreak><string
    <alignH><string
    <alignV><string
  </text>
  <posAndSize type="list">
    <z><integer value="10"/></z>
    <x><integer value="120"/></x>
    <y><integer value="310"/></y>
    <dx><integer value="403"/></dx>
    <dy><integer value="50"/></dy>
  </posAndSize>
  <font type="list">
    <name><string value="Tahoma"/></name>
    <pointSize><integer
    <color type="list">
      <red><integer
      <green><integer
      <blue><integer

```

value="no"/></strikeOut>	</color>
value="no"/></underLine>	<strikeOut><string
value="regular"/></style>	<underLine><string
	<style><string
	
value="yes"/></allowPropertyChange>	<edit type="list">
value="yes"/></allowMove>	<allowPropertyChange><string
value="yes"/></allowSelect>	<allowMove><string
value="yes"/></allowRotate>	<allowSelect><string
value="yes"/></allowScale>	<allowRotate><string
value="yes"/></allowStretch>	<allowScale><string
value="yes"/></allowVertexEdit>	<allowStretch><string
value="no"/></allowContainment>	<allowVertexEdit><string
	<allowContainment><string
	</edit>
value="0"/></red>	<line type="list">
value="0"/></green>	<color type="list">
value="0"/></blue>	<red><integer
	<green><integer
value="no"/></transparent>	<blue><integer
value="1"/></pointSize>	</color>
	<transparent><string
	<style><string value="solid"/></style>
	<pointSize><integer
	</line>
value="255"/></red>	<fill type="list">
value="255"/></green>	<foregroundColor type="list">
value="255"/></blue>	<red><integer
	<green><integer
	<blue><integer
	</foregroundColor>
value="255"/></red>	<backgroundColor type="list">
value="255"/></green>	<red><integer
value="255"/></blue>	<green><integer
	<blue><integer
	</backgroundColor>
value="noHatch"/></hatch>	<hatch><string
value="no"/></transparentFill>	<transparentFill><string
	<transparentBackground><string

```

value="yes"/></transparentBackground>
                                </fill>
                                </row>
                                </labels>
                                <ports type="list">
                                    <in><string value="left"/></in>
                                    <out><string value="right"/></out>
                                    <def><string value="bottom"/></def>
                                </ports>
                                <links type="list">
                                    <linkOut type="list">
                                        <row type="complexRow">
                                            <z><integer value="17"/></z>
                                            <auto><string value="yes"/></auto>
                                        </row>
                                    </linkOut>
                                </links>
                                </presentationObject>
                                <presentationObject objRef="97452840">
                                    <x><integer value="150"/></x>
                                    <y><integer value="380"/></y>
                                    <z><integer value="2"/></z>
                                    <ports type="list">
                                        <in><string value="left"/></in>
                                        <out><string value="right"/></out>
                                        <def><string value="bottom"/></def>
                                    </ports>
                                    <links type="list">
                                        <linkOut type="list">
                                            <row type="complexRow">
                                                <z><integer value="5"/></z>
                                                <auto><string value="yes"/></auto>
                                            </row>
                                        </linkOut>
                                    </links>
                                </presentationObject>
                                <presentationObject objRef="229241292">
                                    <x><integer value="20"/></x>
                                    <y><integer value="20"/></y>
                                    <z><integer value="1"/></z>
                                    <ports type="list">
                                        <out><string value="bottom"/></out>
                                    </ports>
                                    <links type="list">
                                        <linkOut type="list">
                                            <row type="complexRow">
                                                <z><integer value="48"/></z>
                                                <auto><string value="yes"/></auto>
                                            </row>
                                        </linkOut>
                                    </links>
                                </presentationObject>
                                <presentationObject objRef="133451802">
                                    <x><integer value="800"/></x>
                                    <y><integer value="460"/></y>
                                    <z><integer value="11"/></z>
                                    <labels type="list">
                                        <row type="complexRow">
                                            <type><string value="description"/></type>
                                            <state><string value="manual_text"/></state>
                                            <text type="list">
                                                <strText><string
value="target=SelectDN[' ',' ',' ',StatSelectMax,Target]"/></strText>

```

value="yes"/></multiline>	<multiline><string
value="no"/></wordBreak>	<wordBreak><string
value="left"/></alignH>	<alignH><string
value="center"/></alignV>	<alignV><string
	</text>
	<posAndSize type="list">
	<z><integer value="12"/></z>
	<dx><integer value="162"/></dx>
	<dy><integer value="18"/></dy>
	</posAndSize>
	
Roman"/></name>	<name><string value="Times New
value="10"/></pointSize>	<pointSize><integer
value="0"/></red>	<color type="list">
value="0"/></green>	<red><integer
value="0"/></blue>	<green><integer
	<blue><integer
	</color>
value="no"/></strikeOut>	<strikeOut><string
value="no"/></underLine>	<underLine><string
value="regular"/></style>	<style><string
	
	<edit type="list">
value="yes"/></allowPropertyChange>	<allowPropertyChange><string
value="no"/></allowMove>	<allowMove><string
value="yes"/></allowSelect>	<allowSelect><string
value="yes"/></allowRotate>	<allowRotate><string
value="yes"/></allowScale>	<allowScale><string
value="yes"/></allowStretch>	<allowStretch><string
value="yes"/></allowVertexEdit>	<allowVertexEdit><string
value="no"/></allowContainment>	<allowContainment><string
	</edit>
	<line type="list">
value="0"/></red>	<color type="list">
value="0"/></green>	<red><integer
value="0"/></blue>	<green><integer
	<blue><integer
	</color>
value="no"/></transparent>	<transparent><string

```

value="1"/></pointSize>
value="255"/></red>
value="255"/></green>
value="255"/></blue>
value="255"/></red>
value="255"/></green>
value="255"/></blue>
value="noHatch"/></hatch>
value="no"/></transparentFill>
value="yes"/></transparentBackground>
</fill>
</row>
</labels>
<ports type="list">
  <in><string value="left"/></in>
  <out><string value="right"/></out>
  <def><string value="bottom"/></def>
</ports>
<links type="list">
  <linkOut type="list">
    <row type="complexRow">
      <z><integer value="20"/></z>
      <auto><string value="yes"/></auto>
    </row>
  </linkOut>
</links>
</presentationObject>
</presentation>
</version>
</strategy>
<style><string value="solid"/></style>
<pointSize><integer>
</line>
<fill type="list">
  <foregroundColor type="list">
    <red><integer>
    <green><integer>
    <blue><integer>
  </foregroundColor>
  <backgroundColor type="list">
    <red><integer>
    <green><integer>
    <blue><integer>
  </backgroundColor>
  <hatch><string>
  <transparentFill><string>
  <transparentBackground><string>

```