



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services API Reference

Transfer

5/1/2025

# Transfer

This operation is part of the [Chat API](#) section of the [Web Services API](#).

## Overview

This transfers a chat to another agent or to a queue.

<b>Request URL</b>	/api/v2/me/chats/{id}
<b>HTTP Method</b>	POST
<b>Required Features</b>	api-multimedia

## Parameters

Parameter	Value
operationName	Transfer
targetUri or queueName	user or queue to transfer to
text	(Optional) The text to send to the customer.
messageType	(Optional) Defines the message type. The default value is Text. Note that this parameter must be provided together with the text parameter.
treatAs	(Optional) Specifies how the message should be treated: Normal or System. The default value is Normal. Note that this parameter must be provided together with the text parameter.

## Sample

### Request

#### Transfer to Agent

```
POST api/v2/me/chats/0071023821aec011
{
  "operationName": "Transfer",
  "targetUri": "http://localhost:8080/api/v2/users/e62d21e405a04274bd6bbcaf78bd8c38"
}
```

## Transfer

---

### Transfer to Queue

```
POST api/v2/me/chats/0071023821aec011
{
  "operationName": "Transfer",
  "queueName": "test-queue"
}
```

### Response

```
{
  "statusCode": 0
}
```

### Notifications