



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

[RequestAgentStats](#)

RequestAgentStats

This operation is part of the [Workbins API](#) section of the [Web Services API](#).

Overview

Users can request statistics for workbins that have a specified type for a specified owner.

Request URL	/api/v2/workbins
HTTP Method	POST
Required Features	api-multimedia

Request Agent Workbins Stats

Parameters

Parameter	Value
operationName	RequestAgentStats

Sample

The request involves sending a JSON body as well as adhering to the URL path listed above.

Request

```
POST api/v2/workbins
{
  "operationName": "RequestAgentStats"
}
```

Response

The response consists of an HTTP response and a CometD response.

HTTP response

```
{
  "statusCode": 0,
  "referenceId": 1
}
```

CometD Response

```
{
  "workbinStats": {
    "bf839abe-81de-4e30-9fa7-f7b8ec0d6415": {
      "Count": 1,
      "Owner": "28383e5523c7479cae4afa8df88d66df",
      "Type": "Agent"
    }
  },
  "messageType": "WorkbinStatsMessage",
  "referenceId": 1
}
```

Request Place Workbins Stats

Parameters

Parameter	Value
operationName	RequestAgentStats
workbinType	Place
workbinOwner	place name

Sample

The request involves sending a JSON body as well as adhering to the URL path listed above.

Request

```
POST api/v2/workbins
{
  "operationName": "RequestAgentStats",
  "workbinType": "Place",
  "workbinOwner": "Place1",
}
```

Response

The response consists of an HTTP response and a CometD response.

HTTP response

```
{
  "statusCode": 0,
  "referenceId": 2
}
```

CometD Response

```
{
  "workbinStats": {
    "861640a2-154e-4025-8e4f-49b74f805b6d": {
      "Count": 1,

```

```
        "Owner": "Place1",
        "Type": "Place"
    },
    "messageType": "WorkbinStatsMessage",
    "referenceId": 2
}
```

Request Agent Group Workbins Stats

Parameters

Parameter	Value
operationName	RequestAgentStats
workbinType	AgentGroup
workbinOwner	agent group name

Sample

The request involves sending a JSON body as well as adhering to the URL path listed above.

Request

```
POST api/v2/workbins
{
  "operationName": "RequestAgentStats",
  "workbinType": "AgentGroup",
  "workbinOwner": "ServiceAgentGroup",
}
```

Response

The response consists of an HTTP response and a CometD response.

HTTP response

```
{
  "statusCode": 0,
  "referenceId": 3
}
```

CometD Response

```
{
  "workbinStats": {
    "39ac7955-8f82-4610-8090-7a6905a18073": {
      "Count": 1,
      "Owner": "ServiceAgentGroup",
      "Type": "AgentGroup"
    }
  },
}
```

```
"messageType": "WorkbinStatsMessage",
"referenceId": 3
}
```

Request Place Group Workbins Stats

Parameters

Parameter	Value
operationName	RequestAgentStats
workbinType	PlaceGroup
workbinOwner	place group name

Sample

The request involves sending a JSON body as well as adhering to the URL path listed above.

Request

```
POST api/v2/workbins
{
  "operationName": "RequestAgentStats",
  "workbinType": "PlaceGroup",
  "workbinOwner": "ServicePlaceGroup",
}
```

Response

The response consists of an HTTP response and a CometD response.

HTTP response

```
{
  "statusCode": 0,
  "referenceId": 4
}
```

CometD Response

```
{
  "workbinStats": {
    "b28f9314-0a0d-451d-9a9a-45588dcc38c1": {
      "Count": 1,
      "Owner": "ServicePlaceGroup",
      "Type": "PlaceGroup"
    }
  },
  "messageType": "WorkbinStatsMessage",
  "referenceId": 4
}
```

Request Agent Workbins Stats by User

Overview

Users can request statistics for workbins for a specific agent.

Request URL	/api/v2/users/{userId}/workbins
HTTP Method	POST
Required Features	api-multimedia

Parameters

Parameter	Value
operationName	RequestAgentStats

Sample

The request involves sending a JSON body as well as adhering to the URL path listed above.

Request

```
POST api/v2/users/28383e5523c7479cae4afa8df88d66df/workbins
{
  "operationName": "RequestAgentStats"
}
```

Response

The response consists of an HTTP response and a CometD response.

HTTP response

```
{
  "statusCode": 0,
  "referenceId": 5
}
```

CometD Response

```
{
  "workbinStats": {
    "bf839abe-81de-4e30-9fa7-f7b8ec0d6415": {
      "Count": 1,
      "Owner": "28383e5523c7479cae4afa8df88d66df",
      "Type": "Agent"
    }
  },
  "messageType": "WorkbinStatsMessage",
  "referenceId": 5
}
```