



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services and Applications Deployment Guide

Contact availability

12/19/2025

Contact availability

Your Web Services and Applications solution must meet the following requirements to enable contact availability for **contact resources** of type User in the **Contacts API**:

- Your environment must include a connection to Stat Server.
- **You have enabled statistics monitoring.**
- Your **statistics.yaml** file contains the following definitions:

```
---
#internal stats
name: CurrentTargetState
statisticDefinitionEx:
  category: CurrentTargetState
  mainMask: "*"
  subject: DNStatus
  dynamicTimeProfile: "0:00"
  intervalType: GrowingWindow
objectType: AGENT
notificationMode: IMMEDIATE
notificationFrequency: 0
---
name: CurrentAgentState
notificationFrequency: 0
notificationMode: IMMEDIATE
objectType: AGENT
statisticDefinitionEx:
  category: CurrentState
  mainMask: "*"
  subject: DNAction
```

- **You have enabled multimedia channel states monitoring (optional).**
- The contact must have a device assigned and be logged in; otherwise, Web Services does not include the availability subresource.