GENESYS™

Web Services and Applications Deployment Guide

Installing and configuring Jetty

4/10/2025

Installing and configuring Jetty

> **Important**
> Complete the steps on this page if you're installing Web Services and Applications version 8.5.201.09 or earlier; Jetty is embedded in newer versions of Web Services and Applications.

Contents

Jetty version 9 is a mandatory component that must be installed and configured on each Web Services node prior to starting the installation and configuration of Web Services and Applications.

> **Important**
>
> Jetty version 8 is no longer supported by Web Services. For more information about Jetty, refer to the Jetty documentation.

Install Jetty

Prerequisites

- You have installed the latest Java 1.7 JDK 64bit for Linux. For more information, refer to the Java documentation.

1. Download the latest Jetty version available in stable-9 from Eclipse.
2. Copy the Jetty archive to the installation directory. For example: `/opt/jetty`
3. Use a tar utility to extract the files. For example: `tar -zxvf jetty-distribution-9.2.1.v20140609.tar.gz`
4. Start Jetty to confirm it has been installed correctly:

   `[java_path]/java -jar [jetty_path]/start.jar`

   - [java_path] — The path to your Java installation. For example, `/usr/bin`.
   - [jetty_path] — The path to your Jetty installation. For example, `/opt/jetty`.

- Test Jetty by entering the following URL in a web browser: `http://[host]:8080`

  - [host] — The host name (fully qualified domain name) or IP address where you installed Jetty.

  You should see a 404 error page from Jetty.

- Stop Jetty by pressing `Ctrl+c`.

> **Important**
>
> If you plan to use the Gplus Adapter for Salesforce or WebRTC for Workspace Web Edition, you should also configure Jetty for SSL.

Next step

- Installing and configuring Cassandra