



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services and Applications Migration Guide

Migrating from Oracle Java 8 to OpenJDK 1.8.0

5/8/2025

# Migrating from Oracle Java 8 to OpenJDK 1.8.0

To upgrade Java, the following Open Java Runtime Environment (JRE) or Java Development Kit (JDK) RPM packages are recommended:

- java-1.8.0-openjdk-headless
- java-1.8.0-openjdk-devel

The RPM packages execute all necessary actions to install and configure Java, and update the operating system (OS) configuration. **Web Services and Applications** uses the default Java version that is configured on the node. Therefore, if Oracle Java was installed previously using a Java RPM package, the newly installed/updated OpenJDK should be selected as default one.

Invoke `update-alternatives util` and select the required Java installation:

```
update-alternatives --config java
```

There are 4 programs which provide 'java'.

Selection	Command
1	/usr/lib/jvm/java/bin/java
2	/usr/lib/jvm/jre-1.6.0-openjdk.x86_64/bin/java
3	/usr/java/jdk1.8.0_92/jre/bin/java
*+ 4	/usr/lib/jvm/jre-1.8.0-openjdk.x86_64/bin/java

Enter to keep the current selection[+], or type selection number:

In some cases, it might not be possible to update the default Java version on the node. Complications with other applications or circumstances might prevent a successful update. In this case, you can configure Web Services and Applications to use a specific Java version. Use the **JAVA** variable in the **/etc/default/gws** file. For example:

```
# JAVA
# defines the Java that have to be used if several versions are installed on the host.
JAVA=/usr/lib/jvm/jre-1.8.0-openjdk.x86_64/bin/java
```