



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Web Services API Reference

`SendStartTypingNotification`

12/15/2025

# SendStartTypingNotification

This operation is part of the [Customer Chat API](#) portion of the [Web Services API](#).

## Overview

Notifies the chat that the customer has started typing.

### Important

As with all customer chat API requests, no Authorization header should be included. Instead, the ContactCenterId custom HTTP header should be included.

|                              |                    |
|------------------------------|--------------------|
| <b>Request URL</b>           | /api/v2/chats/{id} |
| <b>HTTP Method</b>           | POST               |
| <b>Required Features</b>     | -                  |
| <b>Required HTTP Headers</b> | ContactCenterId    |

## Parameters

| Parameter     | Value                       |
|---------------|-----------------------------|
| operationName | SendStartTypingNotification |

## Example

### Request

```
POST ../api/v2/chats/652492d9-c2d9-44c9-b9ad-0ab7984114bb
ContactCenterId: cfe5ad67-ba6d-4340-81f9-bb680ef5d498
{
  "operationName": "SendStartTypingNotification"
}
```

## Response

```
{  
  "statusCode": 0  
}
```