



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Web Services API Reference

GetGroupWorkbinContent

12/14/2025

Contents

- 1 [GetGroupWorkbinContent](#)
 - 1.1 [Get Content for an AgentGroup Workbin with Subresources](#)
 - 1.2 [Get Content for an AgentGroup Workbin with Media Type](#)
 - 1.3 [Get Content for Multiple AgentGroup Workbins with Subresources](#)
 - 1.4 [Get Content for a PlaceGroup Workbin with Subresources](#)
 - 1.5 [Get Content for a PlaceGroup Workbin with Media Type](#)
 - 1.6 [Get Content for Multiple PlaceGroup Workbins with Subresources](#)

GetGroupWorkbinContent

This operation is part of the [Workbins API](#) section of the [Web Services API](#).

Get Content for an AgentGroup Workbin with Subresources

Get content for the specified AgentGroup workbin with its subresources.

Request URL	/api/v2/me/workbins/{workbinId}?subresources={subresources}&agentGroup
HTTP method	GET
Required features	api-multimedia

Possible values for the subresources are *, chat, email, facebook, tweet, facebooksession, workitem, and openmedia.

Sample

Request

```
GET api/v2/me/workbins/1c979a85-edd7-4540-8a58-b74fbc8328af?subresources=*&agentGroup=MyAgentGroup
```

HTTP response

The response consists of an HTTP response and a CometD response. For details on the result, refer to the [workbin resource](#).

```
{
  "statusCode": 0,
  "workbin": {
    "chats": [
      {
        "capabilities": [],
        "chatType": "Inbound",
        "id": "0001BaBFVPR2004A",
        "participants": [],
        "receivedDate": "2016-04-15 20:52:35.000+0300",
        "userData": {
          "CBR-IT-path_DBIDs": "",
          "CBR-Interaction_cost": "",
          "CBR-actual_volume": "",
          "CBR-contract_DBIDs": "",
          "ChatAnsweredByAgentAt": "2016-04-15T17:52:42Z",
          "ChatServerAppName": "esv_chat_srv",
          "ChatServerDBID": "147",
          "ChatServerHost": "dev-ip9-152.gws.genesys.com",
          "ChatServerPort": "7160",
          "CustomerSegment": "default",
```

```
    "InteractionId": "0001BaBFVPR2004A",
    "OccuredAt": "2016-04-15T17:52:37Z",
    "PegAG?:2>1": 1,
    "PlaceInQueueSeq": "86805927",
    "RRequestedSkillCombination": "",
    "RRequestedSkills": None,
    "RStrategyDBID": "472",
    "RStrategyName": "CloudPoDSimpleChatInStrategy",
    "RTargetAgentGroup": "?:2>1",
    "RTargetAgentSelected": "a1",
    "RTargetObjSelDBID": "",
    "RTargetObjectSelected": "?:2>1",
    "RTargetPlaceSelected": "a1",
    "RTargetRequested": "?:2>1",
    "RTargetRuleSelected": "",
    "RTargetTypeSelected": "2",
    "RTenant": "Environment",
    "RVQDBID": "",
    "RVQID": "",
    "ServiceObjective": 0,
    "ServiceType": "default",
    "Subject": "TestChatCustomer",
    "Workbin": "testAgentGroupWorkbin",
    "WorkbinAgentGroupId": "MyAgentGroup"}},
    "displayName": "testAgentGroupWorkbin",
    "id": "1c979a85-edd7-4540-8a58-b74fbc8328af",
    "type": "AgentGroup",
    "uri": "http://localhost:8090/api/v2/workbins/1c979a85-edd7-4540-8a58-b74fbc8328af",
    "workbinName": "testAgentGroupWorkbin"
  }
}
```

Get Content for an AgentGroup Workbin with Media Type

Get content for the specified AgentGroup workbin with the media type.

Request URL	/api/v2/me/workbins/{workbinId}/{mediaType}?fields=*&agentGroup={agentGroup}
HTTP method	GET
Required features	api-multimedia

Possible values for the mediaType parameter are *, chat, email, facebook, tweet, facebooksession, workitem, openmedia.

Sample

Request

```
GET api/v2/me/workbins/1c979a85-edd7-4540-8a58-b74fbc8328af/
chat?fields=*&agentGroup=MyAgentGroup
```

HTTP response

The response consists of an HTTP response and a CometD response. For details on the result, refer to

the **workbin** resource.

```
{
  "statusCode": 7,
  "chat": [
    {
      "capabilities": [
      ],
      "chatType": "Inbound",
      "id": "0001BaBFVPR20042",
      "participants": [
      ],
      "receivedDate": "2016-04-15 20:33:35.000+0300",
      "state": "InWorkbin",
      "userData": {
        "CBR-IT-path_DBIDs": "",
        "CBR-Interaction_cost": "",
        "CBR-actual_volume": "",
        "CBR-contract_DBIDs": "",
        "ChatAnsweredByAgentAt": "2016-04-15T17:33:42Z",
        "ChatServerAppName": "esv_chat_srv",
        "ChatServerDBID": "147",
        "ChatServerHost": "dev-ip9-152.gws.genesys.com",
        "ChatServerPort": "7160",
        "CustomerSegment": "default",
        "InteractionId": "0001BaBFVPR20042",
        "OccuredAt": "2016-04-15T17:33:38Z",
        "PegAG?: 2>1": 1,
        "PlaceInQueueSeq": "86803243",
        "RRequestedSkillCombination": "",
        "RRequestedSkills": None,
        "RStrategyDBID": "472",
        "RStrategyName": "CloudPoDSimpleChatInStrategy",
        "RTargetAgentGroup": "?: 2>1",
        "RTargetAgentSelected": "a1",
        "RTargetObjSelDBID": "",
        "RTargetObjectSelected": "?: 2>1",
        "RTargetPlaceSelected": "a1",
        "RTargetRequested": "?: 2>1",
        "RTargetRuleSelected": "",
        "RTargetTypeSelected": "2",
        "RTenant": "Environment",
        "RVQDBID": "",
        "RVQID": "",
        "ServiceObjective": 0,
        "ServiceType": "default",
        "Subject": "TestChatCustomer",
        "Workbin": "testAgentGroupWorkbin",
        "WorkbinAgentGroupId": "MyAgentGroup"
      }
    ]
  },
}
```

Get Content for Multiple AgentGroup Workbins with Subresources

Get content for the specified AgentGroup workbins with subresources.

Request URL	/api/v2/me/workbins?workbinIds={workbinId1,workbinId2,...}&resources={su
HTTP method	GET
Required features	api-multimedia

Possible values for the subresources are *, chat, email, facebook, tweet, facebooksession, workitem, and openmedia.

Sample

Request

```
GET api/v2/me/workbins?workbinIds=1c979a85-edd7-4540-8a58-b74fbc8328af,a91eelc2-9cfe-43b6-8193-fd39cd89d5b4&resources=*&agentt
```

HTTP response

The response consists of an HTTP response and a CometD response. For details on the result, refer to the [workbin resource](#).

```
{
  "statusCode": 0,
  "workbins": {
    "a91eelc2-9cfe-43b6-8193-fd39cd89d5b4": {
      "workbinName": "Facebook Workbin Draft",
      "id": "a91eelc2-9cfe-43b6-8193-fd39cd89d5b4",
      "displayName": "Facebook Workbin Draft",
      "uri": "http://localhost:8090/api/v2/workbins/a91eelc2-9cfe-43b6-8193-fd39cd89d5b4",
      "type": "AgentGroup"
    },
    "1c979a85-edd7-4540-8a58-b74fbc8328af": {
      "chats": [{
        "capabilities": [],
        "chatType": "Inbound",
        "id": "0001BaBFVPR2004C",
        "participants": [],
        "receivedDate": "2016-04-15 20:56:21.000+0300",
        "userData": {
          "CBR-IT-path_DBIDs": "",
          "CBR-Interaction_cost": "",
          "CBR-actual_volume": "",
          "CBR-contract_DBIDs": "",
          "ChatAnsweredByAgentAt": "2016-04-15T17:56:28Z",
          "ChatServerAppName": "esv_chat_srv",
          "ChatServerDBID": "147",
          "ChatServerHost": "dev-ip9-152.gws.genesys.com",
          "ChatServerPort": "7160",
          "CustomerSegment": "default",
          "InteractionId": "0001BaBFVPR2004C",
          "OccuredAt": "2016-04-15T17:56:25Z",
          "PegAG?>2>1": 1,
          "PlaceInQueueSeq": "86806482",
          "RRequestedSkillCombination": "",
          "RRequestedSkills": None,
          "RStrategyDBID": "472",
```

```
        "RStrategyName": "CloudPoDSimpleChatInStrategy",
        "RTargetAgentGroup": "?:2>1",
        "RTargetAgentSelected": "a1",
        "RTargetObjSelDBID": "",
        "RTargetObjectSelected": "?:2>1",
        "RTargetPlaceSelected": "a1",
        "RTargetRequested": "?:2>1",
        "RTargetRuleSelected": "",
        "RTargetTypeSelected": "2",
        "RTenant": "Environment",
        "RVQDBID": "",
        "RVQID": "",
        "ServiceObjective": 0,
        "ServiceType": "default",
        "Subject": "TestChatCustomer",
        "Workbin": "testAgentGroupWorkbin",
        "WorkbinAgentGroupId": "MyAgentGroup"
    },
    },
    "displayName": "testAgentGroupWorkbin",
    "id": "1c979a85-edd7-4540-8a58-b74fbc8328af",
    "type": "AgentGroup",
    "uri": "http://localhost:8090/api/v2/workbins/
1c979a85-edd7-4540-8a58-b74fbc8328af",
    "workbinName": "testAgentGroupWorkbin"
}
}
```

Get Content for a PlaceGroup Workbin with Subresources

Get content for the specified PlaceGroup workbin with subresources.

Request URL	/api/v2/me/workbins/{workbinId}?subresources={subresources}&placeGroup
HTTP method	GET
Required features	api-multimedia

Possible values for the subresources are *, chat, email, facebook, tweet, facebooksession, workitem, and openmedia.

Sample

Request

```
GET api/v2/me/workbins/
be79c8ab-596d-4bd6-a711-63e6aaaa17a6?subresources=*&placeGroup=MyPlaceGroup
```

HTTP response

The response consists of an HTTP response and a CometD response. For details on the result, refer to the [workbin resource](#).

```
{
  "statusCode": 0,
  "workbin": {
    "chats": [
      {
        "capabilities": [],
        "chatType": "Inbound",
        "id": "0001BaBFVPR2004E",
        "participants": [],
        "receivedDate": "2016-04-15 21:10:56.000+0300",
        "userData": {
          "CBR-IT-path_DBIDs": "",
          "CBR-Interaction_cost": "",
          "CBR-actual_volume": "",
          "CBR-contract_DBIDs": "",
          "ChatServerAppName": "esv_chat_srv",
          "ChatServerDBID": "147",
          "ChatServerHost": "dev-ip9-152.gws.genesys.com",
          "ChatServerPort": "7160",
          "CustomerSegment": "default",
          "InteractionId": "0001BaBFVPR2004E",
          "OccuredAt": "2016-04-15T18:10:59Z",
          "PegAG?:2>1": 1,
          "PlaceInQueueSeq": "86808499",
          "RRequestedSkillCombination": "",
          "RRequestedSkills": None,
          "RStrategyDBID": "472",
          "RStrategyName": "CloudPoDSimpleChatInStrategy",
          "RTargetAgentGroup": "?:2>1",
          "RTargetAgentSelected": "a1",
          "RTargetObjSelDBID": "",
          "RTargetObjectSelected": "?:2>1",
          "RTargetPlaceSelected": "a1",
          "RTargetRequested": "?:2>1",
          "RTargetRuleSelected": "",
          "RTargetTypeSelected": "2",
          "RTenant": "Environment",
          "RVQDBID": "",
          "RVQID": "",
          "ServiceObjective": 0,
          "ServiceType": "default",
          "Subject": "TestChatCustomer",
          "Workbin": "testPlaceGroupWorkbin",
          "WorkbinAgentGroupId": "MyPlaceGroup"}}],
        "displayName": "testPlaceGroupWorkbin",
        "id": "be79c8ab-596d-4bd6-a711-63e6aaaa17a6",
        "type": "PlaceGroup",
        "uri": "http://localhost:8090/api/v2/workbins/be79c8ab-596d-4bd6-a711-63e6aaaa17a6",
        "workbinName": "testPlaceGroupWorkbin"
      }
    ]
  }
}
```

Get Content for a PlaceGroup Workbin with Media Type

Get content for the specified PlaceGroup workbin with media type.

Request URL	/api/v2/me/workbins/{workbinId}/{mediaType}?fields=*&placeGroup={placeGroup}
HTTP method	GET
Required features	api-multimedia

Possible values for the mediaType parameter are *, chat, email, facebook, tweet, facebooksession, workitem, openmedia.

Sample

Request

```
GET api/v2/me/workbins/be79c8ab-596d-4bd6-a711-63e6aaaa17a6/
chat?fields=*&placeGroup=MyPlaceGroup
```

HTTP response

The response consists of an HTTP response and a CometD response. For details on the result, refer to the [workbin resource](#).

```
{
  "statusCode": 7,
  "chat": [
    {
      "capabilities": [
      ],
      "chatType": "Inbound",
      "id": "0001BaBFVPR2004E",
      "participants": [
      ],
      "receivedDate": "2016-04-15 21:10:56.000+0300",
      "state": "InWorkbin",
      "userData": {
        "CBR-IT-path_DBIDs": "",
        "CBR-Interaction_cost": "",
        "CBR-actual_volume": "",
        "CBR-contract_DBIDs": "",
        "ChatServerAppName": "esv_chat_srv",
        "ChatServerDBID": "147",
        "ChatServerHost": "dev-ip9-152.gws.genesys.com",
        "ChatServerPort": "7160",
        "CustomerSegment": "default",
        "InteractionId": "0001BaBFVPR2004E",
        "OccuredAt": "2016-04-15T18:10:59Z",
        "PegAG?: 2>1": 1,
        "PlaceInQueueSeq": "86808499",
        "RRequestedSkillCombination": "",
        "RRequestedSkills": None,
        "RStrategyDBID": "472",
        "RStrategyName": "CloudPodSimpleChatInStrategy",
        "RTargetAgentGroup": "?: 2>1",
        "RTargetAgentSelected": "a1",
        "RTargetObjSelDBID": "",
        "RTargetObjectSelected": "?: 2>1",
        "RTargetPlaceSelected": "a1",
      }
    }
  ]
}
```

```
    "RTargetRequested": "?: 2>1",
    "RTargetRuleSelected": "",
    "RTargetTypeSelected": "2",
    "RTenant": "Environment",
    "RVQDBID": "",
    "RVQID": "",
    "ServiceObjective": 0,
    "ServiceType": "default",
    "Subject": "TestChatCustomer",
    "Workbin": "testPlaceGroupWorkbin",
    "WorkbinAgentGroupId": "MyPlaceGroup"
  }
},
]
```

Get Content for Multiple PlaceGroup Workbins with Subresources

Get content for the specified PlaceGroup workbins with subresources.

Request URL	/api/v2/me/ workbins? <i>{workbinIds=workbinId1,workbinId2,...}</i> <resources= <i>{subresources}</i> &placeGroup= <i>{placeGroupName}</i>
HTTP method	GET
Required features	api-multimedia

Possible values for the subresources parameter are *, chat, email, facebook, tweet, facebooksession, workitem, openmedia.

Sample

Request

GET api/v2/me/
workbins?workbinIds=be79c8ab-596d-4bd6-a711-63e6aaaa17a6,a91eelc2-9cfe-43b6-8193-fd39cd89d5b4<resources=*&placeGroup=MyPlaceGroup

HTTP response

The response consists of an HTTP response and a CometD response. For details on the result, refer to the [workbin resource](#).

```
{
  "statusCode": 0,
  "workbins": {
    "a91eelc2-9cfe-43b6-8193-fd39cd89d5b4": {
      "workbinName": "Facebook Workbin Draft",
      "id": "a91eelc2-9cfe-43b6-8193-fd39cd89d5b4",
      "displayName": "Facebook Workbin Draft",
      "uri": "http://localhost:8090/api/v2/workbins/  
a91eelc2-9cfe-43b6-8193-fd39cd89d5b4",
      "type": "AgentGroup"
    },
  },
}
```

```
"be79c8ab-596d-4bd6-a711-63e6aaaa17a6":
{
  "chats": [{
    "capabilities": [],
    "chatType": "Inbound",
    "id": "0001BaBFVPR2004E",
    "participants": [],
    "receivedDate": "2016-04-15 21:10:56.000+0300",
    "userData": {
      "CBR-IT-path_DBIDs": "",
      "CBR-Interaction_cost": "",
      "CBR-actual_volume": "",
      "CBR-contract_DBIDs": "",
      "ChatServerAppName": "esv_chat_srv",
      "ChatServerDBID": "147",
      "ChatServerHost": "dev-ip9-152.gws.genesys.com",
      "ChatServerPort": "7160",
      "CustomerSegment": "default",
      "InteractionId": "0001BaBFVPR2004E",
      "OccuredAt": "2016-04-15T18:10:59Z",
      "PegAG?:2>1": 1,
      "PlaceInQueueSeq": "86808499",
      "RRequestedSkillCombination": "",
      "RRequestedSkills": None,
      "RStrategyDBID": "472",
      "RStrategyName": "CloudPoDSimpleChatInStrategy",
      "RTargetAgentGroup": "?:2>1",
      "RTargetAgentSelected": "a1",
      "RTargetObjSelDBID": "",
      "RTargetObjectSelected": "?:2>1",
      "RTargetPlaceSelected": "a1",
      "RTargetRequested": "?:2>1",
      "RTargetRuleSelected": "",
      "RTargetTypeSelected": "2",
      "RTenant": "Environment",
      "RVQDBID": "",
      "RVQID": "",
      "ServiceObjective": 0,
      "ServiceType": "default",
      "Subject": "TestChatCustomer",
      "Workbin": "testPlaceGroupWorkbin",
      "WorkbinAgentGroupId": "MyPlaceGroup"
    }
  ]},
  "displayName": "testPlaceGroupWorkbin",
  "id": "be79c8ab-596d-4bd6-a711-63e6aaaa17a6",
  "type": "PlaceGroup",
  "uri": "http://localhost:8090/api/v2/workbins/
be79c8ab-596d-4bd6-a711-63e6aaaa17a6",
  "workbinName": "testPlaceGroupWorkbin"
}
}
```