



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Interaction Concentrator Physical Data Model for a PostgreSQL Database

Table GC\_ANNEX

## Table GC\_ANNEX

**Modified:** In release 8.1.514.28 (09/30/19), the data type for the ID field in Oracle RDBMSs was changed from NUMBER(6) to INTEGER.

This table stores information about changes to certain configuration options configured on the Annex tabs of the following object types:

- Person
- Agent Group
- DN
- DN Group
- Switch
- Agent Login

This information enables Genesys Interactive Insights to control visibility of certain data and reports based on attributes such as geographical location, business line, or organization structure. This table is populated only when ICON has the **cfg** role and the **cfg-annex** option configured.

### Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

**Hint:** For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

## Column List

### Legend

Column	Data Type	P	M	F	Description
ID	serial	X			The unique, autonumbered ID of this record. This is the primary key.

Table GC\_ANNEX

Column	Data Type	P	M	F	Description
CFGOBJECTID	integer				The DBID of the configuration object.
CFGOBJECTTYPE	int2				The configuration object type: Person, Agent Group, DN, DN Group, or Switch.
SECTIONKEYHASH	integer				A hash value of the string identifying the section and key for each option. It is needed for indexing the records and to enable fast searching.
SECTIONNAME	varchar(255)				The name of the section on the object's Annex tab in which the specified option is located.
KEYNAME	varchar(255)				The option name as defined on the Annex tab of the configuration object.
TENANTID	integer				The DBID of the Tenant to which this object belongs.
VALUE	varchar(255)				The value set for the option on the Annex tab of the configuration object.
STATUS	int2				<ul style="list-style-type: none"> <li>• 0—Unknown</li> <li>• 1—Enabled</li> </ul>

Table GC\_ANNEX

Column	Data Type	P	M	F	Description
					<ul style="list-style-type: none"> <li>• 2—Disabled/terminated</li> <li>• 10—System use</li> </ul>
CREATED	timestamp				The GMT-equivalent date and time when the specified option on the Annex tab of the configuration object was written to IDB. This is not necessarily the actual creation time of the option.
DELETED	timestamp				The GMT-equivalent date and time when the specified option on the Annex tab of the configuration object was deleted.
LASTCHANGE	timestamp				The GMT-equivalent date and time when the specified option on the Annex tab of the configuration object was last changed (including option creation or removal).
CREATED_TS	integer				The UTC-equivalent value of the CREATED field.
CREATED_TCODE	integer				A reference, derived from

Table GC\_ANNEX

Column	Data Type	P	M	F	Description
					the value of the CREATED_TS field, to the G_TIMECODE table.
DELETED_TS	integer				The UTC-equivalent value of the DELETED field.
DELETED_TCODE	integer				A reference, derived from the value of the DELETED_TS field, to the G_TIMECODE table.
LASTCHANGE_TS	integer				The UTC-equivalent value of the LASTCHANGE field.
LASTCHANGE_TCODE	integer				A reference, derived from the value of the LASTCHANGE_TS field, to the G_TIMECODE table.
GSYS_DOMAIN	integer				Reserved
GSYS_PARTITION	integer				A key that is used for partitioning.
GSYS_SYS_ID	integer				System ID. Reserved for future use.
GSYS_SEQ	bigint				Insert Sequence. Not unique.
GSYS_USEQ	bigint				Update Sequence. Not unique.
GSYS_TS	timestamp				Reserved
GSYS_TC	integer				Reserved
GSYS_EXT_VCH1	varchar(255)				Reserved
GSYS_EXT_VCH2	varchar(255)				Reserved
GSYS_EXT_INT1	integer				The reason for

Table GC\_ANNEX

---

Column	Data Type	P	M	F	Description
					<p>the update to the configuration object. This field can contain one of the following values:</p> <ul style="list-style-type: none"><li>• 0—Active option, for which ICON received created or updated information from a real-time or history log notification from Configuration Server.</li><li>• 1—Active option, for which ICON received created or updated information from synchronization.</li><li>• 2—Deleted or terminated option, for which ICON received information either from a real-time or history log notification or during synchronization.</li><li>• 3—Deleted or terminated option, for which ICON received created or</li></ul>

---

Table GC\_ANNEX

---

Column	Data Type	P	M	F	Description
					updated information from synchronization.
GSYS_EXT_INT2	integer				Reserved

---