



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Interaction Concentrator Physical Data Model for a PostgreSQL Database

Table GC_IVRPORT

Table GC_IVRPORT

This table stores information about the configuration of IVR Port objects.

Tip

To assist you in preparing supplementary documentation, click the following link to download a comma-separated text file containing information such as the data types and descriptions for all columns in this table: [Download a CSV file](#).

Hint: For easiest viewing, open the downloaded CSV file in Excel and adjust settings for column widths, text wrapping, and so on as desired. Depending on your browser and other system settings, you might need to save the file to your desktop first.

Column List

Legend

| Column | Data Type | P | M | F | Description |
|-------------|--------------|---|---|---|---|
| ID | integer | X | X | | The DBID of the IVR Port object. This is the primary key. |
| Number_ | varchar(255) | | X | | IVR port number. |
| TenantID | integer | | X | X | The DBID of the Tenant to which this object belongs. |
| IVRID | integer | | X | X | The DBID of the IVR to which this IVR Port belongs. |
| FolderID | integer | | | | The DBID of the Folder for the object. |
| Description | varchar(255) | | | | Free-format description. |
| EndPointID | integer | | | X | The DBID of the DN |

Table GC_IVRPORT

| Column | Data Type | P | M | F | Description |
|--------|-----------|---|---|---|---|
| | | | | | associated with this IVR Port. |
| State | integer | | X | | <p>The object state corresponding to the CfgObjectState enumeration in Configuration Server. One of the following values:</p> <ul style="list-style-type: none"> • 0—Unknown. Reserved for when ICON is unable to determine object state. • 1—Enabled. • 2—Disabled. <p>#DICTIONARY TYPE 500</p> |
| Status | integer | | X | | <p>The status of the record. One of the following values:</p> <ul style="list-style-type: none"> • 0—The status is unknown. Reserved for when ICON is unable to determine record status. • 1—Record is active. • 2—Record is inactive (object is deleted). • 10—Synchronization is in |

Table GC_IVRPORT

| Column | Data Type | P | M | F | Description |
|---------------|-----------|---|---|---|--|
| | | | | | progress for an active record. #DICTIONARY TYPE: 24 |
| Created | timestamp | | | | The GMT-equivalent date and time when the object was written to IDB. This is not necessarily the actual creation time of the object. |
| Deleted | timestamp | | | | The GMT-equivalent date and time when the object was removed. |
| LastChange | timestamp | | | | The GMT-equivalent date and time when the object was last changed (including object creation or removal). |
| Created_ts | integer | | | | The UTC-equivalent value of the CREATED field. |
| Created_tcode | integer | | | | A reference, derived from the value in the CREATED_TS field, to a record in the G_TIMECODE table. |
| Deleted_ts | integer | | | | The UTC-equivalent value of the DELETED field. |
| Deleted_tcode | integer | | | | A reference, derived from |

Table GC_IVRPORT

| Column | Data Type | P | M | F | Description |
|-------------------------|-----------|---|---|---|--|
| | | | | | the value in the DELETED_TS field, to a record in the G_TIMECODE table. |
| LastChange_ts | integer | | | | The UTC-equivalent value of the LASTCHANGE field. |
| LastChange_tcodeinteger | | | | | A reference, derived from the value in the LASTCHANGE_TS field, to a record in the G_TIMECODE table. |
| GSYS_DOMAIN | integer | | | | Contains the data source session ID (DSS_ID) for the session that was active when the data was processed by ICON. For more information, see the description in System Fields (for DB2 , Microsoft SQL Server , Oracle , or PostgreSQL , respectively). |
| GSYS_PARTITION | integer | | | | A key that is used for partitioning. |
| GSYS_SYS_ID | integer | | | | System ID. Reserved for future use. |
| GSYS_SEQ | bigint | | | | Insert Sequence. Not unique. |
| GSYS_USEQ | bigint | | | | Update Sequence. Not |

Table GC_IVRPORT

| Column | Data Type | P | M | F | Description |
|---------------|--------------|---|---|---|---|
| | | | | | unique. |
| GSYS_TS | timestamp | | | | Reserved |
| GSYS_TC | integer | | | | Reserved |
| GSYS_EXT_VCH1 | varchar(255) | | | | Reserved |
| GSYS_EXT_VCH2 | varchar(255) | | | | Reserved |
| GSYS_EXT_INT1 | integer | | | | <p>A flag indicating the reliability of timestamp information stored in the CREATED and DELETED fields. One of the following values:</p> <ul style="list-style-type: none"> • 0—Highly reliable; timestamps for both fields are taken from Configuration Server runtime notifications or the Configuration Server history log. • 1—CREATED timestamp is that of the time when configuration data was requested from Configuration Server, either during the initial ICON startup or during synchronization. • 2—DELETED timestamp is that of |

Table GC_IVRPORT

| Column | Data Type | P | M | F | Description |
|---------------|-----------|---|---|---|---|
| | | | | | <p>the time when configuration data was requested from Configuration Server; either during the initial ICON startup or during synchronization.</p> <ul style="list-style-type: none">• 3—Both CREATED and DELETED timestamps are taken from the time when configuration data was requested from Configuration Server, either during the initial ICON startup or during synchronization. |
| GSYS_EXT_INT2 | integer | | | | Reserved |