

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Deployment Guide

Workitem Options

Workitem Options

Contents

- 1 Workitem Options
 - 1.1 <media-type>

<media-type>

<media-type>.prompt-for-done

Default Value: false

• Valid Values: true, false

• Changes take effect: At the next interaction.

• Description: Specifies if the application prompts a confirmation message when the user clicks Done. This option is only available for interaction open media. This option can be overridden by a routing strategy, as described in Overriding Options by Using a Routing Strategy.

<media-type>.ringing-bell

- Default Value: Sounds\Ring.mp3|10|-1
- Valid Values: Letters A to Z and a to z. Numbers 0 through 9. All special characters that are valid Windows file names.
- Changes take effect: At the next interaction.
- Description: Specify the <media-type> channel ringing sound configuration string, for example: Sounds\Ring.mp3|10|-1 The value has three components that are separated by the character '|':
- 1. The file name and folder relative to the application folder.
- 2. The priority. The higher the integer the higher the priority.
- 3. The duration:
 - a. -1 means play and repeat until an explicit message stops it. For example, the established event stops the ringing sound.
 - b. 0 means play the whole sound one time.
 - c. An integer > 0 means a time, in milliseconds, to play and repeat the sound.