



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Developer's Guide

[Reference for Commands](#)

Reference for Commands



Purpose: To provide the list of customizable commands for Interaction Workspace.

The following table provides the list of commands available for the Interaction workspace. Parameters are detailed in the related pages.

Read [Use Customizable Commands](#) to see code snippets which demonstrate the usage of the commands.

Chains of Commands	
Available chains of command	Related pages
<ul style="list-style-type: none"> • ActiveRecordingPauseRecordIxNScreenCommand • ActiveRecordingPauseRecordScreenCallCommand • ActiveRecordingResumeRecordIxNScreenCommand • ActiveRecordingResumeRecordScreenCallCommand • ActiveRecordingStartRecordIxNScreenCommand • ActiveRecordingStartRecordScreenCallCommand • ActiveRecordingStopRecordIxNScreenCommand • ActiveRecordingStopRecordScreenCallCommand 	Active Recording
<ul style="list-style-type: none"> • ApplicationClose • BroadcastMessageClose • BroadcastMessageShow 	Windows
<ul style="list-style-type: none"> • BundleClose 	<ul style="list-style-type: none"> • Chat • Callback • IM • E-Mails • Voice • Open Media • SMS • Work Items

Available chains of command	Related pages
<ul style="list-style-type: none"> • CampaignGetPreviewRecord 	Outbound
<ul style="list-style-type: none"> • CancelConnectionCommand 	Windows
<ul style="list-style-type: none"> • CancelOutboundChain • ClosePullPreviewRecord 	Outbound
<ul style="list-style-type: none"> • ContactIsModified • ContactNotification • ContactOpenSearchWindow • ContactOpenToDialog • CreateInteractionUCSFromESDKInteraction • DeleteInteractionUCS 	UCS
<ul style="list-style-type: none"> • InteractionCallbackAccept • InteractionCallbackActiveCustomerSession • InteractionCallbackCompleteCustomerSession • InteractionCallbackDecline • InteractionCallbackIsPossibleToClose • InteractionCallbackParkParent • InteractionCallbackPullParent • InteractionCallbackWorkflow 	Callback
<ul style="list-style-type: none"> • InteractionChatAcceptChat • InteractionChatAutoCloseInteraction • InteractionChatAutoDisconnect • InteractionChatCloseInteraction • InteractionChatCompleteConferenceAgent • InteractionChatCompleteTransferAgent • InteractionChatConferenceAgent • InteractionChatConsultPromptForEnd • InteractionChatConsultRelease 	Chat

Available chains of command	Related pages
<ul style="list-style-type: none"> • InteractionChatDeclineChat • InteractionChatDisconnectChat • InteractionChatDisconnectChatSessionChannel • InteractionChatDisconnectMonitoredChat • InteractionChatDisconnectMonitoredCoachChat • InteractionChatInitConsultation • InteractionChatIsPossibleToClose • InteractionChatLeaveInteractionFromConference • InteractionChatPlaceInQueue • InteractionChatPushUrl • InteractionChatReconnect • InteractionChatReleasePartyFromConference • InteractionChatReleasePartyFromConsult • InteractionChatReopenChannel • InteractionChatSendMessage • InteractionChatTransferAgent • InteractionChatTypingStarted • InteractionChatTypingStopped • InteractionChatWorkflow 	
<ul style="list-style-type: none"> • InteractionEmailActionOnOpenedEmailById • InteractionEmailClose • InteractionEmailDelete • InteractionEmailDeleteById • InteractionEmailForward • InteractionEmailIsPossibleToClose • InteractionEmailLoad • InteractionEmailMarkDoneById • InteractionEmailMoveToWorkbin • InteractionEmailPlaceInQueue • InteractionEmailPrint • InteractionEmailPullById 	E-Mails

Available chains of command	Related pages
<ul style="list-style-type: none"> • InteractionEmailPullFromWorkbinById • InteractionEmailReply • InteractionEmailReplyById • InteractionEmailResend • InteractionEmailSave • InteractionEmailSaveNewOutbound • InteractionEmailSend • InteractionEmailSendInterimReply • InteractionEmailTransferAgent • InteractionEmailWorkflow • InteractionEmailWorkflowFromInteractionESDK 	
<ul style="list-style-type: none"> • InteractionIMClose • InteractionIMIsPossibleToClose • InteractionIMReleaseIM • InteractionIMSendMessage 	IM
<ul style="list-style-type: none"> • InteractionInboundEmailPossibleToMoveToWorkbin • InteractionInboundEmailSearchAndMoveToWorkbin 	E-Mails
<ul style="list-style-type: none"> • InteractionOpenMediaCanPullInteraction • InteractionOpenMediaClose • InteractionOpenMediaCloseOnOutOfService • InteractionOpenMediaConferenceAgent • InteractionOpenMediaGetInteractionStateById • InteractionOpenMediaHandlingTimeout • InteractionOpenMediaPlaceInQueue • InteractionOpenMediaPullById • InteractionOpenMediaPullFromWorkbinById • InteractionOpenMediaTransferAgent • InteractionOpenMediaUCSStopProcessing • InteractionOpenMediaUCSUpdate 	• Open Media

Available chains of command	Related pages
<ul style="list-style-type: none"> InteractionOpenMediaWorkflow 	
<ul style="list-style-type: none"> InteractionOutboundEmailPossibleToMoveToWorkbin InteractionOutboundEmailSearchAndMoveToWorkbin 	E-Mails
<ul style="list-style-type: none"> InteractionPossibleToMoveToWorkbin 	Workbins
<ul style="list-style-type: none"> InteractionPushPreviewAccept InteractionPushPreviewDecline InteractionPushPreviewWorkflow 	Outbound
<ul style="list-style-type: none"> InteractionSetAttachedDataWithDelay 	<ul style="list-style-type: none"> Callback Chat IM E-Mails Voice SMS Open Media Work Items
<ul style="list-style-type: none"> InteractionSmsAccept InteractionSmsCreateReplyMessage InteractionSmsDecline InteractionSmsDelete InteractionSmsDisconnectSmsSessionChannel InteractionSmsGetHistoricMessage InteractionSmsIsPossibleToClose InteractionSmsPlaceInQueue InteractionSmsSendMessage InteractionSmsSendNewMessage InteractionSmsSendReplyMessage InteractionSmsTransferAgent 	SMS

Available chains of command	Related pages
<ul style="list-style-type: none"> • InteractionSmsWorkflow 	
<ul style="list-style-type: none"> • InteractionUCSInQueue 	UCS <ul style="list-style-type: none"> • InteractionVoiceAlternateCall • InteractionVoiceAnswerCall • InteractionVoiceAutoCloseConsult • InteractionVoiceBeforeClose • InteractionVoiceClose • InteractionVoiceCompleteConference • InteractionVoiceCompleteTransfer • InteractionVoiceDeleteFromConference • InteractionVoiceHoldCall • InteractionVoicelfPossibleCloseInteraction • InteractionVoicelnitConference • InteractionVoicelnitTransfer • InteractionVoiceilPossibleToClose • InteractionVoiceListenDisconnect • InteractionVoiceListenReconnect • InteractionVoiceMuteOff • InteractionVoiceMuteOn • InteractionVoicePauseRecordCall • InteractionVoicePauseRecordScreenCall • InteractionVoiceReconnectCall • InteractionVoiceRecordCall • InteractionVoiceRedirectCall • InteractionVoiceReleaseCall • InteractionVoiceResume • InteractionVoiceResumeRecordCall • InteractionVoiceResumeRecordScreenCall • InteractionVoiceRetrieveCall • InteractionVoiceSendDTMF

Available chains of command	Related pages
<ul style="list-style-type: none"> • InteractionVoiceSingleStepConference • InteractionVoiceSingleStepTransfer • InteractionVoiceStartRecordScreenCall • InteractionVoiceStopRecordCall • InteractionVoiceStopRecordScreenCall 	
<ul style="list-style-type: none"> • InteractionWorkItemAccept • InteractionWorkItemDecline • InteractionWorkitemMarkDoneById • InteractionWorkItemMoveToWorkbin • InteractionWorkItemPossibleToMoveToWorkbin • InteractionWorkitemPutBackToOriginalSource • InteractionWorkItemSearchAndMoveToWorkbin • InteractionWorkitemWorkflowFromInteractionESDK 	Work Items
<ul style="list-style-type: none"> • MarkProcessedOutboundChain 	Outbound
<ul style="list-style-type: none"> • MediaEmailCreateNewOutboundEmail 	Place and Media
<ul style="list-style-type: none"> • MediaOpenMediaChangeStateReason • MediaOpenMediaDNDOff • MediaOpenMediaDNDOn • MediaOpenMediaLogOff • MediaOpenMediaLogOffPlace • MediaOpenMediaLogOn • MediaOpenMediaLogOnPlace • MediaOpenMediaNotReady • MediaOpenMediaReady • MediaSmsCreateNewOutboundPageMode • MediaVoiceDNDOff • MediaVoiceDNDOn • MediaVoiceLogOff 	Place and Media

Available chains of command	Related pages
<ul style="list-style-type: none"> • MediaVoiceLogOn • MediaVoiceMakeCall • MediaVoiceMakeIM • MediaVoiceNotReady • MediaVoiceReady • MediaVoiceStartIMSession 	
<ul style="list-style-type: none"> • NotepadInsertTimeStamp • PossibleToCloseAllInteractions • PossibleToClosePullPreview • PossibleToClosePushPreview 	Windows
<ul style="list-style-type: none"> • RejectOutboundChain 	Outbound
<ul style="list-style-type: none"> • SetLastCalledAgentUCS 	UCS
<ul style="list-style-type: none"> • StartPreviewRecordOutbound 	Outbound
<ul style="list-style-type: none"> • TeamCommunicatorAddToFavorite • TeamCommunicatorModifyFavorite • TeamCommunicatorOpenInteraction 	Windows
<ul style="list-style-type: none"> • TeamLeadEndMonitoring • TeamLeadEndMonitoringChat • TeamLeadEndMonitoringVoice • TeamLeadMonitorAll • TeamLeadSetSupervisorBargeInChat • TeamLeadSetSupervisorBargeInVoice • TeamLeadSetSupervisorCoachChat • TeamLeadSetSupervisorCoachVoice • TeamLeadSetSupervisorMuteVoice • TeamLeadStopMonitor 	Supervision

Available chains of command	Related pages
<ul style="list-style-type: none">• ToasterAcceptPreview• ToasterDeclinePreview• ToasterInteractionAccept• ToasterInteractionDecline• ToasterInteractionEmailAccept• ToasterInteractionEmailDecline• ToasterInteractionIMAccept• ToasterInteractionIMReject• ToasterInteractionOpenMediaAccept• ToasterInteractionOpenMediaDecline• ToasterInteractionPreviewAccept• ToasterInteractionPreviewDecline• ToasterShowBroadcastMessage	Windows
<ul style="list-style-type: none">• UpdateOutboundRecord	Outbound
<ul style="list-style-type: none">• WindowClose• WindowInteractionClose	Windows
<ul style="list-style-type: none">• WorkbinPreSelectedByName• WorkbinPullInteraction• WorkbinPushInteraction• WorkbinSelected	Workbins