



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workspace Desktop Edition User's Guide

Transfer A Voice Call

12/19/2025

# Transfer A Voice Call

## Contents

- **1 Transfer A Voice Call**
  - 1.1 Transferring a Voice Call
  - 1.2 Transferring an Interaction to an Active Consultation

In this lesson, you will learn how to use the Team Communicator feature to transfer a voice call to an internal target or to a contact. The Team Communicator enables you to find an internal target or a contact, send an Instant Message (IM) to an internal target, call a contact or an internal target, initiate a conference, or transfer a call. This lesson contains the following sections:

- [Transferring a Voice Call](#)
- [Transferring an Interaction to an Active Consultation](#)

## Transferring a Voice Call

The Interaction Workspace Voice Interaction window enables you to transfer your current voice call to another party. In a consultation transfer, the current call is put on hold while you talk to the transfer target. In an instant transfer, the call is transferred as soon as the other party accepts the interaction. This section contains the following procedures:

- [Lesson: Starting a voice transfer](#)
- [Lesson: Receiving a transferred call](#)
- [Lesson: Transfer to an active consultation](#)

### Lesson: Starting a voice transfer


- To transfer your current interaction to an internal target or a contact.

#### Prerequisites

- You are logged in to Interaction Workspace (see [Lesson: Logging in to Interaction Workspace](#)).
- You have an active interaction with a contact (see [Receiving a Voice Interaction](#)).

#### Start

1. In the active voice interaction, click the **Instant Voice Transfer** button to open the Team Communicator (see the Finding an internal target for a voice transfer in the active Voice Interaction window figure) to find the internal target to whom you want to transfer the current interaction (see the [Lesson: Using the Team Communicator feature to find an internal target](#)).



Finding an internal target for a voice transfer in the active Voice Interaction window

2. Click the Action Menu drop-down list that is displayed next to the name of the internal target to whom you want to transfer the interaction and select Instant Voice Transfer. The contact is put on hold. When the internal target accepts the interaction request, the interaction is instantly transferred to the transfer target. The interaction window on your desktop closes. If the transfer target does not accept your request, the transfer request is released, but your contact is still on hold. You must click the Resume Call button to take your contact off hold.
3. Complete your after-call work.
4. Set your status to Ready.

### End

## Lesson: Receiving a transferred call

- To receive an invitation to accept a transferred call from another agent, to provide assistance to that agent in completing an active interaction.


You might be invited to accept a one-step or two-step transfer.

### Prerequisites

- You are logged in to Interaction Workspace (see [Lesson: Logging in to Interaction Workspace](#)).

### Start


1. If another agent wants to transfer a voice interaction to you, they can choose between an instant transfer and a transfer from a consultation. You are notified of the consultation request by the Interaction Workspace Interaction Preview interactive notification (see the Interaction Preview interactive notification, informing you of a transfer request figure).



Interaction Preview interactive notification, informing you of a transfer request

Click Accept to accept the transfer or to consult first with the calling agent:


- If the calling agent initiated an instant transfer, the call is immediately transferred to you. Go to Step 3.
- If the calling agent initiated a consultation transfer, the Interaction Workspace Voice Interaction window is displayed (see the Voice Interaction window, displaying your status as connected to the calling agent figure). It shows your status as connected to the calling agent.



Voice Interaction window, displaying your status as connected to the calling agent

2. If the transferring agent used a consultation transfer, the Interaction Workspace Voice Interaction window enables you to perform the following functions while you are speaking to the calling agent, before you accept the transferred call:
  - Speak privately with the calling agent about the call, before the call is transferred to you.
  - End the call--This function ends your participation in the consultation call; the call is not transferred to you.
  - Put the call on hold and retrieve the call.
  - Send DTMF by using the keypad.
  - Conference the call.
  - Transfer the call.
  - For SIP enabled agents, additional call actions are available:


- Record the call (see [Lesson: Record Interactions](#)).
  - Mute and unmute the call.
  - Adjust the microphone and speaker volumes.  
For information about how to use the functionality in the interaction window, see the *Interaction Workspace 8.1 Help*.
3. If the calling agent completes the transfer to you, the Interaction Workspace Voice Interaction window is updated to display the status of the party to whom you are talking. The status changes to Connected (see the Voice Interaction window, displaying your status as connected to the transferred contact figure).



Voice Interaction window, displaying your status as connected to the transferred contact

The Interaction Workspace Voice Interaction window enables you to use all the functionality of an inbound call (see Step 3 of [Lesson: Handling an inbound voice interaction](#)).

4. Click End Call to terminate your connection to the call. The Interaction Workspace Voice Interaction window is updated to display the status of the call as Ended (see the Voice Interaction window, displaying the status at the end of a conference call figure).



Voice Interaction window, displaying the status at the end of a conference call

If required by your configuration, specify a disposition code that qualifies the outcome of the interaction by selecting an outcome from the Disposition Code drop-down list or radio-button list in the Disposition Code view (see [Assigning Disposition Codes](#)).

5. Click Mark Done.
6. Close the Voice Interaction window.
7. Complete your after-call work.
8. Set your status to Ready.

### End

## Transferring an Interaction to an Active Consultation

You can transfer your current interaction to your consultation target. You can also transfer a voice interaction to other types of consultation, such as IM, by following the same steps that are presented in the following procedure, beginning at Step 2.

### Lesson: Transfer to an active consultation

- To transfer the current interaction to a party with whom you are already consulting.


#### Prerequisites

- You are logged in to Interaction Workspace (see [Lesson: Logging in to Interaction Workspace](#)).
- You have an active interaction with a contact (see [Receiving a Voice Interaction](#)).

- You have an active consultation with another party (see [Lesson: Starting a voice consultation](#)).

### Start


1. During your active consultation (see the Voice Interaction window, displaying a consultation call that is connected to the internal target while the contact party is on hold figure), you can perform any of the following functions by using the Voice Consult toolbar.
  - Alternate (toggle) between the contact and the internal target by clicking the Resume Call button alternately on the toolbar for the respective call. The other party is put on hold until you toggle back or complete the conference.
  - End the call to the internal target and resume the call with the contact.
  - Send DTMF to the internal target.
  - For SIP-enabled agents, additional call actions are available:
    - Record the call (see [Lesson: Record Interactions](#)).
    - Mute and unmute the call.
    - Adjust the microphone and speaker volumes.  
For information about how to use the functionality in the interaction window, see the *Interaction Workspace 8.1 Help*.



Voice Interaction window, displaying a consultation call that is connected to the internal target while the contact party is on hold


2. To transfer your active interaction to your consultation target, click the Instant Transfer button. The Team Communicator is displayed showing a list of your active consultations (see the Voice Interaction window, displaying an instant voice transfer from a consultation call figure).





Voice Interaction window, displaying an instant voice transfer from a consultation call

3. Complete the transfer by clicking the Instant Voice Transfer button that is beside the name of the target to whom you want to transfer the interaction. The contact is transferred to the consulting target. The call status changes to **Ended** (see the Voice Interaction window, displaying status as Ended figure).



Voice Interaction window, displaying status as Ended

4. After a call is released, one or more of the following actions might be available to you, depending on your assigned role:
  - Click **Mark Done** to close the Voice Interaction window.
  - Select a disposition (see [Assigning Disposition Codes](#)).  
**Note:** Your system might be configured so that you cannot click **Mark Done** until you have selected a disposition code.
5. Close the Voice Interaction window.
6. Complete your after-call work.
7. Set your status to Ready.

**End**