



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workspace Desktop Edition Deployment Guide

Overriding Interaction Workspace Options

4/14/2025

# Overriding Interaction Workspace Options

## Contents

- [1 Overriding Interaction Workspace Options](#)
  - [1.1 Modifying A Routing Strategy To Override Interaction Workspace Options Based On Attached Data](#)

## Modifying A Routing Strategy To Override Interaction Workspace Options Based On Attached Data

Refer to *Framework 8.1 Genesys Administrator Help* and *Genesys Security Guide* for detailed information on how to use Genesys Administrator and Management Framework to configure access permissions

### Procedure: Modifying a Routing Strategy to override an Interaction Workspace option based on attached data

**Purpose:** To override previously defined configuration options by using a Routing Strategy.

A Routing Strategy can be used to override configuration options that you have defined by using the hierarchies described in [Configuration And Administration By Using Options And Annexes](#).

Interaction Workspace uses Transaction Objects of type `object list`. Attach a transaction name or list of transaction names to the interaction in your strategy. The transaction names in the list should be separated by commas. Interaction Workspace reads the transaction objects at rendering time to override the static options.

Overriding options enables you to change the appearance of interactions per line of business based on a key-value pair that is defined in the annex of Transaction objects. The attached data contains the name of the transaction object(s) to be used for the interaction.

#### Prerequisites

- [Deploying Interaction Workspace](#)
- Strategy that routes to your Interaction Workspace agent workstations.

#### Start

1. Configure one or more Transaction objects, of type `list`, in Genesys Administrator or Composer, by using the standard approach that is used for other object types in the hierarchy (these rely on the option reference to determine if a particular option can be overridden in a Transaction). You can only override options in the `interaction-workspace` section. Therefore, you must replicate the `interaction-workspace` section to the annex of the object level where you want the override to occur (Tenant, Group, User, or Transaction).
2. Configure the option `interaction.override-options` to define the key where the Transaction object(s) are to be listed in attached data (refer to the [Interaction](#) configuration option reference for a list of Interaction options and a description of how to configure them).
3. Using either IRD or Composer, edit your routing strategy by adding an "Attach" or "Multi-attach" block that attaches the key value pair that is defined below:
  - `key` -- The name of the key that you defined in the option set in Step 2.
  - `value` -- One or several comma-separated Transaction objects, as defined in Step 1.

**End**