



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Developer's Guide

[E-Mails](#)

E-Mails



Purpose: To provide information about customizable commands for the e-mail interactions.
Updated in: 8.1.3, 8.1.4

Learn about E-Mail Commands

The e-mail commands presented in this page are restricted to e-mail interactions. However, e-mail interactions are extended open media interactions and can be used as such in open media commands. In addition to the e-mail commands, you can use:

- [Open Media](#) to place interactions in a given queue, move them to workbins, and so on.
- [Commands for the E-Mail Media](#) to manage the creation of outbound e-mails.
- [Manage Toaster](#) which also deals with e-mail interactions.

Read [Use Customizable Commands](#) to see code snippets which demonstrate the usage of the commands.

Managing E-Mail Interactions

The commands presented in this section are specific to e-mail interactions and cover the following features (this list is not exhaustive):

- Accept or decline a given e-mail;
- Load, send, reply, and save a given e-mail;
- Pull and place in queue;
- Close or stop the interactions.

Chains of Commands to Manage E-Mail Interactions

Default Commands	Parameters
Chain InteractionEmailActionFromWorkbinDeleteById Available since: 8.1.301.xx	
<ul style="list-style-type: none">• GetInteractionState	<ul style="list-style-type: none">• CommandParameter: String<ref name="String"/>

Default Commands	Parameters
<ul style="list-style-type: none"> • CanPullInteraction 	<ul style="list-style-type: none"> • CommandParameter: Dictionary<ref name="Dictionary" />
<ul style="list-style-type: none"> • DisplayWarningPullNotPossible 	<ul style="list-style-type: none"> • canPullInteractionresult: String<ref name="String" />
<ul style="list-style-type: none"> • Confirm 	<ul style="list-style-type: none"> • ActionToConfirm: String<ref name="String" /> • ConfirmParentWindow: Window<ref name="Window" />
<ul style="list-style-type: none"> • Delete 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WorkbinId: String<ref name="String" />
Chain InteractionEmailActionFromWorkbinMarkDoneByld Available since: 8.1.301.xx	
<ul style="list-style-type: none"> • GetInteractionState 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" />
<ul style="list-style-type: none"> • CanPullInteraction 	<ul style="list-style-type: none"> • CommandParameter: Dictionary<ref name="Dictionary" />
<ul style="list-style-type: none"> • DisplayWarningPullNotPossible 	<ul style="list-style-type: none"> • canPullInteractionresult: String<ref name="String" />
<ul style="list-style-type: none"> • NoChildrenOpened 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WarningMessageTarget: String<ref name="String" /> • DoNotCheckForParentId: String<ref name="String" />
<ul style="list-style-type: none"> • Confirm 	<ul style="list-style-type: none"> • ActionToConfirm: String<ref name="String" /> • ConfirmParentWindow: Window<ref name="Window" />
<ul style="list-style-type: none"> • MarkDone 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" />

Default Commands	Parameters
	<ul style="list-style-type: none"> • WorkbinId: String<ref name="String" />
Chain InteractionEmailActionFromWorkbinPullById Available since: 8.1.301.xx	
<ul style="list-style-type: none"> • GetInteractionState 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" />
<ul style="list-style-type: none"> • CanPullInteraction 	<ul style="list-style-type: none"> • CommandParameter: Dictionary<ref name="Dictionary" />
<ul style="list-style-type: none"> • DisplayWarningPullNotPossible 	<ul style="list-style-type: none"> • canPullInteractionresult: String<ref name="String" />
<ul style="list-style-type: none"> • NoChildrenOpened 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WarningMessageTarget: String<ref name="String" /> • DoNotCheckForParentId: String<ref name="String" />
<ul style="list-style-type: none"> • NoDraftWithSameParentOpened 	<ul style="list-style-type: none"> • ParentId: String<ref name="String" />
<ul style="list-style-type: none"> • PullFromWorkbin 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WorkbinId: String<ref name="String" />
<ul style="list-style-type: none"> • MoveToWorkbinOpenedParent 	<ul style="list-style-type: none"> • ParentId: String<ref name="String" />
Chain InteractionEmailActionOnOpenedEmailById	
<ul style="list-style-type: none"> • IsNotOpened 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" >System.String</ref> • OpenedInteractionCommand: String<ref name="String" />
Chain InteractionEmailClose	
<ul style="list-style-type: none"> • IsContactModified <p>Added in 8.1.4</p>	<ul style="list-style-type: none"> • CasId: String<ref name="String" >System.String</ref>

Default Commands	Parameters
<ul style="list-style-type: none"> • IsPossibleToClose 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" > Genesyslab.Desktop.Modules.OpenMedia.Model.Interactions.Email
<ul style="list-style-type: none"> • Close 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionEmailDelete	
<ul style="list-style-type: none"> • Confirm 	<ul style="list-style-type: none"> • ActionToConfirm: String<ref name="String" /> • ConfirmParentWindow: Window<ref name="Window" > System.Window.Window</ref>
<ul style="list-style-type: none"> • IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> • Caseld: String<ref name="String" > System.String</ref>
<ul style="list-style-type: none"> • PullParentInboundEmail 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" /> • DispositionCode: IDispositionCode<ref name="IDispositionCode" > Genesyslab.Desktop.Modules.Core.Model.Interactions.IDispositionCode
<ul style="list-style-type: none"> • Delete 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> • CleanConnectionInformation Available since: 8.1.200.16 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" />
Chain InteractionEmailDeleteById	
<ul style="list-style-type: none"> • Confirm 	<ul style="list-style-type: none"> • ActionToConfirm: String<ref name="String" /> • ConfirmParentWindow: Window<ref name="Window" />
<ul style="list-style-type: none"> • Delete 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WorkbinId: String<ref name="String" />
Chain InteractionEmailForward Available since: 8.1.200.16	

Default Commands	Parameters
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> CasId: String<ref name="String" /> System.String</ref>
<ul style="list-style-type: none"> IsPossibleToForward 	<ul style="list-style-type: none"> CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" /> Genesyslab.Desktop.Modules.OpenMedia.Model.Interactions.Emails
<ul style="list-style-type: none"> AddForwardData 	<ul style="list-style-type: none"> CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" /> Destination: String<ref name="String" />
<ul style="list-style-type: none"> SetAutoClose 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> SaveAttachedData 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" /> UserData: KeyValueCollection<ref name="KeyValueCollection" />
<ul style="list-style-type: none"> RequestSaveNotepad 	<ul style="list-style-type: none"> CommandParameter: IInteraction<ref name="IInteraction" /> NotepadViewModel: INotepadViewModel<ref name="INotepadViewModel" />
<ul style="list-style-type: none"> PlaceInQueue 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" /> Destination: String<ref name="String" /> Reason: KeyValueCollection<ref name="KeyValueCollection" /> Extensions: KeyValueCollection<ref name="KeyValueCollection" />
<ul style="list-style-type: none"> AddRecentCall <p>Available since: 8.1.300.17</p> <p>Chain InteractionEmailIsPossibleToClose</p>	<ul style="list-style-type: none"> RecentIndex: ObjectTC<ref name="ObjectTC" />Genesyslab.Desktop.Modules.TeamCommunicator.ObjectTC<ref name="ObjectTC" />

Default Commands	Parameters
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> CasId: String<ref name="String" /> System.String</ref>
<ul style="list-style-type: none"> IsPossibleToClose 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionEmailLoad	
<ul style="list-style-type: none"> Load 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionEmailMarkDoneById	
<ul style="list-style-type: none"> NoChildrenOpened 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> WarningMessageTarget: String<ref name="String" /> DoNotCheckForParentId: String<ref name="String" />
Available since: 8.1.301.xx	
<ul style="list-style-type: none"> Confirm 	<ul style="list-style-type: none"> ActionToConfirm: String<ref name="String" /> ConfirmParentWindow: Window<ref name="Window" />
<ul style="list-style-type: none"> MarkDone 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> WorkbinId: String<ref name="String" />
Chain InteractionEmailMoveToWorkbin	
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> CasId: String<ref name="String" /> System.String</ref>
<ul style="list-style-type: none"> IsWorkbinDefined <p>Deprecated since: 8.1.300.17</p>	<ul style="list-style-type: none"> WorkbinId: String<ref name="String" /> WorkbinOptionName: String<ref name="String" /> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> IsWorkbinDestinationDefined 	<ul style="list-style-type: none"> WorkbinId: String<ref name="String" />

Default Commands	Parameters
Available since: 8.1.300.17	<ul style="list-style-type: none"> WorkbinOptionName: String<ref name="String" /> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> SetAttachedDadaInformation 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> Save 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> MoveToWorkbin 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> WorkbinId: String<ref name="String" />
<ul style="list-style-type: none"> UpdateContactInformation Added in 8.1.4 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
Chain InteractionEmailPlaceInQueue	
<ul style="list-style-type: none"> UpdateInteractionUCS <p>Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> CommandParameter: IInteraction<ref name="IInteraction" /> NotepadViewModel: INotepadViewModel<ref name="INotepadViewModel" />
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> CasId: String<ref name="String" > System.String</ref>
<ul style="list-style-type: none"> Save 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> SetAutoClose 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" > Genesyslab.Desktop.Modules.OpenMedia.Model.Interactions.IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> SaveAttachedData <p>Available since: 8.1.100.14</p>	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />

Default Commands	Parameters
	<pre>"IInteractionOpenMedia" /> • UserData: KeyValueCollection<ref name="KeyValueCollection" /></pre>
<ul style="list-style-type: none"> PlaceInQueue 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" /> Destination: String<ref name="String" /> Reasons: KeyValueCollection<ref name="KeyValueCollection">Genesyslab.Enterprise.Commons.Collections<ref name="Collections" />.Reasons</ref> Extensions: KeyValueCollection<ref name="KeyValueCollection" />
<ul style="list-style-type: none"> UpdateContactInformation Added in 8.1.4 <p>Available since: 8.1.301.xx</p>	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> AddRecentCall <p>Chain InteractionEmailPrint Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> RecentIndex: ObjectTC<ref name="ObjectTC" />
<ul style="list-style-type: none"> Print <p>Chain InteractionEmailPullById Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> PullInteraction <p>Chain InteractionEmailPullFromWorkbinById</p>	<ul style="list-style-type: none"> CommandParameter: IInteraction<ref name="IInteraction" /> IW_WebcallbackInteractionId: String<ref name="String" />
<ul style="list-style-type: none"> NoChildrenOpened 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> WarningMessageTarget: String<ref name="String" /> DoNotCheckForParentId: String<ref name="String" /> <p>Available since: 8.1.301.xx</p>

Default Commands	Parameters
<ul style="list-style-type: none"> NoDraftWithSameParentOpened 	<ul style="list-style-type: none"> ParentId: String<ref name="String" />
<ul style="list-style-type: none"> PullFromWorkbin 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> WorkbinId: String<ref name="String" />
<ul style="list-style-type: none"> MoveToWorkbinOpenedParent 	<ul style="list-style-type: none"> ParentId: String<ref name="String" />
Chain InteractionEmailReply	
<ul style="list-style-type: none"> RequestSaveNotepad 	<ul style="list-style-type: none"> CommandParameter: IInteraction<ref name="IInteraction" /> NotepadViewModel: INotepadViewModel<ref name="INotepadViewModel" />
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> Caseld: String<ref name="String" > System.String</ref>
<ul style="list-style-type: none"> IsPossibleToCreate 	<ul style="list-style-type: none"> CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" > Genesyslab.Desktop.Modules.OpenMedia.Model.Interactions.Email</ref>
*IsInboundEmailWorkbinDefined	
Deprecated since: 8.1.300.17	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> IsWorkbinDestinationDefined 	<ul style="list-style-type: none"> WorkbinId: String<ref name="String" /> WorkbinOptionName: String<ref name="String" />
Available since: 8.1.300.17	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> AddSignatureParameters Available since: 8.1.200.16 	<ul style="list-style-type: none"> CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" />
<ul style="list-style-type: none"> AddResponseSignatureParameters Available since: 8.1.200.16 	<ul style="list-style-type: none"> SignatureOptionValue: String<ref name="String" />

Default Commands	Parameters
	<ul style="list-style-type: none"> ESDKInboundEmail: IInteraction<ref name="IInteraction" /> Genesyslab.Enterprise.Model.Interaction.IInteraction</ref>
<ul style="list-style-type: none"> Reply 	<ul style="list-style-type: none"> CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" /> ReplyAll: String<ref name="String" /> Available since: 8.1.200.16 UserData: KeyValueCollection<ref name="KeyValueCollection" /> Available since: 8.1.200.16 SignatureParameters: Dictionary<ref name="Dictionary" />System.Collections.Generic.Dictionary<string, object></ref> Available since: 8.1.200.16
<ul style="list-style-type: none"> InboundEmailSearchAndMoveToWorkbin 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionEmailReplyById	
<ul style="list-style-type: none"> IsPossibleToDelete 	<ul style="list-style-type: none"> CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" />
<ul style="list-style-type: none"> NoChildrenOpened 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> WarningMessageTarget: String<ref name="String" /> DoNotCheckForParentId: String<ref name="String" />
Available since: 8.1.301.xx	
<ul style="list-style-type: none"> IsNotOpened 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" /> OpenedInteractionCommand: String<ref name="String" />
<ul style="list-style-type: none"> AddSignatureParameters Available since: 8.1.200.16 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String" />

Default Commands	Parameters
<ul style="list-style-type: none"> • AddResponseSignatureParameters Available since: 8.1.200.16 	<ul style="list-style-type: none"> • SignatureOptionValue: String<ref name="String" /> • ESDKInboundEmail: IInteraction<ref name="IInteraction" />
<ul style="list-style-type: none"> • Reply 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WorkbinId: String<ref name="String" /> Available since: 8.1.300.17 • ReplyAll: String<ref name="String" /> Available since: 8.1.200.16 • UserData: KeyValueCollection<ref name="KeyValueCollection" /> • SignatureParameters: Dictionary<ref name="Dictionary" /> Available since: 8.1.200.16 • ESDKInboundEmail: IEmaillInteraction<ref name="IEmaillInteraction" > Genesyslab.Enterprise.Model.IEmaillInteraction</ref> Available since: 8.1.200.16
Chain InteractionEmailResend Available since: 8.1.300.17	
<ul style="list-style-type: none"> • IsPossibleToCreate 	<ul style="list-style-type: none"> • CommandParameter: IInteractionInboundEmail<ref name="IInteractionInboundEmail" />
<ul style="list-style-type: none"> • NoChildrenOpened 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • WarningMessageTarget: String<ref name="String" /> • DoNotCheckForParentId: String<ref name="String" />
<ul style="list-style-type: none"> • IsNotOpened 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • OpenedInteractionCommand: String<ref name="String" />
<ul style="list-style-type: none"> • AddSignatureParameters 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" />

Default Commands	Parameters
<ul style="list-style-type: none"> • AddResponseSignatureParameters <p>Available since: 8.1.301.xx</p>	<ul style="list-style-type: none"> • SignatureOptionValue: String<ref name="String" /> • ESDKInboundEmail: IInteraction<ref name="IInteraction" />
<ul style="list-style-type: none"> • Create 	<ul style="list-style-type: none"> • CommandParameter: String<ref name="String" /> • ParentInteractionId: String<ref name="String" /> • InitialEmail: IMediaOpenMedia<ref name="IMediaOpenMedia" > Genesyslab.Desktop.Modules.OpenMedia.Model.Agents.IMedia • InitialEmailId: String<ref name="String" /> • UserData: KeyValueCollection<ref name="KeyValueCollection" /> • Extensions: KeyValueCollection<ref name="KeyValueCollection" /> • SignatureParameters: Dictionary<string, object><ref name="DictionaryStringObject">Dictionary<string, object> </ref>
Chain InteractionEmailSave	
<ul style="list-style-type: none"> • Save 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionEmailSaveNewOutbound Available since: 8.1.200.16	
<ul style="list-style-type: none"> • Save 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionEmailSend	
<ul style="list-style-type: none"> • RequestSaveNotepad 	<ul style="list-style-type: none"> • CommandParameter: IInteraction<ref name="IInteraction" >Genesyslab.Desktop.Modules.Core.Model.Interaction • NotepadViewModel: INotepadViewModel<ref name="INotepadViewModel" >Genesyslab.Desktop.Modules.Windows.Interactions.INotepad
<ul style="list-style-type: none"> • IsPossibleToSend 	<ul style="list-style-type: none"> • CommandParameter: IInteractionOutboundEmail<ref name="IInteractionOutboundEmail" />

Default Commands	Parameters
	"IInteractionOutboundEmail" > Genesyslab.Desktop.Modules.OpenMedia.Model.Interactions.Er
<ul style="list-style-type: none"> • IsPossibleToClose 	<ul style="list-style-type: none"> • CommandParameter: CommandParameter<ref name="CommandParameter" >CommandParameter</ref>
<ul style="list-style-type: none"> • AddQAReviewData <p>Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> • SetAttachedDadaInformation <p>Available in: 8.1.000.16; deprecated in: 8.1.100.02</p>	<ul style="list-style-type: none"> • CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> • Save 	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> • Send 	<ul style="list-style-type: none"> • CommandParameter: IInteractionOutboundEmail<ref name="IInteractionOutboundEmail" /> • Reasons: KeyValueCollection<ref name="KeyValueCollection" /> • Extensions: KeyValueCollection<ref name="KeyValueCollection" />
Chain InteractionEmailSendInterimReply	
<ul style="list-style-type: none"> • IsPossibleToSend 	<ul style="list-style-type: none"> • CommandParameter: IInteractionOutboundEmail<ref name="IInteractionOutboundEmail" />
<ul style="list-style-type: none"> • IsPossibleToClose 	<ul style="list-style-type: none"> • CommandParameter: CommandParameter<ref name="CommandParameter" />IInteractionEmail<ref name="IInteractionEmail" /> <p>Modified in: 8.1.300.17</p>
<ul style="list-style-type: none"> • AddQAReviewData <p>Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> • SetAttachedDadaInformation 	<ul style="list-style-type: none"> • CommandParameter:

Default Commands	Parameters
	IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> Save 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> PullParentInboundEmail 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" /> DispositionCode: IDispositionCode<ref name="IDispositionCode" />
<ul style="list-style-type: none"> Send 	<ul style="list-style-type: none"> CommandParameter: IInteractionOutboundEmail<ref name="IInteractionOutboundEmail" /> Reasons: KeyValueCollection<ref name="KeyValueCollection" /> Extensions: KeyValueCollection<ref name="KeyValueCollection" />
Chain InteractionEmailTransferAgent	
<ul style="list-style-type: none"> Save 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> SetAutoClose 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
<ul style="list-style-type: none"> RequestSaveNotepad 	<ul style="list-style-type: none"> CommandParameter: IInteraction<ref name="IInteraction" /> NotepadViewModel: INotepadViewModel<ref name="INotepadViewModel" />
<ul style="list-style-type: none"> TransferAgent 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" /> Destination: String<ref name="String" /> Reasons: KeyValueCollection<ref name="KeyValueCollection" /> Extensions: KeyValueCollection<ref name="KeyValueCollection" />

Default Commands	Parameters
	"KeyValueCollection" />
<ul style="list-style-type: none"> • AddRecentCall <p>Available since: 8.1.301.xx</p>	<ul style="list-style-type: none"> • RecentIndex: ObjectTC<ref name="ObjectTC" />
Chain InteractionEmailWorkflow	
<ul style="list-style-type: none"> • PromptDone <p>Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> • CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" /> • ConfirmParentWindow: Window<ref name="Window" >System.Window.Window</ref>
<ul style="list-style-type: none"> • Workflow 	<ul style="list-style-type: none"> • CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" /> • Workflow: String<ref name="String" /> • Reasons: KeyValueCollection<ref name="KeyValueCollection" /> • Extensions: KeyValueCollection<ref name="KeyValueCollection" />
Chain InteractionEmailWorkflowFromInteractionESDK	
<ul style="list-style-type: none"> • ESDKWorkflow 	<ul style="list-style-type: none"> • CommandParameter: IIOpenMedialInteraction<ref name="IIOpenMedialInteraction" > Genesyslab.Enterprise.Model.Interaction.IIOpenMedialInteraction<ref name="IIOpenMedialInteraction" /> • Workflow: String<ref name="String" /> • Reasons: KeyValueCollection<ref name="KeyValueCollection" /> • Extensions: KeyValueCollection<ref name="KeyValueCollection" /> • AttachedDataInformation: IDispositionCode<ref name="IDispositionCode" /> • DispositionCode: KeyValueCollection<ref name="KeyValueCollection" />
Chain InteractionInboundEmailPossibleToMoveToWorkbin	
<ul style="list-style-type: none"> • IsInboundEmailWorkbinDefined <p>Deprecated since: 8.1.300.17</p>	<ul style="list-style-type: none"> • CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />

Default Commands	Parameters
<ul style="list-style-type: none"> IsWorkbinDestinationDefined <p>Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> WorkbinId: String<ref name="String" /> WorkbinOptionName: String<ref name="String" /> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
Chain InteractionInboundEmailSearchAndMoveToWorkbin	
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> CasId: String<ref name="String" />
<ul style="list-style-type: none"> InboundEmailSearchAndMoveToWorkbin 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Chain InteractionOutboundEmailPossibleToMoveToWorkbin	
<ul style="list-style-type: none"> IsOutboundEmailWorkbinDefined <p>Deprecated since: 8.1.300.17</p>	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
<ul style="list-style-type: none"> IsWorkbinDestinationDefined <p>Available since: 8.1.300.17</p>	<ul style="list-style-type: none"> WorkbinId: String<ref name="String" /> WorkbinOptionName: String<ref name="String" /> CommandParameter: IInteractionOpenMedia<ref name="IInteractionOpenMedia" />
Chain InteractionOutboundEmailSearchAndMoveToWorkbin	
<ul style="list-style-type: none"> IsContactModified Added in 8.1.4 	<ul style="list-style-type: none"> CasId: String<ref name="String" />
<ul style="list-style-type: none"> OutboundEmailSearchAndMoveToWorkbin 	<ul style="list-style-type: none"> CommandParameter: IInteractionEmail<ref name="IInteractionEmail" />
Commands common to all interactions	
Chain InteractionSetAttachedDataWithDelay	
<ul style="list-style-type: none"> SetAttachedData 	<ul style="list-style-type: none"> CommandParameter: IInteraction<ref name="IInteraction" /> AttachedData: KeyValueCollection<ref name="KeyValueCollection" />

Default Commands	Parameters
	"KeyValueCollection" />
Chain BundleClose	
• GetAttachedDataInformationUCS	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" > Genesyslab.Desktop.Modules.Core.Model.Interactions.IInteracti
• UpdateNotePadForVoice Available since: 8.1.300.17	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" />
• ResetInteractionChatConsultation	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" />
• IsContactModified Available since: 8.1.4	• CaseId: String<ref name="String" />
• IsPossibleToClose	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" />
• CompleteDispositionCodeOnBundle	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" />
• Close	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" />
• StopInteractionVoiceUCS	• CommandParameter: IInteractionsBundle<ref name="IInteractionsBundle" />
• GetOutboundPreviewRecord	• CommandParameter: ICampaign<ref name="ICampaign" > Genesyslab.Enterprise.Model.Interaction.ICampaign</ref>

<references />