



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Developer's Guide

Supervision

5/5/2025

Contents

- 1 Supervision
 - 1.1 Learn about Supervision
 - 1.2 Manage Monitoring
 - 1.3 References

Supervision



Purpose: To provide information about customizable commands for the supervision features.
Created in: 8.1.300.17

Learn about Supervision

The following commands apply to supervisor buttons available in toolbars and toaster components that your application can customize. For further information, see [Views and Regions](#), which lists the type of available components.

Read [Use Customizable Commands](#) to see code snippets which demonstrate the usage of the commands.

Manage Monitoring

The following commands are use to manage supervision.

Chains of Commands to Manage Monitoring

Default Commands	Parameters
Chain TeamLeadEndMonitoring	
<ul style="list-style-type: none"> EndMonitoring 	
Chain TeamLeadEndMonitoringChat	
<ul style="list-style-type: none"> EndMonitoringChat 	
Chain TeamLeadEndMonitoringVoice	
<ul style="list-style-type: none"> EndMonitoringVoice 	
Chain TeamLeadIntrudeCurrentChat Available since: 8.1.300.17	
<ul style="list-style-type: none"> IntrudeCurrentChat 	
<ul style="list-style-type: none"> AddRecentCall 	<ul style="list-style-type: none"> RecentIndex: ObjectTC<ref name="ObjectTC"

Default Commands	Parameters
	<code>/></code>
Chain TeamLeadIntrudeCurrentVoice Available since: 8.1.300.17	
<ul style="list-style-type: none"> IntrudeCurrentVoice 	
<ul style="list-style-type: none"> AddRecentCall 	<ul style="list-style-type: none"> RecentIndex: ObjectTC<ref name="ObjectTC">/>
Chain TeamLeadIsItPossibleToMonitor Available since: 8.1.300.17	
<ul style="list-style-type: none"> IsItPossibleToMonitor 	<ul style="list-style-type: none"> CommandParameter: String<ref name="String">System.String</ref> (employeeID) IsItPossibleToMonitor: Boolean<ref name="Boolean">System.Boolean</ref>, output parameter
Chain TeamLeadMonitorAll	
<ul style="list-style-type: none"> MonitorAllVoiceCalls 	
<ul style="list-style-type: none"> MonitorAllChatInteractions 	
<ul style="list-style-type: none"> AddRecentCall 	<ul style="list-style-type: none"> RecentIndex: ObjectTC<ref name="ObjectTC">Genesyslab.Desktop.Modules.TeamCommunicator.ObjectTC</ref>
<ul style="list-style-type: none"> AddToTrackingList 	
Chain TeamLeadSetSupervisorBargelnChat	
<ul style="list-style-type: none"> SetSupervisorBargelnChat 	
Chain TeamLeadSetSupervisorBargelnVoice	
<ul style="list-style-type: none"> SetSupervisorBargelnVoice 	
Chain TeamLeadSetSupervisorCoachChat	
<ul style="list-style-type: none"> SetSupervisorCoachChat 	
Chain TeamLeadSetSupervisorCoachVoice	

Default Commands	Parameters
<ul style="list-style-type: none">• SetSupervisorCoachVoice	
Chain TeamLeadSetSupervisorMuteVoice	
<ul style="list-style-type: none">• SetSupervisorMuteVoice	
Chain TeamLeadStopMonitor	
<ul style="list-style-type: none">• StopMonitorVoiceCalls	
<ul style="list-style-type: none">• StopMonitorChatInteractions	
<ul style="list-style-type: none">• RemoveFromTrackingList	
<ul style="list-style-type: none">• AddRecentCall	<ul style="list-style-type: none">• RecentIndex: ObjectTC<ref name="ObjectTC" />

<references />

References

<references />