

## **GENESYS**

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Workspace Desktop Edition Deployment Guide

Contact Management privileges

## Contact Management privileges

[Modified: 8.5.110.13, 8.5.126.07]

The following table lists the Contact Management privileges in the Workspace Contact Privileges section of the Role Privileges tab that can be enabled for a role. Privileges are assigned as configuration options in the Role Privileges tab of the Role object in Genesys Administrator Extension (refer to the Procedure: Creating a Role, allowing a Workspace privilege, and assigning a Role to an agent or agent group).

## **Contact Management Privileges**

| Role privilege                             | Description   |
|--|---|
| Contact - Can Use                          | The agent is permitted to perform contact management privileges. The other contact management privileges cannot be configured if the value is Not Assigned.   |
| Contact - Can Create Contact               | The agent is permitted to create a new contact in the Universal Contact Server database.  |
| Contact - Can Delete Contact               | The agent is permitted to delete an existing contact from the Universal Contact Server database.  |
| Contact - Can Edit Contact                 | The agent is permitted to edit contact information in the Universal Contact Server database. Note: Agents can save new contacts when the Contact - Can Create privilege is assigned even if the Contact - Can Edit Contact privilege is not assigned. Previously in this scenario, if the Contact - Can Create privilege was granted to agents and the Contact - Can Edit Contact privilege was not, agents could not save a new contact. |
| Contact - Can Mark Done Voice Interaction  | The agent is permitted to mark an interaction as done.  |
| Contact - Can Merge Contact                | The agent is permitted to merge two contacts in the Universal Contact Server database.  |
| Contact - Can Assign Contact               | The agent is permitted to assign an interaction to an existing contact if the interaction has an unknown contact or is incorrectly assigned to a different contact.   |
| Contact - Can Use Interaction Notepad      | The agent is permitted to use the Notepad to view and edit notes that are included in the interaction.  |
| Contact - Can Merge Interaction To Contact | The agent is permitted to merge interactions to an existing contact in the Universal Contact Server database.   |
| Contact - Can Undo Merge Contact           | The agent is permitted to unmerge a previously merged contact in the Universal Contact Server database.   |
| Contact - Can Use Contact Directory        | The agent is permitted to use the Contact Directory   |

| Role privilege   | Description  |
|--|--|
|  | to view and manage contact information in the Universal Contact Server database.   |
| Contact - Can Use Contact History                                    | The agent is permitted to view and manage contact history.   |
| Contact - Can Use Contact History CaseData                           | The agent is permitted to view and manage contact history case data.   |
| Contact - Can Use Contact History Detail                             | The agent is permitted to view and manage contact history details.   |
| Contact - Can Use Contact History Notepad                            | The agent is permitted to view and manage contact history notepad information.   |
| Contact - Can Use Contact Information                                | The agent is permitted to view and manage contact information.   |
| Contact - Can Use My History   | The agent is permitted to view and manage contact information for interactions that they have handled.   |
| Contact - Can Use Interaction Search                                 | The agent is permitted to search for any interaction available in Universal Contact Server index accross all contacts and all agents. [Added: 8.5.104.15]  |
| Contact - Can Pull From Queue  | From the Contact History view, the agent is permitted to pull interactions from a queue and perform any of the following actions: Reply, Reply All, Mark Done (beginning with 8.5.110.13), and Delete (beginning with 8.5.110.13) if the corresponding privileges are allowed.   |
| Contact - Can Pull Interactions In Shared Workbins                   | From the Contact History view, the agent is permitted to pull interactions from shared workbins which are not explicitly accessible to the user and perform any of the following actions: Reply, Reply All, Mark Done (beginning with 8.5.110.13), and Delete (beginning with 8.5.110.13) if the corresponding privileges are allowed. |
| Contact - Can Pull Interactions In Workbins Not<br>Owned By The User | From the Contact History view, the agent is permitted to pull interactions from personal workbins which are not owned by the user and perform any of the following actions: Reply, Reply All, Mark Done (beginning with 8.5.110.13), and Delete (beginning with 8.5.110.13) if the corresponding privileges are allowed.               |
| Contact - Can Access Archive   | The agent is permitted to access the interaction archive in the Contact History view. <b>Warning:</b> Do not allow this privilege if UCS 9.1 is used; if it is granted, an error will be displayed if the Agent selects the <b>Archive</b> option in the <b>Contact History</b> view. [ <b>Modified:</b> 8.5.126.07]                   |