



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Workspace Desktop Edition Developer's Guide

Active Recording

3/9/2025

Active Recording



Purpose: To present for each active recording command, the list of default subcommands available and the associated parameters.

Learn about the Active Recording Commands

These commands enable to perform active recording operations on interactions. Read [Use Customizable Commands](#) to see code snippets which demonstrate the usage of the commands.

Managing Active Recording

The commands presented in this section are specific to active recording of interaction and cover the following features (this list is not exhaustive):

- Start recording an interaction;
- Pause recording an interaction;
- Resume recording an interaction;
- Stop recording an interaction.

Chains of Commands to Manage Active Recording of Interactions

Default Commands	Parameters
Chain ActiveRecordingPauseRecordIxnScreenCommand	
<ul style="list-style-type: none"> Pause 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia - Genesyslab.Desktop.Modules.Core.Model.Interactions.IInteractionOpenMedia
Chain ActiveRecordingPauseRecordScreenCallCommand	
<ul style="list-style-type: none"> Pause 	<ul style="list-style-type: none"> CommandParameter: IInteractionVoice - Genesyslab.Desktop.Modules.Core.Model.Interactions.IInteractionVoice
Chain ActiveRecordingResumeRecordIxnScreenCommand	
<ul style="list-style-type: none"> Resume 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia
Chain ActiveRecordingResumeRecordScreenCallCommand	
<ul style="list-style-type: none"> Resume 	<ul style="list-style-type: none"> CommandParameter: IInteractionVoice
Chain ActiveRecordingStartRecordIxnScreenCommand	
<ul style="list-style-type: none"> Start 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia
Chain ActiveRecordingStartRecordScreenCallCommand	
<ul style="list-style-type: none"> Start 	<ul style="list-style-type: none"> CommandParameter: IInteractionVoice
Chain ActiveRecordingStopRecordIxnScreenCommand	
<ul style="list-style-type: none"> Stop 	<ul style="list-style-type: none"> CommandParameter: IInteractionOpenMedia

Default Commands	Parameters
Chain ActiveRecordingStopRecordScreenCallCommand	
<ul style="list-style-type: none">• Stop	<ul style="list-style-type: none">• CommandParameter: IInteractionVoice