



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workspace Desktop Edition Developer's Guide

Customizing Work Items

4/2/2025

---

## Contents

- 1 Customizing Work Items
  - 1.1 Before You Start
  - 1.2 Set Up System Configuration
  - 1.3 Displaying the content of Workitems
  - 1.4 Handle the work item
  - 1.5 Customizing Workitem Icons

# Customizing Work Items



**Purpose:** To provide information about the customization of WorkItems.

### Before You Start

Work items are interactions which are not predefined in Workspace Desktop Edition, in opposition to e-mail, instant messaging, voice, and chat interactions. You can define these work items to extend the Workspace Desktop Edition Specificities; for instance, if your solution integrates sms, or fax, or additional media, you can define new work items to handle these interactions. The following step-by-step tutorial explains how to configure your solution to support work items, and then, how to customize your Workspace Desktop Edition to integrate them. The code snippets are extracted from the `Genesyslab.Desktop.Modules.CustomWorkItemSample`, available in [the Workspace Desktop Edition Extension Samples](#).

### Set Up System Configuration

First of all, set up the System Configuration as described in [Enabling an agent to use Workitems to handle custom media types](#) of the Deployment Guide to create a new Media Type.

### Displaying the content of Workitems

To display the content of work item interactions, you need to implement a customized view as explained in [Customize Views and Regions](#). The `Genesyslab.Desktop.Modules.CustomWorkItemSample.Window.Content` shows how to create a new view handling this task:

- `ICustomWorkItemViewModel.cs` and `ICustomWorkItemView.cs` implement the MVVM pattern.
- `CustomWorkItemViewModel.cs` manages the workitem interaction as `IInteractionOpenMedia`.
- `CustomWorkItemView.xaml` and `CustomWorkItemView.xaml.cs` display the interaction's data and implement the `ICustomWorkItemView` interface, in addition to using the model.

In `CustomWorkItemView.xaml.cs`, the `CustomWorkItemView` instance is initialized with the model which contains the open media interaction.

**[C#]**

```
// file CustomWorkItemView.xaml.cs
public partial class CustomWorkItemView : UserControl, ICustomWorkItemView
{
    public CustomWorkItemView(ICustomWorkItemViewModel customWorkItemViewModel)
    {
        Model = customWorkItemViewModel;
        InitializeComponent();
        //...
    }
    //...
}
```

At creation, this class retrieves the open media interaction from the application's context dictionary, as follows:

### **[C#]**

```
// file CustomWorkItemView.xaml.cs
///IView members
public object Context { get; set; }
public void Create()
{
    Model.Interaction = contextDictionary.TryGetValue("Interaction") as IInteractionOpenMedia;
}
```

Then, you can bind the properties in your XAML code. For instance, in the CustomWorkItemSample, the content grid displays a label media type and the associated value, defined as follows: **[XAML]**

```
<!-- file CustomWorkItemView.xaml -->
<Label localization:Translate.Uid="Windows.CustomWorkItemView.MediaType"
HorizontalAlignment="Left" VerticalAlignment="Center" Grid.Column="0" Grid.Row="0"
Content="{localization:Translate Default=Media Type:}"/>
<Label HorizontalAlignment="Left" VerticalAlignment="Center" Grid.Column="1" Grid.Row="0"
Content="{Binding Interaction.EnterpriseInteractionCurrent.IdType.SubMediaType}"/>
```

The CustomWorkItemSampleModule class implements the IModule interface and adds the new customized view to the list of active views, as shown here in the RegisterViewsAndServices() method:

### **[C#]**

```
// file CustomWorkItemSampleModule.cs
protected void RegisterViewsAndServices()
```

---

```
{  
    //...  
    container.RegisterType<ICustomWorkItemViewModel, CustomWorkItemViewModel>();  
    container.RegisterType<ICustomWorkItemView, CustomWorkItemView>();  
}
```

## Handle the work item

Using [Work Items](#) as described in [Inserting a Command in a Chain](#), you can perform the following actions on work items:

- Accept
- Decline
- Mark done
- Attach data
- Search and/or move to workbin
- And so on.

Or, you can use the Open Media Service of the Enterprise Services API to perform additional actions (see [Advanced Customization](#)). In that case, you must create your commands. The `CustomWorkItemToolBarView.xaml` in `Genesyslab.Desktop.Modules.CustomWorkItemSample.Toolbar` implements a stop processing button, by using the `CustomWorkitemStopProcessingCommand` command created in the `Genesyslab.Desktop.Modules.CustomWorkItemSample.CustomWorkitemCommand.cs` file. The creation of this command follows the guidelines of [Creating a Command](#). At first, the sample implements the `IElementOfCommand` interface which retrieves the `Genesyslab.Enterprise.Services.IOpenMediaService`, as shown here:

### [C#]

```
// file CustomWorkitemCommand.cs  
class CustomWorkitemCommand : IElementOfCommand  
{  
    protected readonly IUnityContainer container;  
    protected ILogger log;
```

```
protected IOpenMediaService openMediaService;
protected const int timeout = 10000;
public CustomWorkitemCommand(IUnityContainer container)
{
    this.container = container;
    this.log = container.Resolve<ILogger>();
    this.log = log.CreateChildLogger("CustomWorkitemCommand");
    IEnterpriseServiceProvider enterpriseServiceProvider = container.Resolve<IEnterpriseServiceProvider>();
    this.openMediaService = enterpriseServiceProvider.Resolve<IOpenMediaService>("openmediaService");
}
public virtual string Name { get; set; }
#region IElementOfCommand Members
public virtual bool Execute(IDictionary<string, object> parameters, IProgressUpdater progressUpdater)
{
    return false;
}
#endregion
}
```

The `CustomWorkitemCommand` class is a base class for further specific commands. In this example, it uses the Open Media Service to stop processing the interaction, as shown in the following code snippet.

### [C#]

```
// file CustomWorkitemCommand.cs
class CustomWorkitemStopProcessingCommand : CustomWorkitemCommand
{
    public CustomWorkitemStopProcessingCommand(IUnityContainer container) : base(container) { }
    public override bool Execute(IDictionary<string, object> parameters, IProgressUpdater progressUpdater)
    {
        log.Info("CustomWorkitemStopProcessingCommand");
        IInteractionOpenMedia interactionOpenMedia =
            parameters.TryGetValue("CommandParameter") as IInteractionOpenMedia;
        try
        {
            if ((interactionOpenMedia != null)
                && (interactionOpenMedia.EntrepriseOpenMediaInteractionCurrent != null))
            {
                if (!interactionOpenMedia.EntrepriseOpenMediaInteractionCurrent.IsInWorkflow)
                {
                    return false;
                }
            }
        }
    }
}
```

```
        }
        openMediaService.StopProcessing(interactionOpenMedia.EntrepriseOpenMediaInteractionCurrent,
            parameters.TryGetValue("Reason") as KeyValueCollection,
            parameters.TryGetValue("Extensions") as KeyValueCollection);
    }
    return false;
}
catch (Exception exp)
{
    log.Error("CustomWorkitemStopProcessingCommand StopProcessing, Exception "
        + interactionOpenMedia, exp);
    return true;
}
}
```

The `Genesyslab.Desktop.Modules.CustomWorkItemSample.CustomWorkItemSampleModule` implements the `IModule` interface and is responsible for adding the new command to the chain of commands.

### [C#]

```
/// file CustomWorkItemSample.cs
void RegisterCommands()
{
    log.Debug("RegisterCommands()");
    ICommandManager commandManager = container.Resolve<ICommandManager>();
    commandManager.AddCommandToChainOfCommand("InteractionCustomWorkitemStopProcessing",
        new List<CommandActivator>() { new CommandActivator() {
            CommandType = typeof(CustomWorkitemStopProcessingCommand) ,
            Name="StopProcessing" } });
}
```

In the `CustomWorkItemToolBarView` class, the event-handler of the Stop Processing button retrieves and executes the command:

### [C#]

```
// File: CustomWorkItemSample.Windows.ToolBarView.cs
private void StopProcessingButton_Click(object sender, System.Windows.RoutedEventArgs e)
{
```



```

IChainOfCommand Command = container.Resolve<ICommandManager>().
    GetChainOfCommandByName("InteractionCustomWorkitemStopProcessing");
Utils.ExecuteAsynchronousCommand(Command,
    new Dictionary<string, object>() { { "CommandParameter", Model.Interaction } },
    StopProcessingButton);
}

```

## Customizing Workitem Icons

As an additional customization step for new work items, you can create icons to facilitate the identification of the information related to work items. In that purpose, you need to create or edit a dictionary file, such as for instance, the `Genesyslab.Desktop.Modules.CustomWorkItemSample.en-US.xml` xml file in the `Genesyslab.Desktop.Modules.CustomWorkItemSample` project. Declare your new icon as follows:

```
<Value Id="<myworkitemobjectId>.<workitemchannel>" ImageUrl=<ImagePath> IcoUrl=<IcoPath> />
```

- where `myworkitemobjectId` is the object ID customized in the Workspace Desktop Edition.

Object Id	Customization example
<b>Media Channel Icon</b>	
Channel.OpenMedia.WorkItem.Image	<Value Id="Channel.OpenMedia.WorkItem.Image.customworkitem" ImageUrl="<ImagePath>" />
<b>Interaction Icon</b>	
InteractionWorkItem.Image	<Value Id="InteractionWorkItem.Image.customworkitem" Ico="<IcoPath>" ImageUrl="<ImagePath>"/>
<b>Transfer Button</b>	
Windows.ToolbarWorkitemView.ButtonTransfer	<Value Id="Windows.ToolbarWorkitemView.ButtonTransfer.customworkitem" Tooltip="Custom WorkItem Transfer" ImageUrl="<ImagePath>"/>
<b>Transfer Menu</b>	
Windows.ToolbarWorkitemView.MenuItemOneStepTransferDialer	<Value Id="Windows.ToolbarWorkitemView.MenuItemOneStepTransferDialer.customworkitem" Text="Custom Workitem _Transfer" Tooltip="Custom Workitem Transfer"

Object Id	Customization example
	ImageUrl="<ImagePath>" />
<b>'Move to Workbin' button</b>	
Windows.ToolbarWorkitemView.ButtonMoveToWorkbin	<Value Id="Windows.ToolbarWorkitemView.ButtonMoveToWorkbin.<workitemchannel>"ToolTip="Custom Move to workbin" ImageUrl="<ImagePath>"/>
<b>New Custom Button in WorkItem ToolBar</b>	
Windows.ToolbarCustomWorkItemView.<ButtonName>	<Value Id="Windows.ToolbarCustomWorkItemView.Button1" ToolTip="Stop Processing" Text="Stop Processing"/>
<b>Interaction icon in the Interaction History</b>	
Contacts.ContactHistoryView.InteractionWorkItem	<Value Id="Contacts.ContactHistoryView.InteractionWorkItem.<workitemchannel>" ImageUrl="<ImagePath>"/>
<b>Interaction Icon in Workin management</b>	
InteractionWorkItem.MediaType.Image	<Value Id="InteractionWorkItem.MediaType.Image.<workitemchannel>" ImageUrl="<ImagePath>"/>

For instance, here is the Genesyslab.Desktop.Modules.CustomWorkItemSample.en-US.xml xml file in the Genesyslab.Desktop.Modules.CustomWorkItemSample project, which customize label, images, and icons.  
**[XML]**

```
<?xml version="1.0" encoding="utf-8" ?>
<Dictionary EnglishName="English" CultureName="English" Culture="en-US" CustomDictionary="true">
  <Value Id="Channel.OpenMedia.WorkItem.Image.customworkitem"
    ImageUrl="pack://application:,,,/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/CustomWorkItem.png" />
  <Value Id="Windows.ToolbarCustomWorkItemView.Button1" ToolTip="Stop Processing" Text="Stop Processing"/>
  <Value Id="Windows.CustomWorkItemView.MediaType" Content="Media Type:" />
  <Value Id="Windows.CustomWorkItemView.InteractionType" Content="Interaction Type:" />
  <Value Id="Windows.CustomWorkItemView.InteractionSubType" Content="Interaction Sub-Type:" />
  <Value Id="Windows.CustomWorkItemView.MyCustomContent" Content="My custom content" />
  <Value Id="InteractionWorkItem.Image.customworkitem"
    Ico="pack://application:,,,/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/CustomWorkItem.ico"
    ImageUrl="/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/CustomWorkItem.png"/>
  <Value Id="Windows.ToolbarWorkitemView.ButtonTransfer.customworkitem" ToolTip="Custom WorkItem Transfer"
    ImageUrl="/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/TransferCustomWorkItem.png"/>
```

```
<Value Id="Windows.ToolbarWorkitemView.ButtonMoveToWorkbin.customworkitem"
  Tooltip="Move To Workbin In Progress"
  ImageUrl="/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/CustomMoveToWorkbin.png"/>
<Value Id="Windows.ToolbarWorkitemView.MenuItemOneStepTransferDialer.customworkitem"
  Text="Custom Workitem _Transfer"
  Tooltip="Custom Workitem Transfer"
  ImageUrl="/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/TransferCustomWorkItem.png" />
<Value Id="Contacts.ContactHistoryView.InteractionWorkItem.customworkitem"
  ImageUrl="/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/MediaTypeCustomWorkItem.png"/>
<Value Id="InteractionWorkItem.MediaType.Image.customworkitem"
  ImageUrl="pack://application:,,,/Genesyslab.Desktop.Modules.CustomWorkItemSample;component/Images/MediaTypeCustomWorkItem.png"/>
</Dictionary>
```