



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Workspace Desktop Edition Developer's Guide

Workbins

# Workbins

**Purpose:** To provide information about customizable commands.

Learn about Workbin Commands

These commands manage selections in workbins.

## Important

Read [Use Customizable Commands](#) to see code snippets which demonstrate the usage of the commands.

## Managing Workbin Selections

The following commands cover:

- Selections in workbins;
- Push and Pull interactions.

### Chains of Commands to Manage Workbin Selections

Default Commands	Parameters
<b>Chain</b> InteractionFilterSelected	
<ul style="list-style-type: none"> <li>InteractionFilterSelected</li> </ul>	<ul style="list-style-type: none"> <li>WorkbinName: string - System.string</li> <li>WorkbinNameDisplay: string</li> <li>WorkbinGroupName: string</li> <li>WorkbinGroupNameDisplay: string</li> </ul>
<b>Chain</b> InteractionPossibleToMoveToWorkbin	
<ul style="list-style-type: none"> <li>IsContactModified</li> </ul>	<ul style="list-style-type: none"> <li>CasId: String - System.String</li> </ul>
<ul style="list-style-type: none"> <li>IsWorkbinDestinationDefined</li> </ul>	<ul style="list-style-type: none"> <li>WorkbinId: String</li> <li>WorkbinOptionName: String</li> <li>CommandParameter: IInteractionOpenMedia - Genesyslab.Desktop.Modules.OpenMedia.Model.Interaction.IInteractionOpenMedia</li> <li>IgnoreInteractionFromWorkbinId: String Added in 8.5.0</li> </ul>
<b>Chain</b> InteractionManagementMarkDone	
<ul style="list-style-type: none"> <li>MediaTypeMarkDone</li> </ul>	<ul style="list-style-type: none"> <li>mediaType: String</li> </ul>
<b>Chain</b> InteractionManagementMoveToQueueById	
<ul style="list-style-type: none"> <li>Confirm</li> </ul>	<ul style="list-style-type: none"> <li>ActionToConfirm: String</li> </ul>

Default Commands	Parameters
	<ul style="list-style-type: none"> <li>ConfirmParentWindow: Window - System.Window.Window</li> </ul>
<ul style="list-style-type: none"> <li>PlaceInQueue</li> </ul>	<ul style="list-style-type: none"> <li>CommandParameter: String</li> <li>Destination: String</li> </ul>
<ul style="list-style-type: none"> <li>AddRecentCall</li> </ul>	<ul style="list-style-type: none"> <li>RecentIndex: ObjectTC - Genesyslab.Desktop.Modules.TeamCommunicator.ObjectTC</li> </ul>
<b>Chain</b> InteractionManagementMoveToWorkbinById	
<ul style="list-style-type: none"> <li>Confirm</li> </ul>	<ul style="list-style-type: none"> <li>ActionToConfirm: String</li> <li>ConfirmParentWindow: Window</li> </ul>
<ul style="list-style-type: none"> <li>MoveToWorkbin</li> </ul>	<ul style="list-style-type: none"> <li>CommandParameter: String</li> <li>DestinationId: String</li> <li>DestinationParameter: String</li> </ul>
<ul style="list-style-type: none"> <li>AddRecentCall</li> </ul>	<ul style="list-style-type: none"> <li>RecentIndex: ObjectTC</li> </ul>
<b>Chain</b> InteractionManagementSetAttachedData	
<ul style="list-style-type: none"> <li>TeamLeadSetAttachedData</li> </ul>	<ul style="list-style-type: none"> <li>CommandParameter: String</li> </ul>
<b>Chain</b> MultipleInteractionsActionFromWorkbinById	

Default Commands	Parameters
<ul style="list-style-type: none"> <li>Confirm</li> </ul>	<ul style="list-style-type: none"> <li>ConfirmMessageText: String</li> <li>ConfirmParentWindow: Window</li> </ul>
<ul style="list-style-type: none"> <li>MultipleInteractionsCommand</li> </ul>	<ul style="list-style-type: none"> <li>nbInteractions: Int32 - System.Int32</li> <li>interactionId + i: String</li> <li>mediaType + i: String</li> <li>BasicActionNameBasicActionNameDicold: String Renamed in 8.5</li> <li>SingleActionChainOfCommandName: String</li> </ul>
<b>Chain</b> SetAttachedDataAndPutBack	
<ul style="list-style-type: none"> <li>EsdkSetAttachedData</li> </ul>	<ul style="list-style-type: none"> <li>CommandParameter: IOpenMediaInteraction - Genesyslab.Enterprise.Model.Interaction.IOpenMediaInteraction</li> <li>UserData: KeyValueCollection - Genesyslab.Enterprise.Commons.Collections.KeyValueCollection</li> </ul>
<ul style="list-style-type: none"> <li>PutBack</li> </ul>	
<ul style="list-style-type: none"> <li>UpdateCaseDataInteractionsFilter</li> </ul>	<ul style="list-style-type: none"> <li>CommandParameter: IOpenMediaInteraction</li> <li>UserData: KeyValueCollection</li> <li>ParentView: IWorkbinsView - Genesyslab.Desktop.Modules.OpenMedia.View.WorkbinsView.IWorkbinsView</li> </ul>
<b>Chain</b> WorkbinPreSelectedByName	

---

Default Commands	Parameters
• ShowSelectedDetail	
<b>Chain</b> WorkbinPullInteraction	
• ShowSelectedDetail	
<b>Chain</b> WorkbinPushInteraction	
• ShowSelectedDetail	
<b>Chain</b> WorkbinSelected	
• NewWorkbinSelected	• WorkbinName: string - System.string • WorkbinNameDisplay: string • WorkbinGroupName: string • WorkbinGroupNameDisplay: string