



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# iWD Data Mart Reference Guide

TASK\_FACT Tables

# TASK\_FACT Tables

A *task* describes a definite piece of work from the perspective of the customer. Each iWD task record results in a single fact being written to the iWD Data Mart. You can access a task fact through the following database objects:

- I\_TASK\_FACT—Intraday data table
- H\_TASK\_FACT—Historical data table
- TASK\_FACT—Blended view of historical and intraday data

The dimensions that support the iWD task fact tables and view are shown in the TASK\_FACT star schema below. The fields, data types, and descriptions of each column are provided in the table that follows.

## TASK\_FACT Star Schema

The I/H\_TASK\_FACT Tables

| Field              | Data Type   | Description                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| INTERACTION_ID     | varchar(64) | The Interaction ID, unique within a single Interaction Server database. Together with SOLUTION_KEY, this field serves as the primary key of this table.                                                                                                                                                                                                                                  |
| SOLUTION_KEY       | int         | Key to the <b>SOLUTION dimension</b> , describing the solution instance of the task (as configured in iWD GAX Plug-in)—for example, Production versus Test. A solution is assigned as soon as a task is created in the Interaction Server database. A tenant can have more than one solution instance. Together with INTERACTION_ID, this field serves as the primary key of this table. |
| LAST_TASK_EVENT_ID | int         | Unique identifier for the last event that is associated with the task.                                                                                                                                                                                                                                                                                                                   |
| CAPTURE_ID         | varchar(64) | ID of the task capture, as stored or referenced in the source system—for example, work item ID. This field is a <b>core task attribute</b> .                                                                                                                                                                                                                                             |
| TENANT_KEY         | int         | Key to the <b>TENANT dimension</b> , describing the tenant of the task (as configured in iWD GAX Plug-in). A tenant is assigned as soon as a task is created in the Interaction Server database.                                                                                                                                                                                         |

| Field                          | Data Type | Description                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DEPARTMENT_KEY                 | int       | Key to the <b>DEPARTMENT dimension</b> , identifying the department that is associated with the task.                                                                                                                                                                                                                                          |
| PROCESS_KEY                    | int       | Key to the <b>PROCESS dimension</b> , identifying the parent iWD business process of the task.                                                                                                                                                                                                                                                 |
| CAPTURE_POINT_KEY              | int       | Key to the <b>CAPTURE_POINT dimension</b> , identifying the capture point that captured the task.                                                                                                                                                                                                                                              |
| CURRENT_DISTRIBUTION_POINT_KEY | int       | Key to <b>DISTRIBUTION_POINT dimension</b> , identifying the distribution point that distributed the task.                                                                                                                                                                                                                                     |
| CURRENT_QUEUE_KEY              | int       | Key to the <b>QUEUE dimension</b> , identifying the queue in which the task resides and queue type.                                                                                                                                                                                                                                            |
| CURRENT_QUEUE_TARGET_KEY       | int       | Key to the <b>QUEUE_TARGET dimension</b> , identifying the agent, agent group, place, or place group to which the task was assigned.                                                                                                                                                                                                           |
| SOURCE_FIRST_CREATED_DATE_KEY  | int       | Key to the <b>EVENT_DATE dimension</b> . This field is reserved for the DTM (Driver Test Manager) from the first system that captured the task.<br><br><b>Note:</b> iWD provides for task-flow scenarios that involve two source DTMs, where two systems were involved in the origination of a task&nbsp;for example, fax server and workflow. |
| SOURCE_FIRST_CREATED_TIME_KEY  | int       | Key to the <b>EVENT_TIME dimension</b> , identifying the time at which the first source system captured the task.                                                                                                                                                                                                                              |
| SOURCE_CREATED_DATE_KEY        | int       | Key to the <b>EVENT_DATE dimension</b> , identifying the date on which the second source system captured the task. The second source system is the DTM that submitted the task to iWD.                                                                                                                                                         |
| SOURCE_CREATED_TIME_KEY        | int       | Key to the <b>EVENT_TIME dimension</b> , identifying the time at which the second source system captured the task.                                                                                                                                                                                                                             |
| SOURCE_DUE_DATE_KEY            | int       | Key to the <b>EVENT_DATE dimension</b> , identifying the date on which the task is due in                                                                                                                                                                                                                                                      |

| Field               | Data Type | Description                                                                                                                                                                                                                                                                                                                                                                                     |
|---------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                     |           | source system.                                                                                                                                                                                                                                                                                                                                                                                  |
| SOURCE_DUE_TIME_KEY | int       | Key to the <b>EVENT_TIME dimension</b> , identifying the time at which the task is due in source system.                                                                                                                                                                                                                                                                                        |
| CREATED_DATE_KEY    | int       | Key to the <b>EVENT_DATE dimension</b> , describing the date on which the iWD task was created.<br><br>Additional created date and time stamps are provided for in the extended attributes to report not only on iWD capture date and time, but also on the source system—for example, workflow capture date and time. Refer to the SOURCE_CREATED and SOURCE_FIRST_CREATED date and time keys. |
| CREATED_TIME_KEY    | int       | Key to the <b>EVENT_TIME dimension</b> , describing the time at which the iWD task was created.                                                                                                                                                                                                                                                                                                 |
| ACTIVATION_DATE_KEY | int       | Key to the <b>EVENT_DATE dimension</b> , describing the iWD task activation date. This is the date on which the task becomes active; before this date, the task remains in the iWD_Captured queue and will not be prioritized or delivered to agents.                                                                                                                                           |
| ACTIVATION_TIME_KEY | int       | Key to the <b>EVENT_TIME dimension</b> , describing the activation time for the task. Activation time is the moment at which the task becomes active. Before this time, the task remains in the iWD_Captured queue and will not be prioritized or delivered to agents.                                                                                                                          |
| DUE_DATE_KEY        | int       | Key to the <b>EVENT_DATE dimension</b> , describing the date on which the task is due, as set by either iWD rules or the source system.                                                                                                                                                                                                                                                         |
| DUE_TIME_KEY        | int       | Key to the <b>EVENT_TIME dimension</b> , describing the time at which the task is due, as set by either iWD rules or the source system.                                                                                                                                                                                                                                                         |
| COMPLETED_DATE_KEY  | int       | Key to the <b>EVENT_DATE dimension</b> , describing the task completion date.                                                                                                                                                                                                                                                                                                                   |
| COMPLETED_TIME_KEY  | int       | Key to the <b>EVENT_TIME</b>                                                                                                                                                                                                                                                                                                                                                                    |

| Field                   | Data Type | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         |           | <b>dimension</b> , describing the task completion time.                                                                                                                                                                                                                                                                                                                                                                                                        |
| ASSIGNED_DATE_KEY       | int       | Key to the <b>EVENT_DATE dimension</b> , describing the date on which the task was assigned to an agent                                                                                                                                                                                                                                                                                                                                                        |
| ASSIGNED_TIME_KEY       | int       | Key to the <b>EVENT_TIME dimension</b> , describing the time at which the task was assigned to an agent.                                                                                                                                                                                                                                                                                                                                                       |
| MEDIA_CHANNEL_KEY       | int       | Key to the <b>MEDIA_CHANNEL dimension</b> , describing the channel through which the task was received—for example, fax. This value can be set in iWD rules or by the source system that submitted the task.                                                                                                                                                                                                                                                   |
| CATEGORY_KEY            | int       | Key to <b>CATEGORY dimension</b> , further describing the task, such as a follow-up.                                                                                                                                                                                                                                                                                                                                                                           |
| BUSINESS_VALUE_KEY      | int       | Key to the <b>BUSINESS_VALUE dimension</b> . Business value is assigned by using iWD rules during the classification phase of the task.                                                                                                                                                                                                                                                                                                                        |
| CURRENT_PRIORITY_KEY    | int       | Key to the <b>PRIORITY dimension</b> . As with business value, initial priorities should be assigned during classification. The priority of a task can change over time. For example, as the task gets closer to its due date, rules can be configured to reprioritize the task proactively. The value that is stored in this field represents the current priority of the task. Historical priority values are stored in the <b>H_TASK_EVENT_FACT table</b> . |
| CURRENT_STATUS_KEY      | int       | Key to the <b>STATUS dimension</b> , describing the current status of the task                                                                                                                                                                                                                                                                                                                                                                                 |
| LAST_ASSIGNED_AGENT_KEY | int       | Key to the <b>AGENT dimension</b> , identifying the last agent who was assigned to the task.                                                                                                                                                                                                                                                                                                                                                                   |
| LAST_RESULT_CODE_KEY    | int       | Key to the <b>RESULT_CODE dimension</b> . This value often represents the wrap code from a soft phone, the result code from a routing strategy, or the result code from the source system.                                                                                                                                                                                                                                                                     |

| Field                | Data Type    | Description                                                                                                                                                                                                                                                                                          |
|----------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CUSTOMER_KEY         | int          | Key to the <b>CUSTOMER dimension</b> . Often used as the customer ID from the source system. This ID can be utilized to retrieve further customer details from a Customer Relationship Management (CRM) data warehouse or other customer data repository.                                            |
| CUSTOMER_SEGMENT_KEY | int          | Key to the <b>CUSTOMER_SEGMENT dimension</b> , describing the customer to whom the task is associated. The customer segment is received from the source system as an extended iWD task attribute—for example, gold, silver, or bronze.                                                               |
| PRODUCT_KEY          | int          | Key to the <b>PRODUCT dimension</b> , describing the product to which the task is related—for example, a product name or product type, such as a loan or Internet Digital Subscriber Line (DSL). The product can be further defined by using product subtypes, such as residential loan or home DSL. |
| SOURCE_TENANT_KEY    | int          | Key to the <b>SOURCE_TENANT dimension</b> , describing the tenant who submitted the task. It can be important in a multi-tenant or service-bureau environment.                                                                                                                                       |
| SOURCE_PROCESS_KEY   | int          | Key to the <b>SOURCE_PROCESS dimension</b> . Source process includes the type and subtype that describe the source process that is associated with the task — for example, Order and DSL Order.                                                                                                      |
| REQUESTED_SKILL_KEY  | int          | Key to the <b>SKILL dimension</b> , identifying the agent skill that was requested by the iWD rule.                                                                                                                                                                                                  |
| REQUESTED_AGENT_KEY  | int          | Key to the <b>AGENT dimension</b> , identifying the agent who was requested by the iWD rule.                                                                                                                                                                                                         |
| CUSTOM_DIM_KEY       | int          | Key to the <b>CUSTOM_DIM dimension</b> containing five additional attributes (beyond those that are listed below) that can be used to dimension a task.                                                                                                                                              |
| CUSTOM_ATTRIBUTE1    | varchar(255) | Custom attributes describe a task.                                                                                                                                                                                                                                                                   |
| CUSTOM_ATTRIBUTE2    |              |                                                                                                                                                                                                                                                                                                      |

| Field                          | Data Type | Description                                                                                                                                                                                                                                      |
|--------------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CUSTOM_ATTRIBUTE3              |           | A total of 10 custom attributes can be mapped to the task, with an additional 5 attributes in the <b>CUSTOM_DIM dimension</b> . If more than 10 task attributes exist, only the first 10 are mapped; the ones that remain are not mapped.        |
| CUSTOM_ATTRIBUTE4              |           |                                                                                                                                                                                                                                                  |
| CUSTOM_ATTRIBUTE5              |           |                                                                                                                                                                                                                                                  |
| CUSTOM_ATTRIBUTE6              |           |                                                                                                                                                                                                                                                  |
| CUSTOM_ATTRIBUTE7              |           |                                                                                                                                                                                                                                                  |
| CUSTOM_ATTRIBUTE8              |           |                                                                                                                                                                                                                                                  |
| CUSTOM_ATTRIBUTE9              |           |                                                                                                                                                                                                                                                  |
| CUSTOM_ATTRIBUTE10             |           |                                                                                                                                                                                                                                                  |
| SRC_CRT_TIME_FR_FIRST_CRTD_SEC | int       | Calculated time value, in seconds, that counts the time that has elapsed from task capture from the first system to the source system—for example, fax server to workflow system.                                                                |
| CRT_TIME_FR_SRC_CRTD_SEC       | int       | Calculated time value, in seconds, from the time at which the task was created in the source system—for example, workflow—to the time at which it was created in iWD.                                                                            |
| ACTIVATE_TIME_FROM_CREATED_SEC | int       | Calculated value, in seconds, that counts the time that has elapsed from the time at which the task was submitted to iWD to the time at which it was activated.                                                                                  |
| ASSIGN_TIME_FROM_CREATED_SEC   | int       | Calculated value, in seconds, that counts the time that has elapsed from the time at which the task was created in iWD to the time at which it was assigned to an agent.                                                                         |
| COMPLETE_TIME_FROM_CREATED_SEC | int       | Calculated value, in seconds, that counts the time that has elapsed from the time at which the task was created in iWD to the time at which it was completed by the agent.                                                                       |
| TOTAL_HELD_TIME_SEC            | int       | Calculated value, in seconds, that counts the total time that a task was held in iWD. This is an iWD “hold” action via an iWD capture point or through iWD Manager user interface and not a hold event from a soft phone or desktop application. |
| TOTAL_WORK_TIME_SEC            | int       | Calculated value, in seconds, that counts the time that has elapsed from the time at which a                                                                                                                                                     |

| Field                         | Data Type | Description                                                                                                                                                                       |
|-------------------------------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               |           | task was assigned to an agent to the time at which it was completed by the agent. A task may have multiple work times, as noted in <b>TASK_WORK_FACT</b> . This is the total sum. |
| CREATED_INTERVAL              | int       | Time interval that is derived from the CREATED_DATE_KEY and CREATED_TIME_KEY fields. Used for ETL scripts.                                                                        |
| COMPLETED_INTERVAL            | int       | Time interval that is derived from the COMPLETED_DATE_KEY and COMPLETED_TIME_KEY fields. Used for ETL scripts.                                                                    |
| DUE_TS                        | int       | Timestamp for the iWD task's due date and time. Used for ETL scripts.                                                                                                             |
| COMPLETED_TS                  | int       | Timestamp for the iWD task's completed date and time. Used for ETL scripts.                                                                                                       |
| ACTIVATION_INTERVAL           | int       | Time interval that is derived from the ACTIVATION_DATE_KEY and ACTIVATION_TIME_KEY fields. Used for ETL scripts.                                                                  |
| ASSIGNED_INTERVAL             | int       | Time interval that is derived from the ASSIGNED_DATE_KEY and ASSIGN_TIME_KEY fields. Used for ETL scripts.                                                                        |
| DUE_INTERVAL                  | int       | Time interval that is derived from the DUE_DATE_KEY and DUE_TIME_KEY fields. Used for ETL scripts.                                                                                |
| SOURCE_CREATED_INTERVAL       | int       | Time interval that is derived from the SOURCE_CREATED_DATE_KEY and SOURCE_CREATED_TIME_KEY fields. Used for ETL scripts.                                                          |
| SOURCE_FIRST_CREATED_INTERVAL | int       | Time interval that is derived from the SOURCE_FIRST_CREATED_DATE_KEY and SOURCE_FIRST_CREATED_TIME_KEY fields. Used for ETL scripts.                                              |
| CREATED_ETL_AUDIT_KEY         | int       | Key to the <b>ETL_AUDIT dimension</b> , identifying the ETL job that created this task fact.                                                                                      |
| UPDATED_ETL_AUDIT_KEY         | int       | Key to the <b>ETL_AUDIT dimension</b> , identifying the ETL job that last updated this task fact.                                                                                 |
| TIMEZONE_KEY                  | int       | Key to the <b>TIMEZONE dimension</b> , identifying the time zone of the                                                                                                           |



---

| Field               | Data Type | Description                                                                                                 |
|---------------------|-----------|-------------------------------------------------------------------------------------------------------------|
|                     |           | timestamp at which the task was created.                                                                    |
| START_DATE_TIME_KEY | int       | Key to the <b>DATE_TIME</b> table, identifying the 15-minute interval during which this record was created. |