



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

iWD Deployment Guide

Installing/Removing Language Packs

5/9/2025

Installing/Removing Language Packs

iWD provides two types of packages related to the localization process:

- Those related to the iWD Plug-in for GAX, described [here](#).
- Those related to iWD Manager, Runtime Node and Standard Rules Template (SRT) files that are described below.

On Windows

1. Stop iWD Manager web server and Runtime Node services.
2. Launch `setup.exe` and choose whether to install localization for:
 - Manager
 - Runtime Node
 - Both Manager and Runtime Node

Choose the relevant application(s) from the list.

3. The installer will find the correct path by itself and copy all required files there. A localized SRT will be installed into iWD Manager in the `ruleTemplates` directory with a suitable language suffix such as `iWD_Standard_Rules_CHS`.
4. Restart the stopped services.

Important

Uninstall also requires that you stop services beforehand.

On Linux

1. Stop iWD Manager web server and the Runtime Node process.
2. Launch `./install.sh` and in the dialog that opens, provide:
 - a. `type of server`—For Tomcat you will be prompted with an additional question about the path.
 - b. `iWD Manager directory`—Provide the path to iWD Manager if you want to install the localization package to iWD Manager.
 - c. `iWD Node directory`—Provide the path to iWD Runtime Node if you want to install localization package to iWD Manager.
 - d. `Destination directory`—This is the path where package contents will be extracted.

```
*****
* Welcome to the Genesys 8.5 Installation Script *
*****
```

Installing iWD Language Pack, version 8.5.XXX.XX

Please select your servlet container type by number:

- 1. Tomcat
 - 2. WebSphere
- =>1

Please enter the full path to your
Tomcat installation =>SOME_PATH

Please enter iWD Manager directory or press ENTER if iWD Manager is not installed
=>PATH_TO_MANAGER

Please enter iWD Node directory or press ENTER if iWD Node is not installed
=>PATH_TO_NODE

Please enter full path of the destination directory for installation =>SOME_WORK_PATH

Extracting tarfile: data.tar.gz to directory:

```
..
Installation of iWD Language Pack, version 8.5.XXX.XX has completed successfully.
```

3. Restart the stopped processes.