



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

iWD Deployment Guide

The iWD Standard Rules Template

5/10/2025

Contents

- 1 The iWD Standard Rules Template
 - 1.1 Overview
 - 1.2 Importing the iWD Standard Rules Template into the Genesys Rules Development tool and publishing it to the Rules repository
 - 1.3 iWD Standard Rules Template Contents

The iWD Standard Rules Template

Overview

iWD comes with an out-of-the-box rule template called the iWD Standard Rules Template, that a user will import into the Genesys Rules Development Tool. This template is the foundation for the rules that are most frequently used in iWD deployments. The template can be used as an example when new rule conditions or actions are required for a particular iWD deployment.

Although the functionality defined in the iWD Standard Rules Template can be extended, Genesys recommends creating one or more custom rule templates for this purpose. One reason for this is that you can use Configuration Server object permissions to control which users can access specific rule templates. For example, you might have one custom rule template for all users of the Genesys Rules Authoring Tool, which includes common rule conditions and actions, to which all users should have access. Then you can have a second custom rule template that contains advanced rule conditions and actions, which you only make accessible to experienced rule authors.

Important

If Genesys provides an updated iWD Standard Rules Template, all custom changes to the previous version will be lost after importing of the updated template.

After you modify an existing rule template, or create a new one, the rule template is published to the Genesys Rules System rules repository. This makes the template available to users of GRAT, so the template can be added to a new rule package, or an existing rule package can be updated with the latest version of a template.

Importing the iWD Standard Rules Template into the Genesys Rules Development tool and publishing it to the Rules repository

Purpose

To import the iWD Standard Rules Template into the Genesys Rules Development Tool and then publish it to the Genesys Rules System rules repository. This will make the Standard Rules Template available to rules authors, from within the Genesys Rules Authoring Tool.

1. Launch Eclipse (or Composer).
2. Open the Template Development perspective (if it is not already open).
3. Navigate to **Window > Open Perspective > Other > Template Development**.

4. In the **Eclipse** menu, navigate to **File >Import**.
5. In the **Import** dialog box, select **Existing Projects into Workspace** from within the **General** folder.
6. Click **Next**.
7. Select the **Select root directory** radio button
8. Select **Browse** to browse to the iWD Standard Rules Template folder.

Tip

The iWD Standard Rules Template will be in the rule **Templates** subdirectory in the folder where the iWD Manager supporting files were installed on your file system. For example, **C:\Program Files\GCTI\iWD Manager\ruleTemplates**.

9. Click **Finish**.

The iWD Standard Rules Template is now visible in the Eclipse (or Composer) **Project Explorer** view.

10. In the **Project Explorer** view, right-click **iWD_Standard_Rules project** and select **Publish...**
11. Using the **Publish Template Wizard**, select the **iWD_Standard_Rules** template project.
12. Select the **Edit properties** link.
13. In the **Properties** dialog, under **Template Properties**, ensure that Type = iWD.
14. For the **Tenant** property, select the Configuration Server tenant to which this rule template will be associated.
15. Click **OK**.
16. Using the **Publish Template Wizard**, select the **iWD_Standard_Rules** template project.
17. Click **Finish**.

The **Publishing** dialog, with a progress indicator, will display **Publish successful** after the template project has been successfully published to the Genesys Rules System repository.

Important

You cannot import the iWD Standard Rules Template project into GRDT if it already exists in the Eclipse workspace. Therefore, if you have a new version of the iWD Standard Rules Template to import, you must first delete the existing one. For this reason, Genesys strongly recommends that you use custom rule templates for new rule conditions or actions, rather than extending the iWD Standard Rules Template.

Next Steps

If you do not plan to create any custom rule templates at this time, go to the Genesys Rules

Authoring Tool to create a rule package. See [Rule Authoring for IWD](#).

To review information about the parameters, conditions, actions, and functions provided in the iWD Standard Rules Template, see the **iWD Standard Rules Template Contents** tab on this page.

iWD Standard Rules Template Contents

Conditions, Actions, Parameters, and Functions

The iWD Standard Rules Template defines the most commonly used rule conditions, actions, parameters, and functions.

Conditions

Condition	Explanation
Business value is "businessValue_From" to "businessValue_To"	If the business value of the task is between businessValue_From and businessValue_To, then... This rule condition is designed to test inclusive conditions. That is, the "businessValue_From" and "businessValue_To" conditions that are being checked are ">=" and "<=", respectively. This must be understood in order to use this rule condition effectively.
Capture point is "capturePoint"	If the capture point is capturePoint, then... This rule condition is designed to be used at the rule package (Global) level, as a way to classify tasks, based on the capture point from which they originated. This is in lieu of the Capture Point-level rules that were available in iWD 8.0 but are not available in the Genesys Rules System. This rule condition requires that the capturePoint rule parameter be properly configured so that GRAT can access the list of Capture Points from the iWD configuration database.
Channel is "taskChannels"	If the specified channel of the task is taskChannels, then... This rule condition requires that the taskChannels rule parameter be properly configured so that GRAT can access the list of task channels from the iWD configuration database.
Department is "department"	If the specified department of the task is department, then...
Due Time is in "periodFrom" to "periodTo" "periodType"	If the task due date/time is between periodFrom and periodTo specified time periodType, then... This rule condition is designed to test conditions that are not inclusive. That is, the "periodFrom" and "periodTo" conditions that are being checked are ">" and "<", respectively. This must be understood in order to use this rule condition effectively.
Integer "attribute" "operator" "integerValue"	When the value of a specified custom attribute of type integer is greater than/less than/equal to the specified integerValue,

Condition	Explanation
	then...
Is first prioritization	When the rules being applied are part of the initial prioritization step (the value of the task attribute reprioritizeDateTime is empty), then...
Is reprioritization	When the rules being applied are part of the reprioritization step (the value of the task attribute reprioritizeDateTime is not empty), then...
Is working day	When today is a working day, then... This condition is evaluated, based on the default business calendar assigned to the rule package or a business calendar that has been explicitly assigned to the task in a previous rule. A business calendar must be assigned to the rule or in a separate rule action before this action can be used.
Is working time	When the current time is working time, then... This condition is evaluated based on the default business calendar assigned to the rule package or a business calendar that has been explicitly assigned to the task in a previous rule. A business calendar must be assigned to the rule or in a separate rule action before this action can be used.
Media type is "mediaType"	When the specified media type of the task is mediaType, then...
No process selected	If process is not assigned to the task, then...
Priority is "operator" "priority"	If iWD priority of the task is equal to/not equal to/less than/less than or equal to/greater than/greater than or equal to priority, then...
Process is "process"	If the task is assigned to process, then...
String "attribute" equals "stringValue"	When the value of a specified custom attribute of type string is equal to the specified stringValue, then...
Task is overdue	When the task is overdue, then...
Task overdue in "period" "periodType"	Checks if task will be overdue after a given time interval.

Actions

Action	Explanation
Activate task in "period" "periodType"	Activate the task in the specified period of time, using time unit <code>periodType</code> . The activation date/time is used in the IWDBP business process to determine when the task should be moved from the <code>iWD_Captured</code> queue into the Prioritization routing strategy.
Activate task in "period" working "periodType"	Activate the task in the specified period of time, using time unit <code>periodType</code> , according to the task's business calendar (working days, working hours and so on). The activation date/time is used in the IWDBP business process to determine when the task should be moved from the <code>iWD_Captured</code> queue into the Prioritization routing strategy. A business calendar must be assigned to the rule or in a separate rule action before this action can be used.
Activate task beginning next working day	Activates the task at the beginning of the next business day. A business calendar must be assigned to the rule or in a separate rule action before this action can be used.
Activate task end working day	Activates the task at the end of the working day when the task was received. A business calendar must be assigned to the rule or in a separate rule action before this action can be used.
Assign business calendar "businessCalendar"	Assign the specified <code>businessCalendar</code> to the task.
Assign distribution point "distributionPoint"	Assign the specified <code>distributionPoint</code> to the task. This rule condition requires that the <code>distributionPoint</code> rule parameter be properly configured so that GRAT can access the list of distribution points from the iWD configuration database.
Assign iWD department "department"	Assign the task to the specified department.
Assign iWD process "process"	Assign the task to the specified process.
Assign WFM Activity "wfmActivity"	<p>Assign the specified Genesys Workforce Management Activity called <code>wfmActivity</code> to the task. To ensure GRS can read objects from Genesys Workforce Management, you must configure the following object in the Configuration Manager under specific tenant's Scripts folder: Name — WFM Connection (or other descriptive name) Type — Data Collection</p> <p>Under Annex tab, configure the following section: Section — <code>wfm</code></p> <p>Under this section, configure the following properties: <code>wfmCfgServerAppName</code> —configuration application name of the WFM Server <code>wfmCfgServerUserName</code> —User name that is used to connect to WFM Server <code>wfmCfgServerPassword</code> —Password that is used to connect to WFM Server <code>wfmServerUrl</code> —URL that is used to connect to WFM Server. The URL must have the following format:</p>

Action	Explanation
	<p><code>http://<wfm_server_host_name>:<wfm_server_port_number></code></p> <p>For example, if the WFM Server is running on a host named WFMHost001 on port 7023, the URL would be: http://wfmhost001:7023</p>
Increase iWD priority "priority"	Increase the iWD priority of the task by the specified amount defined in priority.
Multiply business value "multiplier"	Multiply the business value of the task by the specified multiplier.
Reprioritize after "period" "periodType"	Reapply prioritization rules to the task after the specified period of time, using time unit periodType from the current time.
Reprioritize after "period" working "periodType"	Reapply prioritization rules to the task after the specified period of time, using time unit periodType, according to the task's business calendar (working days, working hours, and so on). A business calendar must be assigned to the rule package, or directly to the task, before this action can be used.
Request agent "agent"	Request a specific agent for the task.
Request skill "skill"	Request a specific skill for the task.
Request agent group "agentGroup"	Specify which agentGroup is required to process the task.
Request place group "placeGroup"	Specify which placeGroup is required to process the task.
Set activation date from "customAttribute"	Set the activation date/time of the task from the specified customAttribute of the task. The activation date/time is used in the IWDBP business process to determine when the task should be moved from the iWD_Captured queue into the Prioritization routing strategy.
Set activation time "time"	Set the time when the task will be activated. The activation date/time is used in the IWDBP business process to determine when the task should be moved from the iWD_Captured queue into the Prioritization routing strategy. The value for "time" must be entered by the rules author in UTC, because it will be attached to the task in the iWD_activationDateTime attribute. The value of this attribute will be displayed to users in the Global Task List based on their operating system's time zone settings. Entering time values in UTC is not intuitive for a business user, therefore, if there is a business reason to attach a specific activation time to a task, you might want to create a custom rule condition that displays the local time (considering the time zone of the business, for example) in the Language Expression, while assigning the corresponding value in UTC, in the Rule Language Mapping. Take care with date changes when specifying the activation time in a local time zone. For example,

Action	Explanation
	23:00 in GMT-5 is 04:00 in UTC on the next day, so date should also be incremented by one day.
Set business value "businessValue"	Set business value of the task to the specified businessValue.
Set due date from "customAttribute"	Set the due date/time of the task from the specified customAttribute of the task.
Set due time "time"	Set the time when the task is due. The value for "time" must be entered by the rules author in UTC, because it will be attached to the task in the IWD_dueDateTime attribute. The value of this attribute will be displayed to users in the Global Task List, based on their operating system's time zone settings. Entering time values in UTC is not intuitive for a business user, therefore, if there is a business reason to attach a specific due time to a task, you might want to create a custom rule condition that displays the local time (considering the time zone of the business, for example) in the Language Expression, while assigning the corresponding value in UTC, in the Rule Language Mapping. Take care with date changes when specifying the activation time in a local time zone. For example, 23:00 in GMT-5 is 04:00 in UTC on the next day, so date should also be incremented by one day.
Set integer "attribute" value "integerValue"	Set the value of a specified custom attribute of type integer to the specified integerValue.
Set priority "priority"	Set the iWD priority of the task to the specified value priority.
Set string "attribute" value "stringValue"	Set the value of a specified custom attribute of type string to the specified stringValue.
Task Due in "period" "periodType"	The task is due after the specified period of time, using time unit periodType.
Task Due in "period" working "periodType"	The task is due after the specified period of time, using time unit periodType, according to the task's business calendar (working days, working hours, and so on). A business calendar must be assigned to the rule package, or directly to the task, before this action can be used.
Task expires in "period" "periodType"	<p>Sets the task's expiration date/time after the specified period of time, using time unit periodType.</p> <p>A task's expiration date/time is what is used in the IWDBP business process to determine when a task should be deleted from the Interaction Server database.</p>
Task expires in "period" working "periodType"	Sets the task's expiration date/time after the specified period of time, using time unit periodType, according to the task's business calendar (working days, working hours, and so on). A

Action	Explanation
	<p>task's expiration date/time is what is used in the IWDBP business process to determine when a task should be task should be deleted from the Interaction Server database.</p> <p>Note: A business calendar must be assigned to the rule package or directly to the task, before this action can be used.</p>

Parameters

Parameter	Description
agent	Presents you with a list of agents' user names that are read from the Genesys Configuration Server database. This list is dynamic; it changes as agents are added or removed. The agents displayed will be based on the access control of the Genesys Rules Authoring Tool user.
agentGroup	Presents you with a list of Agent Groups that are read from the Genesys Configuration Server database. This list is dynamic; it changes as agents are added or removed. The agent groups displayed will be based on the access control of the Genesys Rules Authoring Tool user.
archive	<p>Presents you with an enumerated list of possible archive destinations for expired tasks. This parameter uses an Enum, which is included in the Standard Rules Template, called archive.</p> <p>Note: This action has been maintained from iWD 8.0 and 8.1.0 but it is no longer necessary to use it, due to changes in the way task archiving works in the out-of-box iWD business process (IWDBP) in iWD 8.1.1.</p>
attribute	Enables you to enter text that represents the name of a task attribute.
businessCalendar	Presents you with a list of business calendars that are defined in the rule package. This list is dynamic; it changes as business calendars are added or removed.
businessValue	Enables you to enter the numeric value that represents business value.
businessValue_From	Enables you to enter a numeric value that represents the lower boundary of business value.
businessValue_To	Enables you to enter a numeric value that represents the upper boundary of business value.

Parameter	Description
capturePoint	Presents you with a list of Capture Points that is generated dynamically by reading the iWD configuration database.
customAttribute	Enables you to enter text that represents the name of a task custom attribute.
department	Presents you with a list of departments that are defined in the iWD Solution. This list is dynamic; it changes as departments are added or removed.
diffByPeriod	Returns the difference between the two dates in the specified time units (minutes, hours, days).
difWorkingDays	Returns the difference between two dates in working days.
difWorkingHours	Returns the difference between two dates in working hours.
difWorkingMinutes	Returns the difference between two dates in working minutes.
integerValue	Enables you to enter an integer value for use in rule conditions or actions that evaluate the value of task custom attributes.
mediaType	Presents you with a list of media types that are defined in the Genesys Configuration Server under the tenant. This list is dynamic; it changes as media type attributes get added or removed.
multiplier	Enables you enter to enter a numeric value by which some other parameter (such as priority) will be multiplied in a rule.
operator	Provides an enumerated list of operators equal to, not equal to, less than, less than or equal to, greater than, and greater than or equal to, that can be used to compare values of custom attributes of type integer , to values specified in a rule condition. This parameter uses an Enum, which is included in the Standard Rules Template, called operator .
period	Enables you to enter a numeric value. Combined with the period type, it gives the actual value of the time period.
periodFrom	Enables you to enter a numeric value that represents the start point of a period, in time units, according to period type.
periodTo	Enables you to enter the numeric value that represents the end point of a period, in time units, according to period type.

Parameter	Description
periodType	Presents an enumerated list of types of time periods, such as days, hours or minutes. This parameter uses an Enum, which is included in the Standard Rules Template, called periodType.
placeGroup	Presents you with a list of place group names that are read from the Genesys Configuration Server database. This list is dynamic; it changes as place groups are added or removed. The place groups displayed will be based on the access control of the Genesys Rules Authoring Tool user.
priority	Enables you to enter the numeric value that represents iWD priority.
process	Presents you with a list of processes that are defined in the iWD Solution. This list is dynamic; it changes as processes are added or removed.
skill	Presents you with a list of skills that are read from the Genesys Configuration Server database. This list is dynamic; it changes as skills are added or removed. The skills displayed will be based on the access control of the Genesys Rules Authoring Tool user.
stringValue	Enables you to enter a string value for use in rule conditions or actions that evaluate the value of task custom attributes.
taskChannels	Presents the user with a list of task channels, read from an iWD Lookup Table.
time	Enables you to enter a time value that is used in various rule conditions and actions.
wfmActivity	Presents a list of WFM activities, retrieved dynamically from the WFM Server.

Functions

Function	Description
adjustWorkingDate	Adds or subtracts a given time interval from the given date according to the current business calendar.
compareDate	Compares the value of two dates. For a list of possible returned values, see comments within the function.
compareInteger	Compares the value of two integers, taking as inputs the two

Function	Description
	integers and a comparison operator. Returns true or false.
getCurrentCalendar	Returns the current business calendar ID.
getCurrentDT	Returns the current date and time, in UTC.
getDTValue	Gets the value of a task attribute as date/time.
getIntValue	Gets the value of a task attribute as an integer.
getPeriodDTFrom	Adds or subtracts a given time interval from the given date, regardless of the business calendar.
getStringValue	Gets the value of a task attribute as a string.
getWFMActivity	Retrieves WFM Activity.
getWFMActivityContext	Retrieves WFM Activity context (Business Unit or Site).
increaseIntegerValue	Increases the value of an integer by adding to it.
isNull	Is true if a given task attribute value is Null, otherwise, the value is false.
isProcess	Is true if a given task is assigned to a given process, otherwise, the value is false.
isWorkingDay	Returns true if the current day is the working day.
isWorkingTime	Returns true if the current time is the working time.
multiplyIntegerValue	Increases the value of an integer by multiplying it by some factor.
notNull	Is true if a task attribute value is not Null, otherwise, the value is false.
setDepartment	Sets the department for a task.
setDepartmentAndProcess	Sets the department and process of the given task from a given

Function	Description
	string, in department process format.
setDTValue	Sets the value of a task attribute as date/time.
setIntValue	Sets the value of a task attribute as an integer.
setProcess	Sets the process for a task.
setStringValue	Sets the value of a task attribute as a string.
setTime	Sets the time portion of a given date/time value from a string value, in hh:mm format.