



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Integrated Capture Points Guide

Web Service Capture Point Requests (iWD-Compatible)

5/9/2025

Contents

- 1 Web Service Capture Point Requests (iWD-Compatible)
 - 1.1 Request ping
 - 1.2 Sample Request createTask
 - 1.3 Sample Request getTaskByTaskId
 - 1.4 Sample Request getTaskByCaptureId
 - 1.5 Sample request updateTaskByTaskId

Web Service Capture Point Requests (iWD-Compatible)

This section presents details of requests used by the Web Service Capture Point when operating in **iWD Compatibility Mode**.

Request ping

Example of a ping request:

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:iwd="http://webservice.capture.gtl.evo">
  <SOAP-ENV:Body>
    <iwd:ping>
    </iwd:ping>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Sample Request createTask

This sample shows how to specify two k-v pairs and a Genesys-compatible media type in the data part of the message, and how to specify a customerId Task Extension in the ext part of the message.

```
<?xml version="1.0" encoding="UTF-8"
<SOAP-ENV:Envelope
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:ns2="http://webservices.evo"
  xmlns:ns4="http://taskinfo.gtl.evo"
  xmlns:ns3="http://broker.gtl.evo"
  xmlns:ns1="http://evo"
  xmlns:iwd="http://webservice.capture.gtl.evo">
  <SOAP-ENV:Body>
    <iwd:createTask>
      <iwd:captureId>TestiWD_0002</iwd:captureId>
      <iwd:data xsi:type="iwd:string2stringMap">
        <iwd:entry><iwd:key xsi:type="xsd:string">Key1</iwd:key>
        <iwd:value xsi:type="xsd:string">Value1</iwd:value></iwd:entry>
        <iwd:entry><iwd:key xsi:type="xsd:string">Key2</iwd:key>
        <iwd:value xsi:type="xsd:string">Value2</iwd:value></iwd:entry>
        <iwd:entry><iwd:key xsi:type="xsd:string">MediaType</iwd:key>
        <iwd:value xsi:type="xsd:string">workitem</iwd:value></iwd:entry>
      </iwd:data>
      <iwd:ext xsi:type="ns3:TaskExt">
        <ns3:customerId>My Best Customer</ns3:customerId>
      </iwd:ext>
    </iwd:createTask>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
</iwd:createTask>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Sample Request getTaskByTaskId

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:iwd="http://webservice.capture.gtl.evo">
  <SOAP-ENV:Body>
    <iwd:getTaskByTaskId>
      <iwd:taskId>02JHNT2FEDRTR005</iwd:taskId>
    </iwd:getTaskByTaskId>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Sample Request getTaskByCaptureId

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:iwd="http://webservice.capture.gtl.evo">
  <SOAP-ENV:Body>
    <iwd:getTaskByCaptureId>
      <iwd:captureId>TestiWD_0002</iwd:captureId>
    </iwd:getTaskByCaptureId>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Sample request updateTaskByTaskId

This sample demonstrates how to update various interaction properties.

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:ns2="http://webservices.evo" xmlns:ns4="http://taskinfo.gtl.evo"
  xmlns:ns3="http://broker.gtl.evo" xmlns:ns1="http://evo"
  xmlns:iwd="http://webservice.capture.gtl.evo">
  <SOAP-ENV:Body>
    <iwd:updateTaskByTaskId>
      <iwd:taskId>02JHNT2FEDRTR00B</iwd:taskId>
      <iwd:priority>123</iwd:priority>
      <iwd:dueDateTime>2012-03-28T20:20:18Z</iwd:dueDateTime>
      <iwd:data xsi:type="iwd:string2stringMap">
        <iwd:entry><iwd:key xsi:type="xsd:string">Key1</iwd:key>
          <iwd:value xsi:type="xsd:string">NewValue1</iwd:value></iwd:entry>
        <iwd:entry><iwd:key xsi:type="xsd:string">Key3</iwd:key>
          <iwd:value xsi:type="xsd:string">NewKeyNewValue</iwd:value></iwd:entry>
      </iwd:data>
      <iwd:ext xsi:type="ns3:TaskExt">
```

```
<ns3:customerId>The same customer</ns3:customerId>  
</iwd:ext>  
</iwd:updateTaskByTaskId>  
</SOAP-ENV:Body></SOAP-ENV:Envelope>
```