



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Genesys Knowledge Center API Reference

Reporting API

# Reporting API

## Overview

The Reporting API provides access to the historical reporting data collected by the Genesys Knowledge Center Server.

Historical reporting is based on atomic events captured by the solution during its operations. These events are produced by activities carried out via the [Knowledge API](#) and, optionally, by [Management API](#) and application activities, as well.

## Authorization

You must have agent or reporter privileges to access the Reporting API, as noted below. This can be configured in the Knowledge Center Administrator plugin.

## Collected Data

Data collected for each event consists of two parts:

- **Basic structure**—fixed event attributes captured for all events in the system
- **Event-specific structure**—event-specific data that is only captured for events of a specific type and which provides information that is valuable for understanding that type of event

## Data expiration

Events stored in the reporting index are subject to expiration, with a default expiration period of 14 days.

```
{
  "history" : {
    "_ttl" : { "enabled" : true, "default" : "14d" }
  }
}
```

You can override this value by replacing the default configuration value in the Genesys Knowledge Center Server options, as shown here:

```
option: reporting\ttl
value: 0 or <number><unit>
default: 14d
-1 - infinite ttl
<number><unit> - defines period for ttl
```

unit: d (days), m (minutes), h (hours), or w(weeks)  
Need restart: yes

The value of this option is applied when any node in the cluster is started.

## Basic Structure

Attribute	Required	Type	Description
nodename	Yes	String	Name of the node for which the event was generated
knowledgebase	Yes	String	ID of the knowledge base that event belongs to
language	Yes	String	Language of data that the operation is executed with
agentId	No	String	ID of the agent involved in operation
customerId	No	String	Customer identity
timestamp	Yes	Date-Time	UTC timestamp for the operation
duration	Yes	int	Duration of the operation in ms
type	Yes	enum	Event type (comes from a fixed list of all operations that create events)
tenantId	Yes	String	Tenant ID
sessionId	No	String	Session ID provided by Genesys Knowledge Center Server
visitId	No	String	ID of the visit tracked by Genesys Proactive Engagement
Originator	Yes	enum	Originator of event, could be AGENT or CUSTOMER
keyNouns	No	String []	List of key Nouns from text of user query
keyProperNouns	No	String []	List of key Proper Nouns from text of user query
keyVerbs	No	String []	List of key Verbs from text of user query
keyAdjectives	No	String []	List of key Adjectives from text of user query
remotelp	No	String	IP address of client, that called GKS functionality that burnt this particular record in history
geoLocationHash	No	String	HashCode of geo location, that was determined against obtained remotelp for this history record
lonLat	No	double []	Longitude and Latitude of geo position against obtained remotelp for this history record
countryCode	No	String	Code of country for this particular geo location.

## Event Types

EVENT TYPE	DESCRIPTION	PARAMETERS
FEEDBACK	Feedback to one of the knowledge elements	query: Query document: Document agentId: String customerId: String feedbacktype: enum

EVENT TYPE	DESCRIPTION	PARAMETERS
		language: String
OPEN	Events describing the viewed content	document: Document agentId: String customerId: String language: String
NONANSWERED	Events that indicate that the user's question was not answered	query: Query language: String customerId: String agentId: String
SEARCH	Search request posted with results returned	query: Query- search query  result: array<Document> - full document or just document ids (depends on the application configuration) agentId: String customerId: String language: String
USE	Events that indicate that document used by agent to reply customer	document: Document agentId: String language: String

## Query

Field	Type	Description
query	String	User-typed query string
filters	<b>FilterCondition</b>	Array of filters
categories	String	Array of categories
tags	String	Array of tags

## API

You can use the Reporting API to gather the following kinds of information:

- Agent history for a specific time period
- Customer history for a specific time period
- Articles that have been used (with positive feedback) during a specific time period
- Queries posted during a specific time period
- Knowledge base summaries, providing:
  - Static information about a knowledge base, such as its name, ID, or languages
  - Dynamic information, such as the number of articles or categories it currently contains, the average query time, or the average relevancy of the top answer

## Search History

<b>Description</b>	Search history activities for a specific time period				
<b>URL</b>	/history				
<b>Method</b>	POST				
<b>Request Content-Type</b>	application/json				
<b>Response Content-Type</b>	application/json				
<b>Role</b>	Agent				
<b>Parameters</b>	<b>Parameter</b>	<b>Type</b>	<b>Required</b>	<b>Location</b>	<b>Description</b>
	id	String	No	Body	History entry ID
	start	Date	No	Body	Start date of requested period
	end	Date	No	Body	End date of requested period
	types	EventType	No	Body	Filter based on the event types described in the table above
	kbld	String	No	URL	Knowledge base ID
	lang	String	No	URL	Language
	tenantId	String	Yes	URL	Tenant identifier
	sessionId	String	No	Body	Session ID
	customer	String	No	Body	Customer name
agent	String	No	Body	Agent name	
<b>Response Body</b>	<b>Field</b>	<b>Type</b>	<b>Required</b>	<b>Description</b>	
	statusCode	RestStatus	Yes	Execution code of the operation—duplicates HTTP code	
	error	Error	Yes (if statusCode <> OK)	Detailed information about the error message. Present only if the operation executed unsuccessfully (statusCode <> OK).	
	data	HistoryEntry	No	List of found history entries.	

## Get history of queries

## HistoryOfQueries Complex Type

Field	Type	Description
count	Int	total count of query items according to given parameters
From	Int	pagination offset
Size	Int	count of items in current page (pagination)
items	HistoryOfQueryItem[]	latest history items itself

## HistoryOfQuery Complex Type

Field	Type	Description
query	String	Registered in the storage history of the user query
Moment	Datetime	The moment of time when this query was sent to the server
userId	String	User identified on behalf of which query is received
sessionId	String	Session identifier related to the given user query

## Get history of queries

<b>Description</b>	Gathers history of user queries.				
<b>URL</b>	/{kblId}/{lang}/queries				
<b>Method</b>	GET				
<b>Request Content-Type</b>	application/json				
<b>Response Content-Type</b>	application/json				
<b>Role</b>	Reporter				
<b>Url identifiers</b>	<b>Parameter</b>	<b>Type</b>	<b>Required</b>	<b>URL/Body</b>	<b>Description</b>
	kblId	String	No	URL	Knowledge base ID
	lang	String	No	URL	Language
<b>Parameters</b>	<b>Parameter</b>	<b>Type</b>	<b>Required</b>	<b>Description</b>	
	sessionId	String	No	Session ID	
	tenantId	String	Yes	Tenant identifier	
	customerId	String	No	Customer name	
	from	Int	No	Starting position of pagination, default=0	
	size	Int	No	Page size of pagination, default=0. 0 means that you will retrieve all queries that match	

	Parameter	Type	Required	Description
				the input parameters.
Response Body	Field	Type	Required	Description
	statusCode	RestStatus	Yes	Execution code of the operation -duplicates the HTTP code
	error	Error	Yes (if statusCode <> OK)	Detailed information about the error message. Becomes present only if the operation is executed unsuccessfully (statusCode<>OK).
	response	HistoryOfQueries	Yes	Retrieved history of queries
Notes				

## Export History

Description	Gather history for a specific tenant for a specific date range.				
URL	/history/export				
Method	POST				
Request Content-Type	application/json				
Response Content-Type	application/json				
Role	Reporter				
Parameters	Parameter	Type	Required	URL/Body	Description
	start	Date	No	Body	Start date of requested period
	end	Date	No	Body	End date of requested period
	types	EventType	No	Body	Filter based on the event types described in the table above
	kbId	String	No	URL	Knowledge base ID
	lang	String	No	URL	Language
	tenantId	String	Yes	URL	Tenant identifier
	sessionId	String	No	Body	Session ID
customer	String	No	Body	Customer name	

	Parameter	Type	Required	URL/Body	Description
	agent	String	No	Body	Agent name
<b>Response Body</b>	Field	Type	Required	Description	
	statusCode	RestStatus	Yes	Execution code of the operation—duplicates HTTP code	
	error	Error	Yes (if statusCode <> OK)	Detailed information about the error message. Present only if the operation executed unsuccessfully (statusCode <> OK).	
	url	String	No	Path to archive destination	
	applicationName	String	No	Knowledge node name	
<b>Notes</b>	<ul style="list-style-type: none"> <li>Archive settings can be configured under the Options tab of the Knowledge Node application in Genesys Administrator.</li> <li>For more information on configuration options for Knowledge Center Server, consult the <a href="#">Knowledge Center Options Reference Guide</a>.</li> </ul>				