

GENESYS[®]

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Knowledge Center Deployment Guide

Installing the Workspace Desktop Edition Plugin

5/5/2025

Installing the Workspace Desktop Edition Plugin

Installing the Plugin for Workspace Desktop Edition

Agents can use the Knowledge Center Plugin for Workspace Desktop Edition (WDE) to access knowledge-related information right from their desktop. For example, if a customer asks a question using a chat widget and the corresponding interaction is routed to an agent, Knowledge Center can execute a pre-populated search based on data attached to the new interaction, as well as displaying the customer's search history and providing the agent with full access to the knowledge base access. And if the customer has not authorized during their search, the agent can link their session history to that customer's ID to access their full history while working with the interaction. To use this plugin complete the procedures below, in order.


Installing the Plugin for Workspace Desktop Edition

Prerequisites

Workspace Desktop Edition must be installed and configured to work with voice or media interactions.

Start

1. In your installation package, locate and double-click the **setup.exe** file. The Install Shield opens the welcome screen.



Knowledge Center WDE Plugin—Install Shield Screen

- 2. Click Next. The Select Installed Application screen appears.
- Select the installed Workspace Desktop Edition Application for which you want to install the plugin. The Application Properties area shows the Type, Host, Working Directory, Command Line executable, and Command Line Arguments information previously entered in the Server Info and Start Info tabs of the selected Application object.

	op Edition IP from the list of applica		
	rd will install Genesys Knowledge (selected Workspace Desktop Ed		space Deskto
Workspace Desktop Edit	tion		
1			
Application Properties	x:		
	ne: Workspace Desktop Edition		
Installation Package Nam Version: 8.5.103.07, Build	ne: Workspace Desktop Edition	op Edition	
Installation Package Nam Version: 8.5.103.07, Build	ne: Workspace Desktop Edition 11	op Edition	
Installation Package Nam Version: 8.5.103.07, Build	ne: Workspace Desktop Edition 11	op Edition	F

Select Installed Workspace Desktop Edition Application

4. Click Next. The Ready to Install screen appears.

Genesys Installation Wizard	×
Ready to Install	
Genesys Installation Wizard has collected all required information and is ready to install Genesys Knowledge Center Plugin for Workspace Desktop Edition on your computer.	
To install Genesys Knowledge Center Plugin for Workspace Desktop Edition, click Install. To review settings, click Back. To exit the Wizard, click Cancel.	
< Back Install Cancel	

Knowledge Center WDE Plugin—Ready to Install

5. Click **Install**. The Genesys Installation Wizard indicates it is performing the requested operation for Backend Server. When through, the **Installation Complete** screen appears.

Genesys Installation Wizard	
	Installation Complete
	The Genesys Installation Wizard has successfully installed Genesys Knowledge Center Plugin for Workspace Desktop Edition, version 8.5.300.11, on your computer.
Senesys ⁻	To exit the Wizard, click Finish.
	Finish

Knowledge Center WDE Plugin—Installation Complete

- 6. Click **Finish** to complete your installation.
- 7. Inspect the directory tree of your system to make sure that the following files have been installed in the location that you intended:
- GWEInstallationFolder\Genesyslab.Desktop.Modules.Knowledge.dll
- GWEInstallationFolder\Genesyslab.Desktop.Modules.Knowledge.module-config
- GWEInstallationFolder\Genesyslab.Desktop.Modules.Knowledge.pdb
- GWEInstallationFolder\Newtonsoft.Json.dll
- GWEInstallationFolder\RestSharp.dll
- GWEInstallationFolder\System.Net.Http.Formatting.dll
- GWEInstallationFolder\Language\Genesyslab.Desktop.Modules.Knowledge.en-US.xml

End

Configuring the WDE Application to work with the WDE Plugin

Important

To run the WDE plugin correctly, the local storage must be enabled in Internet Explorer on the host with the WDE client application. To verify this, open **Settings** > **Internet Options** then click the **Advanced** tab > **Security**. Confirm that "Enable DOM-Storage" is checked. If it is not, click the check box and then save your updated settings.

Add the Knowledge Center Cluster to Your WDE Connections

- If your Workspace Desktop Edition application form is not open in Genesys Administrator, navigate to Provisioning > Environment > Applications. Select the application defined for the Workspace Desktop Edition and click Edit....
- 2. In the **Connections** section of the **Configuration** tab, click **Add**. The **Browse for applications** panel opens. Select the **Knowledge Center Cluster application**, then click **OK**.

		enesys Administrator							Sarard Document	W secondar upor Q+
states sprangers										
		Has III - Maghinton (Addaed)								
		the plantine Shine i								
torraneol -	Codportes 10									
Alarm Constitutes	in " lowerd		Brown							
largen (* Same	Workspace Serving Lifter (C)	O Instructions: Intel	application (1) to be achied to	the constitution fail					
Application Troughters	* Association Tampiano	Inclusion Section, Action, 472								1.0
Aggilustions			Applications							
			En 17 Mar - Scher fall	-						
			1818 -	144	10000	(an ar	100			
	2004	E finded	¥ 700	The second	Piler .	1.00	Pline			
Andreas Train Siles	(anative)	Cast (in the later	and the state of the state	and a Conservation			Cratter .	_		
Sec. 1			0 (fee				Dated			
Tatta Access Room			 Invalues Contractionaler 	Application Charter	85.0	ing .	Index		pretories from a ferring	
Tarmain.		101	P. Holestyr Dell	Season from the last.		7.0	Dated		Controlers Trace Incode	
Parts.		181	 Insubility Letter Server 	General transition in	45.0	ing a	Crater		[Little care Trace Month]	
			DI F. Bark Sett. 7				Disploying stands 1 - 1			

Knowledge Center WDE Plugin—Browse for applications 1

independent (1)/1	are Permissions	Organization Alarma	up .			
· * famoual						
* Names	Worksace Dealtho Billion 851					
Application Templater	Marinese Desites Editor, 811					2.5
Type:						-
Mersion.	8.5.1					
Server	13 Tor					
Salar	2 Drabled					
Connections	CAR OTH Manue					
	Derver a	Connection Protocol	Lot of Terretari	Rends Timesel	Trace Made	
	80				Summour Trace Woold	
	Rodedge Conter Duster			0	(Liningen Trace Wold)	
	UCB			0	(Sinteran Teaco Media)	
	UMS .				Similarum Trace Walks	

Knowledge Center WDE Plugin—Browse for applications 2

Add Knowledge Center Options to Your WDE Application

To use the Knowledge Center Plugin for WDE, you need to add some options to your WDE application so that it can gather knowledge-related information from incoming interactions. You can add these

options to the the **interaction-workspace** section of the WDE application.

Start

- 1. Import the template with the additional options:
 - 1. Open Genesys Administrator and navigate to **Provisioning > Environment > Application Templates**.
 - 2. In the **Tasks** panel, click **Upload Template**.
 - 3. In the Click 'Add' and choose application template (APD) file to import window, click Add.
 - 4. Choose the application template (APD) file from the import window and click Add.
 - 5. Browse to the *Knowledge_Center_WDE_Plugin.apd* file available in the templates directory of your installation CD. The **New Application Template** panel opens.

Cenesa .	Genesys Adr	ninistrator	Tatal Enformed	10	ter tette	upor 1	۰0	
	-							
REVERSENCE + Destinant + B	anti-selar Terripticies > Real B	gede artiste a Trangelaria						
Auripelies -	Chambelps, Control, M.	R_Raph_RL_ (Papelinstee Scapeline)						
	Const March Case &	the alter the Sheet Steel						
* former -	Configuration (ig)	na Persana Ingeniera						
Carlos Contines Carlos Contines Applications Carlos Contines Carlos Co	* Yana * Tan * Tan * Tanan: * Tanan: Nandas Decubion: Nandas Neson: Tan	Mandre Minister Mandre Minister Mil			2			
(gran								

Knowledge Center WDE Plugin—New Application Template panel

- 6. Click Save and Close
- 2. Open the **Options** tab of the uploaded application and review the new options.

Configuration Appliance Permissions Dependencies				
Dien Subbe Stant Stant				New Alternatives Options
Tana -	Sector	Cybles .	vitte	
¥./m	Plan	Piller	Aller	
a interaction-markageor (Alleren)				
Herador vohsavnýh zvatene	Herecton aprilage a	ph. culturer	Draffulites	
Alternation-workspace of (A. 1.000)	Plane, Server 1 ages 1	gin 184	p.,	
Heration-worksamerijk: gewien	Flore, for-each age, a	pha quantum	pin, paralise	
Alteration workspace(p), second	allow for earling at	phi menun	pro, research	

Knowledge Center WDE Plugin—Options tab of uploaded application

- 3. Navigate to **Provisioning > Environment > Applications**. Select the application defined for Workspace Desktop Edition and click **Edit...**.
- 4. Open the **Options** tab.
- 5. Add the plugin options to the **interaction-workspace** section using the **New** button.

New Option	interaction-workspace	×
Location:	Options 💌	
Section:	interaction-workspace	
Name:	gkc.customer	
Value:	EmailAddress	
	interaction-workspace	
	interaction-workspace OK Cance	

Knowledge Center WDE Plugin—Add plugin options

End

The Knowledge Center Plugin for WDE uses the following additional options:

Section	Option	Default value	Allowed values	Description	Takes effect
interaction- workspace	gkc.question	gks_question	any valid user data key	Interaction user data key that contains search query that will be pre-populated in Desktop	Next agent session
interaction- workspace	gkc.kbid	gks_kbid	any valid user data key	Interaction user data key containing the knowledge base Id to search knowledge in	Next agent session
interaction- workspace	gkc.customer	EmailAddress	any valid user data key	Interaction user data key that contains customer identification (for example email address of the customer)	Next agent session
interaction- workspace	gkc.session	gks_session	any valid user data key	User data key that contains knowledge session Id associated with the interaction	Next agent session
interaction- workspace	gkc.language	gks_lang, Language	comma- separated list of valid user	Interaction user data key that contains	Next agent session

Section	Option	Default value	Allowed values	Description	Takes effect
			data keys	language of interaction This option can contain a comma- separated ordered list of keys. for example "gks_lang, Language"; in the case of several keys in the attached data, the first key in the list is used	
interaction- workspace	gkc.country	Country	any valid user data key	Interaction user data key that contains a region of interaction (used for multi- regional languages, for example en_US, en_UK)	Next agent session
interaction- workspace	gkc.spellcheck	false	true false	Enables or disables spell check correction of the searched query	Next agent session
interaction- workspace	gkc.send- document	false	true false	Allows agents to push a link to the document into the chat session transcript by clicking the Send Document button	Next agent session
interaction- workspace	gkc.extended- filters-view	false	true false	Allows you to display type labels for custom attributes in an applied filter Introduced in: 9.0.001.04	Next agent session

Providing Knowledge Center Access to Agents

Genesys Knowledge Center supports the following privilege in order to restrict Agent access:

- Knowledge.WORKER Enables access to the Genesys Knowledge Center tab in WDE
- Knowledge.AUTHOR Enables ability to suggest new knowledge to knowledge bases.

To configure the appropriate role for an agent:

Start

- 1. Go to **Provisioning > Environment > Application Templates**.
- 2. Select the application template defined for Workspace Desktop Edition and click Edit....
- 3. Click Import Metadata.
- 4. Click **Add** and select the *Knowledge_Center_WDE_Plugin.xml* file.
- 5. Click **Open**.
- 6. Information from the metadata file will be added to the template and the appropriate privilege will be added into the framework.
- 7. Save and Close.
- 8. Go to **Provisioning > Accounts > Roles**.
- 9. In the taskbar click **New** to create a new object.
- 10. Set the name of the role in the **General** section.

Configuration	Rein Analoge Remission	
		General Herberg
in * General		
* Ratio	MSL (MC softer	
Deciptors		
Terat		
* Name Descriptions Tonant: 19865	2 Dathet	

Knowledge Center WDE Plugin—Set Role Names

- 11. Go to the Role Privileges tab, and select the set of roles for Genesys Knowledge Center.
- 12. Open the WDE Knowledge Center Plugin privileges list and select the **Genesys Knowledge Center Privileges** section.
- 13. Create the appropriate privileges as allowed.

Cabu at Street Ste			ter-anders of	1. A
satilitarios Poluris	Secury American Science (1998) Mercele (1998) Mercele (1998) Secury Science (1998) Secury Science (1998)	1		
tere -		-		
8 m		198		
I temp tradely ter	and the degree (of the sec)			
T Rearing-Adar				14
Tradit Specific address 1000 1016-0 Transformed 1006-00	ar 198			
 Resolution Notes 		1814		
Bradie Trooringe Lock Tall Schol (Freespool) (Restor	e Thige for the opent			

Knowledge Center WDE Plugin—Create Privileges

14. Go back to the **Configuration** tab.

15. Add the appropriate Agent to the **Members** section by clicking the **Add** button.

	* Presers						
	Users:	Table () date () farmer					
	Access Groups:	User Name -	Agent	Last Name	First Name	Employee ID	State
		default	False	default	default	0	Enabled
		TAB Oth Talence					
		Name .		Type		State	
		Administrators		Administrators		Enabled	

Knowledge Center WDE Plugin—Members Section

16. Save and Close.

End