



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Orchestration Server Developer's Guide

[Route to Agent Using Statistic](#)

---

# Route to Agent Using Statistic

The following SCXML strategy routes an interaction to one of two agents based on a statistic. It requests the statistic value first, waits for this value to become available using a special state called delay, and then uses this value for routing.

```
<scxml version="1.0" xmlns="http://www.w3.org/2005/07/scxml"
  xmlns:queue="www.genesyslab.com/modules/queue"
  xmlns:dialog="www.genesyslab.com/modules/dialog"
  xmlns:statistic="www.genesyslab.com/modules/statistic"
  initial="initial">
  <state id="initial">
<!--
    <transition event="interaction.added" target="statistics"/>
-->
    <transition event="interaction.added" target="subscribe"/>
  </state>
<!--
  <state id="routing">
    <onentry>
      <queue:submit orderstat="'StatTimeInReadyState'" ordertype="'max'" priority="5"
clearontimeout="true" timeout="0">
        <queue:targets type="agent">
          <queue:target name="'az'"/>
          <queue:target name="'bz'"/>
        </queue:targets>
      </queue:submit>
    </onentry>

    <transition event="queue.submit.done" target="error"/>
    <transition event="error.queue.submit" target="delay"/>
  </state>
-->
<!--
  <state id="statistics">
    <onentry>
      <script>
        var t1 = _genesys.statistic.sData('az@.A', 'StatTimeInReadyState');
        var t2 = _genesys.statistic.sData('bz@.A', 'StatTimeInReadyState');
      </script>
    </onentry>

    <transition target="delay"/>
  </state>

  <state id="delay">
    <onentry>
      <send event="'delay'" target="_sessionid" targettype="'scxml'" delay="'2s'"/>
    </onentry>
    <transition event="delay" target="routing"/>
  </state>
-->
  <state id="subscribe">
    <onentry>
      <statistic:subscribe object="'az@.A'" statistic="'StatTimeInReadyState'" interval="0"/>
      <statistic:subscribe object="'bz@.A'" statistic="'StatTimeInReadyState'" interval="0"/>
    </onentry>
```

```
<transition event="statistic.subscribe.done" target="delay"/>
<transition event="error.statistic.subscribe" target="error"/>
</state>
<state id="delay">
  <onentry>
    <send event="'delay'" target="_sessionid" targettype="'scxml'" delay="'2s'"/>
  </onentry>
  <transition event="delay" target="routing"/>
</state>
<state id="routing">
  <onentry>
    <queue:submit orderstat="'StatTimeInReadyState'" ordertype="'max'" priority="5"
timeout="20">
      <queue:targets type="agent">
        <queue:target name="'az'"/>
        <queue:target name="'bz'"/>
      </queue:targets>
    </queue:submit>
  </onentry>

  <transition event="queue.submit.done" target="exit">
    <log expr="'DONE'"/>
    <log expr="_genesys.ixn.interactions[0].voice.ani"/>
    <log expr="'DONE'"/>
    <log expr="_event.data.targetselected"/>
  </transition>
  <transition event="error.queue.submit" target="error"/>
</state>

<final id="exit"/>
<final id="error"/>
</scxml>
```