



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Orchestration Server Developer's Guide

Run Series of Treatments

4/11/2025

Run Series of Treatments

The following SCXML strategy performs a series of treatments in the order specified.

```
<scxml version="1.0" xmlns="http://www.w3.org/2005/07/scxml"
  xmlns:queue="www.genesyslab.com/modules/queue"
  xmlns:dialog="www.genesyslab.com/modules/dialog"
  initial="initial">
  <state id="initial">
    <transition event="interaction.added" target="routing" />
  </state>
  <state id="routing">
    <onentry>
      <queue:submit priority="5" timeout="20">
        <queue:targets>
          <queue:target type="agent" name="'az'" />
        </queue:targets>
        <dialog:runtreatments>
          <dialog:play language="'English_US'">
            <dialog:prompts type="ann">
              <dialog:prompt interrupt="true"
text="'You reached Genesys'" />
            </dialog:prompts>
          </dialog:play>
        </dialog:runtreatments>
      </queue:submit>
    </onentry>
    <transition event="queue.submit.done" target="exit">
      <log expr="'DONE'" />
      <log expr="_genesys.ixn.interactions[0].voice.ani" />
      <log expr="'DONE'" />
      <log expr="_event.data.targetselected" />
    </transition>
    <transition event="error.queue.submit" target="error" />
  </state>
  <final id="exit" />
  <final id="error" />
</scxml>
```