



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Outbound Contact Deployment Guide

Campaigns

4/2/2025

Campaigns

Contents

- **1 Campaigns**
 - 1.1 Interaction with Agents
 - 1.2 Agent Assignment in Multiple Campaigns
 - 1.3 Personal and Campaign Callbacks
 - 1.4 Campaign Sequencing

A campaign is a flexible master plan that organizes calling lists for dialing calls and handling call results. An outbound campaign specifies what kind of work the agents perform (for example, collections, telemarketing, or fund-raising). A campaign is structured as follows:

- Generally, Outbound Contact Server (OCS) does not allow you to run more than one campaign for the same Agent or Place Group at the same time. For example, if you are currently running Campaign Group A (Campaign 1, Group 1), you cannot run Campaign Group B (Campaign 2, Group 1). However, there are certain exceptions to this rule based on the types of dialing modes being used by each Campaign Group, as shown in the following table:

	Dialing Modes						
	Progressive with Seizing	Predictive/ Progressive with Seizing	Preview	Push Preview	Power GVP	Progressive GVP	Predictive GVP
Progressive/ Progressive with Seizing	N	N	Y	Y	Y	Y	N
Predictive/ Predictive with Seizing	N	N	Y	Y	Y	Y	N
Preview	Y	Y	Y	Y	Y	Y	Y
Push Preview	Y	Y	Y	Y	Y	Y	Y
Power GVP	Y	Y	Y	Y	Y	Y	Y
Progressive GVP	Y	Y	Y	Y	Y	Y	Y
Predictive GVP	N	N	Y	Y	Y	Y	N

(Y = can be run simultaneously; N = cannot be run simultaneously)

See [Campaign Group](#) for more information.

- One campaign can use several calling lists, and one calling list can be shared among several campaigns. A special record-level locking mechanism prevents simultaneous dialing of the same dialing record for different campaigns.

These configuration elements can be modified at runtime without stopping the dialing session that is associated with a campaign.

Warning

Genesys recommends that you do not change the dialer for an outbound campaign while a campaign is active. Doing so can result in unexpected behavior, such as the campaign stopping or problems with historical reporting.

Interaction with Agents

Outbound Contact maintains a documented protocol of interactions between itself and an agent's desktop application. To simplify desktop application architecture and development, this protocol is based on the user events that T-Server distributes at the client application's requests. The supported types of interactions between Outbound Contact and the desktop application are described in the following subsections. For more information about these interactions, see [Communication Protocols](#) in the *Outbound Contact Reference Manual*.

Call Delivery Prioritization

In modern call centers, delivery of outbound calls to agents is handled by a routing strategy/ Designer application. Depending on the business needs in your environment, you can prioritize delivery of outbound calls over inbound calls. Outbound calls have distinct differentiators (call type, presence of the GSW_RECORD_HANDLE pair in UserData), which can be utilized by the strategy logic.

Agent Assignment in Multiple Campaigns

Outbound Contact supports agent assignment in multiple campaigns for both the [Transfer Mode](#) and [ASM Modes](#). When using Universal Routing Server (URS) 8.0.1 and higher, you can enforce the routing of any call to an agent assigned to a specific Campaign Group by invoking the UseActivityType routing strategy function. For details, see the description of the UseActivityType function in the *Universal Routing Reference Manual*. Keep in mind, however, that use of the UseActivityType function may affect performance of predictive algorithm and cause abandonment of outbound calls if outbound-dedicated Agents are occupied by non-outbound calls.

Transfer Mode

Universal Routing Server (URS) must be used in order to support agent groups in multiple campaigns. OCS will attach CampGroupID data to every outbound call to represent the CampaignGroup DBID. For every agent assigned to more than one active CampaignGroup, Outbound Contact designates only one Campaign Group for this agent. OCS will change the Campaign Group designation when the configuration of campaign priorities and the staffing limits have been changed, when agents have been logged in/out, or when dialing sessions for some Campaign Groups have been started/stopped.

Stat Server uses the same information in the CurrentCampaignGroupDBID statistic. URS can then target agents by using the CampaignGroup target.

Note:

A Campaign Group routing target should be used only when routing calls to groups with an agent assignment.

When URS receives agent-assignment statistics from Stat Server, it might not apply them immediately to the strategy. This can cause the outbound call to be abandoned during

processing by the strategy. Set URS pulse_time option to a very low value (for example, 1 second) to prevent such calls from being abandoned. For more information on this URS option, see the *Universal Routing Reference Manual*.

ASM Modes

OCS also supports agent assignments in multiple campaigns in ASM modes. When you set the **agent-assignment** option to true, OCS includes the Campaign Group name and DBID in its request for an engaging call. This ensures that a customer call will be merged only with an engaging call that originated for the same Campaign Group.

When OCS is making assignment decisions in ASM modes, OCS considers an engaged agent eligible for reassignment to other Campaign Groups and can make a reassignment decision and release the engaging call.

ASM Modes & CPD Server

CPD Server attaches the Campaign Group identifiers to the user data of the engaging call as follows:

- For ISDN conventional configurations, CPD Server monitors the Voice Transfer Destination DN and requests an update of user data that has these identifiers when EventRouteRequest is signaled for the engaging call.
- When using CPD Server with HMP, the identifiers are attached during the call-setup phase, as SIP Server can attach data to new a call whenever this data is provided in the SIP header of the initial call-setup message. SIP Server must be properly configured to attach these identifiers to an engaging call. In the configuration section of the SIP Server Application object, INVITE section must contain the following options (example):
 - userdata-1 = GSW_CAMPAIGN_GROUP_NAME
 - userdata-2 = GSW_CAMPAIGN_GROUP_DBID

Note:

Because user data is passed via SIP headers, the name of the Campaign Group used for agent assignment can contain only English letters, numbers and underscores.

When CPD Server bridges an outbound call to an engaging call, CPD Server gives first priority to the Campaign Group DBID (GSW_CAMPAIGN_GROUP_DBID) in order to match calls associated with the same Campaign Group.

VoIP ASM Modes Without CPD Server

Because all VoIP ASM modes do not use CPD Server, OCS can attach Campaign Group identifiers to both engaging and outbound calls when they are created. As a result, these calls can be routed and bridged to the correct Campaign Group. To enable this, the routing strategy must be designed to route engaging calls to Campaign Group targets.

Routing Strategy Design and CampaignGroupID

For agent assignment, you should design the routing strategy to distribute only outbound calls and engaging calls (if running a dialing session/campaign in an ASM mode) that contain the correct CampGroupID attached data to agents who meet the following criteria:

- The agent belongs to the specified group that is configured for that CampaignGroup.
- The agent's current statistic in Stat Server contains the CurrentCampaignGroupDBID, which is equivalent to the CampGroupID.

Both requirements can be achieved by using routing targets of Campaign Group type. In addition, for engaging calls placed in conventional ISDN scenarios in which an engaging call arrives to the Route Point DN without attached data, you must include the SuspendForEvent function (EventAttachedDataChanged) in the routing strategy before the routing decision is made.

Note:

This SuspendForEvent function should be applied only to engaging calls, (that is, those calls that originated from a certain DN list.)

Campaign Prioritization

Campaigns are prioritized according to the following definitions:

- An understaffed campaign is one in which the number of assigned agents is less than what is required to maintain a minimum service-level agreement (SLA).
- A staffed campaign is one in which the number of assigned agents is sufficient to maintain a minimum SLA, but is less than the maximum SLA.
- An overstaffed campaign is one in which that the number of assigned agents is sufficient to maintain the maximum SLA.

Agents are assigned based on the following priorities:

- All active campaigns that are configured with an equal priority will have an equal number of agents assigned to each campaign if all of the campaigns are equally understaffed or equally staffed.

Note:

If agents are not configured equally for all Campaign Groups—for example, if they have different skills—the above behavior does not apply. In this situation, the distribution for campaigns could be uneven, and some agents could be moved to an Inbound session instead of being reassigned to an understaffed campaign.

- When some campaigns with equal priority are understaffed, all non-assigned agents are assigned to the understaffed campaigns only. If there are several understaffed campaigns, an equal number of agents are assigned to each campaign that has equal priority.
- When there are no understaffed campaigns, all non-assigned agents are assigned to staffed campaigns only. If there are several staffed campaigns, an equal number of agents are assigned to each campaign that has equal priority.
- Agents are not assigned to overstaffed campaigns.

Refer to the descriptions of the following configuration options for more information about how the following options help to configure agent assignment:

- [agent-assignment](#)
- [agent-assignment-priority](#)
- [agent-assignment-min-num](#)
- [agent-assignment-max-num](#)
- [inbound-agent-assignment-priority](#)
- [inbound-agent-assignment-min-num](#)

Refining How Agent Assignment Functions

The following options address specific situations, providing you with more flexibility to refine the effectiveness of agent reassignment. OCS can now reassign agents to other activities if the dialing session to which they are currently assigned cannot use them because there are no available calling records or there are no free dialing ports.

- Agent reassignment if there are no available dialing ports or if there are no dialing records:
 - [agent-reassignment-if-waiting-ports](#)
 - [agent-reassignment-if-waiting-ports-timeout](#)
 - [agent-reassignment-if-waiting-records](#)
 - [agent-reassignment-if-waiting-records-timeout](#)
- Preventing agent assignment to inbound or low-priority outbound activities:
 - [inbound-agent-assignment-min-num](#)

Claiming of Agents by a Routing Strategy

The ClaimAgentsFromOCS routing function in Universal Routing 8.1, enables a routing strategy to make an immediate reassignment of one or more agents from outbound call handling to handling of inbound interactions.

This functionality is enabled using the [ocs-urs-interact](#) configuration option.

This function is used when a strategy that is processing inbound calls cannot process a call within the service objective criteria, and the call is important enough to require the use of agents currently busy with outbound activity.

For example, outbound agents can be claimed if a call has been waiting longer than some specified value.

For additional information on this functionality, see the chapter on Universal Routing Functions in the *Universal Routing Reference Manual*.

Agent Selection Logic

To select an agent for reassignment to an inbound activity, OCS goes through a list of agents

specified in the `claim_agent.GSW_PERSON_DBIDS` key of the `CM_ReqClaimAgent` message and checks their states and assigned sessions. While checking agent states, OCS takes in consideration only Ready or Not Ready states, without differentiating them on their type or cause (such as ACW, on call, reason code, and so on). OCS gives preference to an agent in the Ready state, who is currently assigned to the Campaign Group with the lowest priority and the largest number of assigned agents.

OCS selects the most appropriate agent from all outbound-assigned agents satisfying request conditions, and reassigns that agent to the inbound activity for the time period specified in the request. If there is only one active dialing session and all agents in that session are not in the Ready state, OCS selects the first agent in the `claim_agent.GSW_PERSON_DBIDS` list. If OCS determines that agent is already claimed, it selects the next agent in the list.

An agent may not be reassigned to the inbound activity immediately if there are some present conditions in the Campaign Group. For example, if there are no Ready agents suitable for reassignment, OCS waits until a selected agent finishes the outbound call before reassigning the agent.

After the time expires, OCS reassigns the agent back to the outbound activity from where that agent was claimed, or to the other running outbound activity this agent could be assigned to, giving preference to the Campaign Group with the highest priority and the smallest number of assigned agents.

OCS attempts to accommodate each Claim Agent request from URS by reassigning one agent per request to inbound activities. It is expected that URS does not claim more agents than necessary by sending Claim Agent requests repeatedly.

Personal and Campaign Callbacks

The OCS-Desktop protocol enables the agent to schedule Personal or Campaign callbacks for specific records. A *Personal callback* is delivered to the agent who scheduled it. A *Campaign callback* is sent to any agent working in the specified dialing session. The records scheduled as either Personal or Campaign callbacks are marked accordingly in the calling list, so that reports can be generated.

For Personal callbacks, OCS follows up on them if a dialing session is stopped but not unloaded.

For Campaign callbacks, processing depends on the settings specified in the [predictive_callback](#) option.

Note:

See [Communication Protocols](#) in the *Outbound Contact Reference Manual* for information on the events that are distributed when an agent reschedules records.

Campaign Sequencing

Outbound Contact supports dynamic manual sequencing of running campaigns (campaign sequencing). Only one campaign per dialing session can be running at a time, but multiple

campaigns can be loaded into memory. This enables the user to stop a previous dialing session for a campaign and automatically start the next one without disrupting the agents' work. When the new dialing session starts, the agents who are working in the group are notified. If new agents log in to the group after a dialing session for an outbound campaign has started, they are informed of the name and status of the currently running dialing session. OCS sends the name and status of a dialing session for a campaign as user events by means of a communication protocol.

Campaign sequencing can be configured according to the following parameters:

- **Stop at Contacts**—This counter is increased when a dialed record is updated in the database with the Answer call result. As soon as the counter exceeds the campaign threshold, the dialing session for the campaign is stopped and unloaded.
- **Stop at Dials**—This counter is increased when a dialing request or a PreviewRecord user event is issued. When the counter exceeds the campaign threshold, the dialing session for a campaign is stopped and unloaded.
- **Stop at time**—This occurs when a dialing session for a campaign is stopped and unloaded after it had been running up to the specified time.