



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Engage Digital (eServices)

Genesys Cloud API Driver for Twitter

5/2/2025

Genesys Cloud API Driver for Twitter

Options for this component are contained in the following configuration sections:

- **channel-twitter-*any-name***

Tip

In the summary table(s) below, type in the Search box to quickly find options, configuration sections, or other values, and/or click a column name to sort the table. Click an option name to link to a full description of the option. Be aware that the default and valid values are the values in effect with the latest release of the software and may have changed since the release you have; refer to the full description of the option to see information for earlier releases.

Power users: **Download a CSV file** containing default and valid values and descriptions.

The following options are configured at the application level (in other words, on the application object).

Section	Option	Default	Changes Take Effect
channel-twitter-*any-name*	allowed-content-types	Twitter-Channel	Immediately
channel-twitter-*any-name*	compliance-enabled	true	Immediately
channel-twitter-*any-name*	confirm-failed-messages	false	Immediately
channel-twitter-*any-name*	driver-classname	com.genesyslab.mcr.smsenricher.channel.twitter.cloud.TwitterCloudDriver	After restart
channel-twitter-*any-name*	fetch-image	true	Immediately
channel-twitter-*any-name*	group-by-channel	false	After restart
channel-twitter-*any-name*	grouping-timeout	No default value	After restart
channel-twitter-*any-name*	gsa-account-name		After restart
channel-twitter-*any-name*	gsa-api-key		After restart
channel-twitter-*any-name*	gsa-batch-limit	200	Immediately
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
name*			
channel-twitter-*any-name*	gsa-batch-reserve-time	60	Immediately
channel-twitter-*any-name*	gsa-channel-id		After restart
channel-twitter-*any-name*	gsa-channel-name		After restart
channel-twitter-*any-name*	gsa-url-base		After restart
channel-twitter-*any-name*	gsa-user-name		After restart
channel-twitter-*any-name*	gsa-user-password		After restart
channel-twitter-*any-name*	inbound-route		After restart
channel-twitter-*any-name*	itx-resubmit-attempts	3	Immediately
channel-twitter-*any-name*	itx-resubmit-delay	30	Immediately
channel-twitter-*any-name*	itx-submit-timeout	10	Immediately
channel-twitter-*any-name*	max-attachment-size	0	After restart
channel-twitter-*any-name*	reconnection-timeout	180	Immediately
channel-twitter-*any-name*	sampling-period	10	Immediately
channel-twitter-*any-name*	x-debug-mode		After restart
channel-twitter-*any-name*	x-inbound-media	twitter	Immediately
channel-twitter-*any-name*	x-sampling-period	10	Immediately
channel-twitter-*any-name*	x-source-nick-name	Twitter-Channel	Immediately
channel-twitter-*any-name*	x-submit-own-all	false	Immediately
Section	Option	Default	Changes Take Effect