

GENESYS

This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Voice Platform

Policy Server

Policy Server

Options for this component are contained in the following configuration sections:

agentx

log

https

reporting

https_key

Tip

In the summary table(s) below, type in the Search box to quickly find options, configuration sections, or other values, and/or click a column name to sort the table. Click an option name to link to a full description of the option. Be aware that the default and valid values are the values in effect with the latest release of the software and may have changed since the release you have; refer to the full description of the option to see information for earlier releases.

Power users: Download a CSV file containing default and valid values and descriptions.

The following options are configured at the application level (in other words, on the application object).

Section	Option	Default	Changes Take Effect
agentx	connection_delay_sec	60	at start/restart
agentx	max_connection_attempt	-1	at start/restart
https	https.certificate.algorithm	SunX509	at start/restart
https	https.client.authentication	none	at start/restart
https	https.connector.type	2	at start/restart
https	https.keystore.path	\${user.home}/.keystore	at start/restart
https	https.keystore.type	JKS	at start/restart
https	https.protocol	TLS	at start/restart
https	https.random.algorithm		at start/restart
https	https.security.provider		at start/restart
https	password		at start/restart
https_key	password		at start/restart
log	all		immediately
log	debug	logs/ps.log	immediately
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
log	expire	false	immediately
log	interaction		immediately
log	message_format	full	immediately
log	segment	10MB	immediately
log	standard	stdout	immediately
log	time_format	time	immediately
log	trace		immediately
log	verbose	trace	immediately
reporting	binding.address		at start/restart
reporting	did.max_overlaps	10	at start/restart
reporting	hostname		at start/restart
reporting	password		at start/restart
reporting	port	8090	at start/restart
reporting	protocol	http	at start/restart
reporting	username		at start/restart
Section	Option	Default	Changes Take Effect