



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Stat Server

Switch

4/22/2025

Switch

Contents

- 1 Switch
 - 1.1 statserver Section

statserver Section

The following options are defined on the Options tab of the Switch object in the statserver section:

- **position-extension-linked**
- **suppress-user-data**

position-extension-linked

Default Value: Depends on the switch type (see description)

Valid Values: yes, no

Changes Take Effect: On Stat Server start

This option is a static boolean option that can be configured for any switch.

If this option is taken into account and is set to yes (or is yes by default), then the corresponding switch is treated as the Meridian-like switch (position and extension DNs on the same place are considered linked if no more than one position/extension pair is configured on a place and agent is logged into a position DN only).

Please note that for some switches this new option is ignored (see table below).

Switch type	Default value	Comments
NortelMeridian	n/a	option is ignored
NortelMeridianCallCenter	n/a	option is ignored
NortelCommunicationServer2000/2100	n/a	option is ignored
CiscoCallManager	no	
IntecomIBX80	yes	
EricssonMD110	yes	
AastraMX1	yes	
NEC	no	NEC switch is treated as the Meridian-like switch if any (or both) of the following options are set to true: nec-position-extension-linked, configured on the Stat Server application, position-extension-linked, configured

Switch type	Default value	Comments
		on the switch.
NECSV7000	no	NECSV7000 switch is treated as the Meridian-like switch if any (or both) of the following options are set to true: nec-position-extension-linked, configured on the Stat Server application, position-extension-linked, configured on the switch.
All other types	no	

Note 1: The Stat Server option [position-extension-linked](#) is used completely independently.

Note 2: An attempt to log in an agent on an extension DN for the Meridian-like switch causes incorrect Stat Server behavior due to pending NotReady state of this extension.

suppress-user-data

Default Value: no

Valid Values: yes, no

Changes Take Effect: Upon DN re-registration

Determines whether Stat Server should transmit call-extracted attached data to Stat Server clients for the particular DN on which the option was set or for all DNs registered on a switch. Configure this option in the [statserver] section on the Options tab of Switch and/or DN objects. See [To Suppress the Transmission of Attached Data](#) in the [Stat Server Deployment Guide](#) for more information.