



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Stat Server

log-filter

12/14/2025

# log-filter

This section is defined on the Options tab of the Stat Server Application object and has to be named log-filter. Refer to the “Hide Selected Data in Logs” chapter in the *Genesys Security Deployment Guide* for more information about this feature.

- default-filter-type
- filtering

## default-filter-type

**Default Value:** copy

### Valid Values:

- **copy** The keys and values of KVLlist information are copied to the log.
- **hide** The keys of the KVLlist information are copied to the log; the values are replaced with strings of asterisks.
- **hide-first,<n>** The keys of the KVLlist information are copied to the log; the first <n> characters of the value are replaced with asterisks. If <n> exceeds the number of characters in the value, the number of asterisks will be equal to the number of characters in the value.
- **hide-last,<n>** The keys of the KVLlist information are copied to the log; the last <n> characters of the value are replaced with asterisks. If <n> exceeds the number of characters in the value, the number of asterisks will be equal to the number of characters in the value
- **tag[(<tag-prefix>,<tag-postfix>)]** KVLlist information is tagged with the prefix specified by <tag-prefix> and the postfix specified by <tag-postfix>. If the two parameters are not specified, the default tags <# and #> are used as prefix and postfix, respectively.  
To use the default tags, you can use any of the following values:
  - tag
  - tag()
  - tag(,)

To define your own tags, replace the two parameters in the value with your tags.

- **unhide-first,<n>** The keys of the KVLlist information are copied to the log; all but the first <n> characters of the value are replaced with asterisks. If <n> exceeds the number of characters in the value, the value of the key appears, with no asterisks.
- **unhide-last,<n>** The keys of the KVLlist information are copied to the log; all but the last <n>

characters of the value are replaced with asterisks. If <n> exceeds the number of characters in the key, the value of the key appears, with no asterisks.

- **skip** KVLlist information is not copied to the log.

**Changes Take Effect:** Immediately

Specifies the default manner in which KVLlist information (including UserData, Extensions, and Reasons) is presented in the Stat Server log. Stat Server applies the value of this option to all KVLlist pairs, but the presentation of specific pairs can in AttributeUserData be overridden by options that are explicitly defined within the **log-filter-data** section.

### Example

```
[log-filter]
default-filter-type=copy
```

Here is an example of a log with the default log filter settings:

```
message RequestSetCallInfo
  AttributeConsultType 3
  AttributeOriginalConnID 008b012ece62c8be
  AttributeUpdateRevision 2752651
  AttributeUserData [111] 00 27 01 00..
    'DNIS' '8410'
    'PASSWORD' '111111111'
    'RECORD_ID' '8313427'

  AttributeConnID 008b012ece62c922
```

Refer to the *Genesys Security Deployment Guide* for additional examples.

## filtering

**Default Value:** true

**Valid Values:** true, false

**Changes Take Effect:** Immediately, if application is subscribed to notifications that this option has been changed.

Enables (true) or disables (false) log filtering at the Application level.