



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Mobile Services

[cview Section](#)

cview Section

- `allow-custom-ids`
- `auto-complete-after`
- `auto-complete-enabled`
- `auto-complete-organizations`
- `data-validation`
- `enabled`
- `expiration`
- `use-role`

allow-custom-ids

Default Value: false

Valid Values: true, false

Changes Take Effect: Immediately

If true, enables custom IDs; this option is for migration purpose only and allows Context Services to replicate the UCS service identifier into Context Services storage. If false, Context Services generate new identifiers in response of "start" events.

auto-complete-after

Default Value: No default value

Valid Values: long

Changes Take Effect: Immediately

Introduced: 8.5.111.04

Time in seconds to wait to auto-complete the service after its last update if `auto-complete-enabled` = true. This option value is used if it is not explicitly provided in the Start request by setting the `auto_complete_after` parameter of the Service Start Event. If you do not provide a value for `auto_complete_after` in the configuration or in the Start request, then only an explicit API call to complete the service will be able to terminate the service.

auto-complete-enabled

Default Value: false

Valid Values: true, false

Changes Take Effect: Immediately

Introduced: 8.5.111.04

Related Feature: auto-complete

If true, enables the auto-complete feature. If a service or its states or its tasks are not updated within the period specified by the option auto-complete-after, the service (including states and tasks) is terminated.

auto-complete-organizations

Default Value: ""

Valid Values: String

Changes Take Effect: Immediately

Introduced: 8.5.111.04

Comma-separated list of organization IDs (the Contact Center ID concatenated with the Group ID separated by a period) for which the auto-completion is enabled.

data-validation

Default Value: false

Valid Values: true, false

Changes Take Effect: Immediately

If true, allows additional checks of consistency during production. For example, if your application creates a State or a Task, the server checks that the service exists before it creates the inner object; if not, your application receives a Service Not Found Exception.

Warning

This data validation feature is a costly process that requires additional storage read access.

enabled

Default Value: false

Valid Values: true, false

Changes Take Effect: Immediately

Enables (true) or disables (false) the Context Services feature. If set to FALSE, the other options are ignored.

expiration

Default Value: 5y

Valid Values: <integer><letter>

Changes Take Effect: Immediately

Defines expiration time for conversation (service, states, tasks) after creation or last API update. The expiration time is formatted as follows: <integer><letter> where:

- <integer> specifies the time period
- <letter> is one of the following period type:
 - s: seconds
 - m: minutes
 - h: hours
 - d: days
 - w: weeks (7 days)
 - M: months (30 days)
 - y: years (365 days)

use-role

Default Value: false

Valid Values: true, false

Changes Take Effect: Immediately

Enables (true) or disables (false) Role-Based Access Control.