



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Genesys Voice Platform

Media Control Platform

4/14/2025

Media Control Platform

Options for this component are contained in the following configuration sections:

- [asr](#)
- [calllog](#)
- [callmgr](#)
- [conference](#)
- [cpa](#)
- [email](#)
- [ems](#)
- [fm](#)
- [log](#)
- [mpc](#)
- [mrcpv2client](#)
- [msml](#)
- [mtinternal](#)
- [mtmpc](#)
- [Netann](#)
- [remdial](#)
- [sessmgr](#)
- [sip](#)
- [stack](#)
- [tts](#)
- [vrm](#)
- [vrmrecorder](#)
- [vxmli](#)

Tip

In the summary table(s) below, type in the Search box to quickly find options, configuration sections, or other values, and/or click a column name to sort the table. Click an option name to link to a full description of the option. Be aware that the default and valid values are the values in effect with the latest release of the software and may have changed since the release you have; refer to the full description of the option to see information for earlier releases.

Power users: [Download a CSV file](#) containing default and valid values and descriptions.

The following options are configured at the application level (in other words, on the application object).

Section	Option	Default	Changes Take Effect
asr	defaultengine	default	Immediately/session
asr	delay_for_dtmf	250	Immediately
asr	load_once_per_call	1	Immediately/session
asr	log_metrics_to_asr	0	Immediately/session
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
asr	reserve	false	Immediately/session
callog	directory	\$InstallationRoot\$/callrec/	Immediately/session
callmgr	enable_sip_response_in_traffic	false	Immediately
callmgr	fips_enabled	false	At start/restart
callmgr	hrtimerresolution	4	At start/restart
callmgr	shutdown_time_limit	0	Immediately
callmgr	silent_shutdown	0	Immediately
callmgr	usehrtimerforregulartimer	false	At start/restart
conference	active_speaker_update_time	2000	At start/restart
conference	callrec_default_type		Immediately/session
conference	confdir	2	At start/restart
conference	gain_control_enabled	true	At start/restart
conference	highest_input	3	At start/restart
conference	initial_gain	0	At start/restart
conference	novideoimage	Genesys_Logo.jpg	Immediately/session
conference	record_chan1source	recorddnsays	Immediately/session
conference	record_chan2source	otherdnsays	Immediately/session
conference	record_otherdnhearstone	1	Immediately/session
conference	record_recorddnhearstone	1	Immediately/session
conference	silence_fill	0	At start/restart
conference	suppress_silence	0	At start/restart
conference	threadedoutputs	false	At start/restart
conference	video_mixer_layouts	1,dual-view 3,quad-view 5,multiple-5x1 6,multiple-3x3 10,multiple-4x4	Immediately/session
conference	video_output_algorithm	confrole	At start/restart
conference	video_output_type	single	Immediately/session
cpa	gateway.events	AMD CPT FAX PVD	Immediately/session
cpa	outbound.method	NONE	Immediately/session
cpa	outbound.native.ignoreconfcall_event	false	Immediately/session
cpa	outbound.native.initialstate	preconnect	Immediately/session
email	fromAddr	nobody@example.com	At start/restart
email	smtpAddr	localhost	At start/restart
ems	dc.default.logfilter	0-2 * *	At start/restart
ems	dc.default.metricsfilter	0-16,18,25,35,36,41,52-55,74,76,100,141	At start/restart
ems	dc.enableSQA	true	At start/restart
ems	dc.servicequality.AudioGapThreshold	2000	At start/restart
ems	dc.servicequality.CallAnswerThreshold	1500	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
ems	dc.servicequality.CallRejectThreshold	2000	At start/restart
ems	dc.servicequality.CumulativeResponse.threshold	2000	At start/restart
ems	dc.servicequality.FirstPromptBound.threshold	1500	At start/restart
ems	dc.servicequality.FirstPromptBound.threshold	1500	At start/restart
ems	dc.servicequality.InboundRejectFailureCodes	Decline	At start/restart
ems	dc.servicequality.InterPromptThreshold	4000	At start/restart
ems	dc.servicequality.OutboundBusyDeclineFailureCodes	BusyDecline, fax, no answer, hangup	
ems	logconfig.DATAC	0-2,4 * *	Immediately
ems	logconfig.MFSINK	* * *	Immediately
ems	metricsconfig.DATAC	*	Immediately
ems	metricsconfig.MFSINK	0-16,18-41,43,52-56,72-74,76-81,127,129,130,132,134,135,136-1	Immediately
ems	ors.reportinginterval	60	At start/restart
ems	password		at start/restart
ems	rc.amq_connection_send_timeout	60	At start/restart
ems	rc.batch_size	500	At start/restart
ems	rc.cdr.batch_size	500	At start/restart
ems	rc.cdr.local_queue_max	1000000	At start/restart
ems	rc.cdr.local_queue_path	cdrQueue_mcp.db	At start/restart
ems	rc.cdr.max_throughput	0	At start/restart
ems	rc.certificate		at start/restart
ems	rc.keystore_certificate		at start/restart
ems	rc.keystore_password		at start/restart
ems	rc.local_queue_max	5000000	At start/restart
ems	rc.local_queue_path	reportingClientQueue.db	At start/restart
ems	rc.max_throughput	0	At start/restart
ems	rc.ors.local_queue_max	1000000	At start/restart
ems	rc.ors.local_queue_path	orsQueue_mcp.db	At start/restart
ems	rc.sqa.batch_size	1	At start/restart
ems	rc.sqa.local_queue_max	3000	At start/restart
ems	rc.sqa.local_queue_path	sqaQueue_mcp.db	At start/restart
ems	rc.truststore_certificate		at start/restart
fm	cachemaxentrycount	1000	At start/restart
fm	cachemaxentrysize	20000000	At start/restart
fm	cachemaxsize	200000000	At start/restart
fm	curlconnecttimeout	300	At start/restart
fm	curlredirect	1	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
fm	dns_cache_timeout	60	At start/restart
fm	enable100continue	0	At start/restart
fm	enabletcpkeepalive	1	At start/restart
fm	enabletcpnodelay	1	At start/restart
fm	enableuploadcontentrewind	1	At start/restart
fm	forbid_connection_reuse	0	At start/restart
fm	https_proxy		At start/restart
fm	http_proxy	localhost:3128	At start/restart
fm	interface		At start/restart
fm	localfile_maxage	10	At start/restart
fm	maxredirections	5	At start/restart
fm	no_cache_url_substring	cgi-bin,jsp,asp,?	At start/restart
fm	password		At start/restart
fm	portrange		At start/restart
fm	revalidatestaleresponse	1	At start/restart
fm	sleeptimems	10	At start/restart
fm	ssl_ca_info		At start/restart
fm	ssl_ca_path		At start/restart
fm	ssl_cert		At start/restart
fm	ssl_cert_type	PEM	At start/restart
fm	ssl_cipher_list		At start/restart
fm	ssl_crl_check_enabled	0	At start/restart
fm	ssl_crl_file_path		At start/restart
fm	ssl_key		At start/restart
fm	ssl_key_password		At start/restart
fm	ssl_key_type	PEM	At start/restart
fm	ssl_random_file		At start/restart
fm	ssl_verify_host	0	At start/restart
fm	ssl_verify_peer	0	At start/restart
fm	ssl_version	0	At start/restart
fm	tcpkeepaliveidle	60	At start/restart
fm	tcpkeepaliveinterval	60	At start/restart
log	all	../logs/MCP	Immediately
log	check-point	1	Immediately
log	compatible-output-priority	false	Immediately
log	debug	../logs/MCP	Immediately
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
log	expire	10	Immediately
log	interaction	../logs/MCP	Immediately
log	keep-startup-file	true	After restart
log	mask_sensitive_data	false	Immediately
log	memory		Immediately
log	memory-storage-size		When memory output is created
log	messagefile		Immediately, if an application cannot find its *.lms file at startup
log	message_format	short	Immediately
log	print-attributes	false	Immediately
log	segment	10000	Immediately
log	spool		Immediately
log	standard	../logs/MCP_standard	Immediately
log	time_convert	local	Immediately
log	time_format	ISO8601	Immediately
log	trace	../logs/MCP	Immediately
log	verbose	interaction	Immediately
mpc	alarminterval	900000	At start/restart
mpc	amr.enable_dtx	1	At start/restart
mpc	amr.fmt	octet-align=0 octet-align=1	At start/restart
mpc	amr.maxptime	0	Immediately
mpc	amr.preferred_mode	15	Immediately
mpc	amr.ptime	20	Immediately
mpc	amrpayload	105	At start/restart
mpc	amrwb.enable_dtx	1	At start/restart
mpc	amrwb.fmt	octet-align=0 octet-align=1	At start/restart
mpc	amrwb.preferred_mode	15	Immediately
mpc	amr_wb.maxptime	0	Immediately
mpc	amr_wb.ptime	20	Immediately
mpc	amr_wbpayload	112	At start/restart
mpc	answerwithonecodec	0	Immediately
mpc	appendrejccodec	0	Immediately/session
mpc	asr.codec	pcmu telephone-event	At start/restart
mpc	asr.preferredipinterface	V4	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	asr.srtp.cryptomethods	AES_CM_128_HMAC_SHA1_30	start/restart
mpc	asr.srtp.mode	none	At start/restart
mpc	asr.srtp.sessionparamsoffset	none	At start/restart
mpc	codec	pcmu pcma g722 opus g726 g729 gsm amr amr-wb h263 h263-1998 h264 vp8 telephone- event	Immediately/session
mpc	codecpref	r	Immediately/session
mpc	conference.allowloudestvideoecho	0	Immediately/session
mpc	cpa.busy	na_busy	At start/restart
mpc	cpa.carriermsg.0		Immediately
mpc	cpa.carriermsg.1		Immediately
mpc	cpa.carriermsg.2		Immediately
mpc	cpa.carriermsg.3		Immediately
mpc	cpa.carriermsg.4		Immediately
mpc	cpa.carriermsg.5		Immediately
mpc	cpa.carriermsg.6		Immediately
mpc	cpa.carriermsg.7		Immediately
mpc	cpa.carriermsg.8		Immediately
mpc	cpa.carriermsg.9		Immediately
mpc	cpa.carriermsg.readduration	60	Immediately
mpc	cpa.cm_enable_initial_tone_file	true	At start/restart
mpc	cpa.cm_initial_silence_suppression_level	64	At start/restart
mpc	cpa.cm_match_percent	80	Immediately/session
mpc	cpa.custom1	none	At start/restart
mpc	cpa.custom2	none	At start/restart
mpc	cpa.custom3	none	At start/restart
mpc	cpa.custom4	none	At start/restart
mpc	cpa.enable_alternate_signaling	false	At start/restart
mpc	cpa.enable_carrier_messages	false	Immediately/session
mpc	cpa.enable_log_param	false	At start/restart
mpc	cpa.enable_log_result	true	At start/restart
mpc	cpa.fastbusy	na_fastbusy	At start/restart
mpc	cpa.fax	standard_fax	At start/restart
mpc	cpa.faxdur	160	At start/restart
mpc	cpa.keptdur_before_statechange	0	At start/restart
mpc	cpa.maxbeepdetime	30000	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.maxpostconntime	20000	At start/restart
mpc	cpa.maxpreconntime	30000	At start/restart
mpc	cpa.maxrings	0	At start/restart
mpc	cpa.mintime_after_tone	200	At start/restart
mpc	cpa.nframes_cm_detection	50	At start/restart
mpc	cpa.no_ring_result	0	Immediately/session
mpc	cpa.postconnectresult.machine.list		Immediately/session
mpc	cpa.postconnsilduration	1000	Immediately/session
mpc	cpa.postconnsilresult	0	Immediately/session
mpc	cpa.preconnectresult.busy.list		Immediately/session
mpc	cpa.preconnectresult.custom1.list		Immediately/session
mpc	cpa.preconnectresult.custom2.list		Immediately/session
mpc	cpa.preconnectresult.custom3.list		Immediately/session
mpc	cpa.preconnectresult.custom4.list		Immediately/session
mpc	cpa.preconnectresult.fast_busy.list		Immediately/session
mpc	cpa.preconnectresult.sit_nocircuit.list		Immediately/session
mpc	cpa.preconnectresult.sit_operatorintercept.list		Immediately/session
mpc	cpa.preconnectresult.sit_reorder.list		Immediately/session
mpc	cpa.preconnectresult.sit_vacantcircuit.list		Immediately/session
mpc	cpa.preconn_tones_det_mode	0	At start/restart
mpc	cpa.priority_machine_maxvoicemeetingdur	1500	At start/restart
mpc	cpa.priority_machine_maxvoicesignal	600	At start/restart
mpc	cpa.priority_machine_voicepausedur	1100	At start/restart
mpc	cpa.priority_normal_maxvoicemeetingdur	1800	At start/restart
mpc	cpa.priority_normal_maxvoicesignal	800	At start/restart
mpc	cpa.priority_normal_voicepausedur	1000	At start/restart
mpc	cpa.priority_voice_maxvoicemeetingdur	2000	At start/restart
mpc	cpa.priority_voice_maxvoicesignal	1100	At start/restart
mpc	cpa.priority_voice_voicepausedur	850	At start/restart
mpc	cpa.ringback	na_ringback	At start/restart
mpc	cpa.sit_nocircuit	na_sit_nocircuit	At start/restart
mpc	cpa.sit_operatorintercept	na_sit_operatorintercept	At start/restart
mpc	cpa.sit_reorder	na_sit_reorder	At start/restart
mpc	cpa.sit_vacantcircuit	na_sit_vacantcircuit	At start/restart
mpc	cpa.tone1.segment1.flmax	0	At start/restart
mpc	cpa.tone1.segment1.flmin	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone1.segment1.f2max	0	At start/restart
mpc	cpa.tone1.segment1.f2min	0	At start/restart
mpc	cpa.tone1.segment1.offtime0max	0	At start/restart
mpc	cpa.tone1.segment1.offtime0min	0	At start/restart
mpc	cpa.tone1.segment1.ontime20max	20	At start/restart
mpc	cpa.tone1.segment1.ontime20min	20	At start/restart
mpc	cpa.tone1.segment2.f1max	0	At start/restart
mpc	cpa.tone1.segment2.f1min	0	At start/restart
mpc	cpa.tone1.segment2.f2max	0	At start/restart
mpc	cpa.tone1.segment2.f2min	0	At start/restart
mpc	cpa.tone1.segment2.offtime0max	0	At start/restart
mpc	cpa.tone1.segment2.offtime0min	0	At start/restart
mpc	cpa.tone1.segment2.ontime20max	20	At start/restart
mpc	cpa.tone1.segment2.ontime20min	20	At start/restart
mpc	cpa.tone1.segment3.f1max	0	At start/restart
mpc	cpa.tone1.segment3.f1min	0	At start/restart
mpc	cpa.tone1.segment3.f2max	0	At start/restart
mpc	cpa.tone1.segment3.f2min	0	At start/restart
mpc	cpa.tone1.segment3.offtime0max	0	At start/restart
mpc	cpa.tone1.segment3.offtime0min	0	At start/restart
mpc	cpa.tone1.segment3.ontime20max	20	At start/restart
mpc	cpa.tone1.segment3.ontime20min	20	At start/restart
mpc	cpa.tone10.segment1.f1max	0	At start/restart
mpc	cpa.tone10.segment1.f1min	0	At start/restart
mpc	cpa.tone10.segment1.f2max	0	At start/restart
mpc	cpa.tone10.segment1.f2min	0	At start/restart
mpc	cpa.tone10.segment1.offtime0max	0	At start/restart
mpc	cpa.tone10.segment1.offtime0min	0	At start/restart
mpc	cpa.tone10.segment1.ontime20max	20	At start/restart
mpc	cpa.tone10.segment1.ontime20min	20	At start/restart
mpc	cpa.tone10.segment2.f1max	0	At start/restart
mpc	cpa.tone10.segment2.f1min	0	At start/restart
mpc	cpa.tone10.segment2.f2max	0	At start/restart
mpc	cpa.tone10.segment2.f2min	0	At start/restart
mpc	cpa.tone10.segment2.offtime0max	0	At start/restart
mpc	cpa.tone10.segment2.offtime0min	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone10.segment2.ontime	20	At start/restart
mpc	cpa.tone10.segment2.offtime	0	At start/restart
mpc	cpa.tone10.segment3.f1max	0	At start/restart
mpc	cpa.tone10.segment3.f1min	0	At start/restart
mpc	cpa.tone10.segment3.f2max	0	At start/restart
mpc	cpa.tone10.segment3.f2min	0	At start/restart
mpc	cpa.tone10.segment3.offtime	0	At start/restart
mpc	cpa.tone10.segment3.ontime	20	At start/restart
mpc	cpa.tone10.segment3.offtime	0	At start/restart
mpc	cpa.tone10.segment3.ontime	20	At start/restart
mpc	cpa.tone2.segment1.f1max	0	At start/restart
mpc	cpa.tone2.segment1.f1min	0	At start/restart
mpc	cpa.tone2.segment1.f2max	0	At start/restart
mpc	cpa.tone2.segment1.f2min	0	At start/restart
mpc	cpa.tone2.segment1.offtime	0	At start/restart
mpc	cpa.tone2.segment1.offtime	0	At start/restart
mpc	cpa.tone2.segment1.ontime	20	At start/restart
mpc	cpa.tone2.segment1.ontime	20	At start/restart
mpc	cpa.tone2.segment2.f1max	0	At start/restart
mpc	cpa.tone2.segment2.f1min	0	At start/restart
mpc	cpa.tone2.segment2.f2max	0	At start/restart
mpc	cpa.tone2.segment2.f2min	0	At start/restart
mpc	cpa.tone2.segment2.offtime	0	At start/restart
mpc	cpa.tone2.segment2.offtime	0	At start/restart
mpc	cpa.tone2.segment2.ontime	20	At start/restart
mpc	cpa.tone2.segment2.ontime	20	At start/restart
mpc	cpa.tone2.segment3.f1max	0	At start/restart
mpc	cpa.tone2.segment3.f1min	0	At start/restart
mpc	cpa.tone2.segment3.f2max	0	At start/restart
mpc	cpa.tone2.segment3.f2min	0	At start/restart
mpc	cpa.tone2.segment3.offtime	0	At start/restart
mpc	cpa.tone2.segment3.offtime	0	At start/restart
mpc	cpa.tone2.segment3.ontime	20	At start/restart
mpc	cpa.tone2.segment3.ontime	20	At start/restart
mpc	cpa.tone3.segment1.f1max	0	At start/restart
mpc	cpa.tone3.segment1.f1min	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone3.segment1.f2max	0	At start/restart
mpc	cpa.tone3.segment1.f2min	0	At start/restart
mpc	cpa.tone3.segment1.offtime	0max	At start/restart
mpc	cpa.tone3.segment1.offtime	0min	At start/restart
mpc	cpa.tone3.segment1.ontime	20max	At start/restart
mpc	cpa.tone3.segment1.ontime	20in	At start/restart
mpc	cpa.tone3.segment2.f1max	0	At start/restart
mpc	cpa.tone3.segment2.f1min	0	At start/restart
mpc	cpa.tone3.segment2.f2max	0	At start/restart
mpc	cpa.tone3.segment2.f2min	0	At start/restart
mpc	cpa.tone3.segment2.offtime	0max	At start/restart
mpc	cpa.tone3.segment2.offtime	0min	At start/restart
mpc	cpa.tone3.segment2.ontime	20max	At start/restart
mpc	cpa.tone3.segment2.ontime	20in	At start/restart
mpc	cpa.tone3.segment3.f1max	0	At start/restart
mpc	cpa.tone3.segment3.f1min	0	At start/restart
mpc	cpa.tone3.segment3.f2max	0	At start/restart
mpc	cpa.tone3.segment3.f2min	0	At start/restart
mpc	cpa.tone3.segment3.offtime	0max	At start/restart
mpc	cpa.tone3.segment3.offtime	0min	At start/restart
mpc	cpa.tone3.segment3.ontime	20max	At start/restart
mpc	cpa.tone3.segment3.ontime	20in	At start/restart
mpc	cpa.tone4.segment1.f1max	0	At start/restart
mpc	cpa.tone4.segment1.f1min	0	At start/restart
mpc	cpa.tone4.segment1.f2max	0	At start/restart
mpc	cpa.tone4.segment1.f2min	0	At start/restart
mpc	cpa.tone4.segment1.offtime	0max	At start/restart
mpc	cpa.tone4.segment1.offtime	0min	At start/restart
mpc	cpa.tone4.segment1.ontime	20max	At start/restart
mpc	cpa.tone4.segment1.ontime	20in	At start/restart
mpc	cpa.tone4.segment2.f1max	0	At start/restart
mpc	cpa.tone4.segment2.f1min	0	At start/restart
mpc	cpa.tone4.segment2.f2max	0	At start/restart
mpc	cpa.tone4.segment2.f2min	0	At start/restart
mpc	cpa.tone4.segment2.offtime	0max	At start/restart
mpc	cpa.tone4.segment2.offtime	0min	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone4.segment2.ontime20max	20	At start/restart
mpc	cpa.tone4.segment2.ontime20in	20	At start/restart
mpc	cpa.tone4.segment3.f1max0	0	At start/restart
mpc	cpa.tone4.segment3.f1min 0	0	At start/restart
mpc	cpa.tone4.segment3.f2max0	0	At start/restart
mpc	cpa.tone4.segment3.f2min 0	0	At start/restart
mpc	cpa.tone4.segment3.offtime0max	0	At start/restart
mpc	cpa.tone4.segment3.offtime0min	0	At start/restart
mpc	cpa.tone4.segment3.ontime20max	20	At start/restart
mpc	cpa.tone4.segment3.ontime20in	20	At start/restart
mpc	cpa.tone5.segment1.f1max0	0	At start/restart
mpc	cpa.tone5.segment1.f1min 0	0	At start/restart
mpc	cpa.tone5.segment1.f2max0	0	At start/restart
mpc	cpa.tone5.segment1.f2min 0	0	At start/restart
mpc	cpa.tone5.segment1.offtime0max	0	At start/restart
mpc	cpa.tone5.segment1.offtime0min	0	At start/restart
mpc	cpa.tone5.segment1.ontime20max	20	At start/restart
mpc	cpa.tone5.segment1.ontime20in	20	At start/restart
mpc	cpa.tone5.segment2.f1max0	0	At start/restart
mpc	cpa.tone5.segment2.f1min 0	0	At start/restart
mpc	cpa.tone5.segment2.f2max0	0	At start/restart
mpc	cpa.tone5.segment2.f2min 0	0	At start/restart
mpc	cpa.tone5.segment2.offtime0max	0	At start/restart
mpc	cpa.tone5.segment2.offtime0min	0	At start/restart
mpc	cpa.tone5.segment2.ontime20max	20	At start/restart
mpc	cpa.tone5.segment2.ontime20in	20	At start/restart
mpc	cpa.tone5.segment3.f1max0	0	At start/restart
mpc	cpa.tone5.segment3.f1min 0	0	At start/restart
mpc	cpa.tone5.segment3.f2max0	0	At start/restart
mpc	cpa.tone5.segment3.f2min 0	0	At start/restart
mpc	cpa.tone5.segment3.offtime0max	0	At start/restart
mpc	cpa.tone5.segment3.offtime0min	0	At start/restart
mpc	cpa.tone5.segment3.ontime20max	20	At start/restart
mpc	cpa.tone5.segment3.ontime20in	20	At start/restart
mpc	cpa.tone6.segment1.f1max0	0	At start/restart
mpc	cpa.tone6.segment1.f1min 0	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone6.segment1.f2max	0	At start/restart
mpc	cpa.tone6.segment1.f2min	0	At start/restart
mpc	cpa.tone6.segment1.offtime	0max	At start/restart
mpc	cpa.tone6.segment1.offtime	0min	At start/restart
mpc	cpa.tone6.segment1.ontime	20max	At start/restart
mpc	cpa.tone6.segment1.ontime	20in	At start/restart
mpc	cpa.tone6.segment2.f1max	0	At start/restart
mpc	cpa.tone6.segment2.f1min	0	At start/restart
mpc	cpa.tone6.segment2.f2max	0	At start/restart
mpc	cpa.tone6.segment2.f2min	0	At start/restart
mpc	cpa.tone6.segment2.offtime	0max	At start/restart
mpc	cpa.tone6.segment2.offtime	0min	At start/restart
mpc	cpa.tone6.segment2.ontime	20max	At start/restart
mpc	cpa.tone6.segment2.ontime	20in	At start/restart
mpc	cpa.tone6.segment3.f1max	0	At start/restart
mpc	cpa.tone6.segment3.f1min	0	At start/restart
mpc	cpa.tone6.segment3.f2max	0	At start/restart
mpc	cpa.tone6.segment3.f2min	0	At start/restart
mpc	cpa.tone6.segment3.offtime	0max	At start/restart
mpc	cpa.tone6.segment3.offtime	0min	At start/restart
mpc	cpa.tone6.segment3.ontime	20max	At start/restart
mpc	cpa.tone6.segment3.ontime	20in	At start/restart
mpc	cpa.tone7.segment1.f1max	0	At start/restart
mpc	cpa.tone7.segment1.f1min	0	At start/restart
mpc	cpa.tone7.segment1.f2max	0	At start/restart
mpc	cpa.tone7.segment1.f2min	0	At start/restart
mpc	cpa.tone7.segment1.offtime	0max	At start/restart
mpc	cpa.tone7.segment1.offtime	0min	At start/restart
mpc	cpa.tone7.segment1.ontime	20max	At start/restart
mpc	cpa.tone7.segment1.ontime	20in	At start/restart
mpc	cpa.tone7.segment2.f1max	0	At start/restart
mpc	cpa.tone7.segment2.f1min	0	At start/restart
mpc	cpa.tone7.segment2.f2max	0	At start/restart
mpc	cpa.tone7.segment2.f2min	0	At start/restart
mpc	cpa.tone7.segment2.offtime	0max	At start/restart
mpc	cpa.tone7.segment2.offtime	0min	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone7.segment2.ontime20max	20	At start/restart
mpc	cpa.tone7.segment2.ontime20in	20	At start/restart
mpc	cpa.tone7.segment3.f1max0	0	At start/restart
mpc	cpa.tone7.segment3.f1min 0	0	At start/restart
mpc	cpa.tone7.segment3.f2max0	0	At start/restart
mpc	cpa.tone7.segment3.f2min 0	0	At start/restart
mpc	cpa.tone7.segment3.offtime0max	0	At start/restart
mpc	cpa.tone7.segment3.offtime0min	0	At start/restart
mpc	cpa.tone7.segment3.ontime20max	20	At start/restart
mpc	cpa.tone7.segment3.ontime20in	20	At start/restart
mpc	cpa.tone8.segment1.f1max0	0	At start/restart
mpc	cpa.tone8.segment1.f1min 0	0	At start/restart
mpc	cpa.tone8.segment1.f2max0	0	At start/restart
mpc	cpa.tone8.segment1.f2min 0	0	At start/restart
mpc	cpa.tone8.segment1.offtime0max	0	At start/restart
mpc	cpa.tone8.segment1.offtime0min	0	At start/restart
mpc	cpa.tone8.segment1.ontime20max	20	At start/restart
mpc	cpa.tone8.segment1.ontime20in	20	At start/restart
mpc	cpa.tone8.segment2.f1max0	0	At start/restart
mpc	cpa.tone8.segment2.f1min 0	0	At start/restart
mpc	cpa.tone8.segment2.f2max0	0	At start/restart
mpc	cpa.tone8.segment2.f2min 0	0	At start/restart
mpc	cpa.tone8.segment2.offtime0max	0	At start/restart
mpc	cpa.tone8.segment2.offtime0min	0	At start/restart
mpc	cpa.tone8.segment2.ontime20max	20	At start/restart
mpc	cpa.tone8.segment2.ontime20in	20	At start/restart
mpc	cpa.tone8.segment3.f1max0	0	At start/restart
mpc	cpa.tone8.segment3.f1min 0	0	At start/restart
mpc	cpa.tone8.segment3.f2max0	0	At start/restart
mpc	cpa.tone8.segment3.f2min 0	0	At start/restart
mpc	cpa.tone8.segment3.offtime0max	0	At start/restart
mpc	cpa.tone8.segment3.offtime0min	0	At start/restart
mpc	cpa.tone8.segment3.ontime20max	20	At start/restart
mpc	cpa.tone8.segment3.ontime20in	20	At start/restart
mpc	cpa.tone9.segment1.f1max0	0	At start/restart
mpc	cpa.tone9.segment1.f1min 0	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	cpa.tone9.segment1.f2max	0	At start/restart
mpc	cpa.tone9.segment1.f2min	0	At start/restart
mpc	cpa.tone9.segment1.offtime0max	0	At start/restart
mpc	cpa.tone9.segment1.offtime0min	0	At start/restart
mpc	cpa.tone9.segment1.ontime20max	20	At start/restart
mpc	cpa.tone9.segment1.ontime20min	20	At start/restart
mpc	cpa.tone9.segment2.f1max	0	At start/restart
mpc	cpa.tone9.segment2.f1min	0	At start/restart
mpc	cpa.tone9.segment2.f2max	0	At start/restart
mpc	cpa.tone9.segment2.f2min	0	At start/restart
mpc	cpa.tone9.segment2.offtime20max	20	At start/restart
mpc	cpa.tone9.segment2.offtime0min	0	At start/restart
mpc	cpa.tone9.segment2.ontime20max	20	At start/restart
mpc	cpa.tone9.segment2.ontime20min	20	At start/restart
mpc	cpa.tone9.segment3.f1max	0	At start/restart
mpc	cpa.tone9.segment3.f1min	0	At start/restart
mpc	cpa.tone9.segment3.f2max	0	At start/restart
mpc	cpa.tone9.segment3.f2min	0	At start/restart
mpc	cpa.tone9.segment3.offtime0max	0	At start/restart
mpc	cpa.tone9.segment3.offtime0min	0	At start/restart
mpc	cpa.tone9.segment3.ontime20max	20	At start/restart
mpc	cpa.tone9.segment3.ontime20min	20	At start/restart
mpc	cpa.voice_level_db	17.5	At start/restart
mpc	cpa.voice_range_db	25	At start/restart
mpc	ctrleventpoolloowthreshold	50	At start/restart
mpc	ctrleventpoolthreshold	75	At start/restart
mpc	default_audio_format	ULAW	At start/restart
mpc	dsp.g726littleendian	0	Immediately/session
mpc	dsp.g729a	0	Immediately
mpc	dtmf.detectededge	0	At start/restart
mpc	dtmf.duration	200	At start/restart
mpc	dtmf.gap	100	At start/restart
mpc	dtmf.inband_amplitude	15000	At start/restart
mpc	dtmf.maxsilence	20	At start/restart
mpc	dtmf.minduration	0	At start/restart
mpc	dtmf.multidtmfonetimestamp	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	dtmf.pauseduration	200	At start/restart
mpc	dtmf.singlepacket	0	At start/restart
mpc	fcr.defaultdtmfhandling	as-is	Immediately/session
mpc	fcr.gain	0	At start/restart
mpc	font_paths_linux	/usr/share/fonts/default/ ghostscript	At start/restart
mpc	font_paths_win	C:/Windows/Fonts	At start/restart
mpc	g722.maxptime	0	Immediately
mpc	g722.ptime	0	Immediately
mpc	g726_32.maxptime	0	Immediately
mpc	g726_32.ptime	0	Immediately
mpc	g729.fmt		At start/restart
mpc	g729.maxptime	0	Immediately
mpc	g729.ptime	0	Immediately
mpc	gsm.maxptime	0	immediately
mpc	gsm.ptime	0	immediately
mpc	h263.fmt		At start/restart
mpc	h263_1998payload	99	At start/restart
mpc	h264.fmt	profile=b; level=3.1; packetization- mode=*; profile=cb; level=3.1; packetization- mode=*; profile=m; level=3.1; packetization-mode=*	At start/restart
mpc	h264.in_band_param_sets_Only		At start/restart
mpc	h264payload	113	At start/restart
mpc	health.maxprocessingtime	600000	At start/restart
mpc	health.waittime	0	At start/restart
mpc	includeavpfinsdp	none	Immediately/session
mpc	maxmediathreads	16	At start/restart
mpc	maxrecordencryptedfilesize	120000000	At start/restart
mpc	maxrecordfilesize	0	Immediately/session
mpc	media.senddtmfdropaudio	1	At start/restart
mpc	mediamgr.audiobuffersize	102400	At start/restart
mpc	mediamgr.autorecordformat	1select	At start/restart
mpc	mediamgr.CA_directory		Immediately/session
mpc	mediamgr.CA_file		Immediately/session
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	mediamgr.enableEODdoublecheck	1	At start/restart
mpc	mediamgr.h263overrideTR	1	At start/restart
mpc	mediamgr.hlsconsecutiveerrorsthreshold	5	Immediately
mpc	mediamgr.hlstotalerrorsthreshold	20	Immediately
mpc	mediamgr.ignore_cert_err	1	Immediately/session
mpc	mediamgr.isofilerecordheadsize	55000	At start/restart
mpc	mediamgr.maxcertificatecacheprof	200000	At start/restart
mpc	mediamgr.maxcertificatele	5000	At start/restart
mpc	mediamgr.maxcertificateprofile	10	At start/restart
mpc	mediamgr.precacheprofileforallrecording.0	0	At start/restart
mpc	mediamgr.precacheprofileforallrecording.1	1	At start/restart
mpc	mediamgr.precacheprofileforallrecording.2	2	At start/restart
mpc	mediamgr.precacheprofileforallrecording.3	3	At start/restart
mpc	mediamgr.precacheprofileforallrecording.4	4	At start/restart
mpc	mediamgr.precacheprofileforallrecording.5	5	At start/restart
mpc	mediamgr.recordmp3audio	4000	At start/restart
mpc	mediamgr.recordrtphintrack	0	At start/restart
mpc	mediamgr.recordwritetimeinterval	1000	At start/restart
mpc	mediamgr.rec_iframe_delay_threshold	160	At start/restart
mpc	mediamgr.rtsplowerbufferthreshold	100	At start/restart
mpc	mediamgr.rtsppause	1	At start/restart
mpc	mediamgr.rtspplayrange	1	At start/restart
mpc	mediamgr.rtsppupperbufferthreshold	200	At start/restart
mpc	mediamgr.sharedhttpservers		At start/restart
mpc	mediamgr.strictsamplingrate	0	At start/restart
mpc	mediamgr.videobuffersize	256000	At start/restart
mpc	mediamgr.videofillingframecount	1000	At start/restart
mpc	mediamgr.videofillingthreshold	2000	At start/restart
mpc	mixer.audiodelay_flush_all_threshold	500	At start/restart
mpc	mixer.audiodelay_flush_silent_threshold	100	At start/restart
mpc	mp3.bitrate	16	Immediately/session
mpc	mp3.compression_level_current_encoder	7	Immediately/session
mpc	mp3.interfrequency.encoding		At start/restart
mpc	mp3.samplingrate	32	Immediately/session
mpc	mp3.use_current_encoder	false	Immediately/session
mpc	mp3.use_integer_transcode	false	Immediately/session
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	mp3.use_integer_transcoder	true	Immediately/session
mpc	mp3.current_encoder		
mpc	numdispatchthreads	1	At start/restart
mpc	opus.apptype	voice	Immediately/session
mpc	opus.bitrate	0	Immediately/session
mpc	opus.complexity	10	Immediately/session
mpc	opus.fmt	useinbandfec=1	At start/restart
mpc	opus.packetloss	20	Immediately/session
mpc	opus.payload	116	At start/restart
mpc	pcma.maxptime	0	Immediately
mpc	pcma.ptime	0	Immediately
mpc	pcmu.maxptime	0	Immediately
mpc	pcmu.ptime	0	Immediately
mpc	persistdymppayfmtpair	1	Immediately
mpc	playcache.checkversiontime	300	Immediately/session
mpc	playcache.directory	\$installationRoot\$/cache/play	At start/restart
mpc	playcache.enable	1	Immediately/session
mpc	playcache.expiretime	24:00	At start/restart
mpc	playcache.maxsize	500	At start/restart
mpc	playremoteeodtimeout	10000	At start/restart
mpc	playremoteflushtimeout	10000	At start/restart
mpc	playsilencefill	160	At start/restart
mpc	preferredipinterface	V4	Immediately
mpc	record.allowsyncdiskwrite	0	Immediately/session
mpc	record.defaultdtmfhandling	as-is	Immediately/session
mpc	recordcachedir	\$installationRoot\$/cache/record	At start/restart
mpc	recordnumparallelpost	30	At start/restart
mpc	recordpostbacklogthreshold	25	At start/restart
mpc	recordpostinterval	15000	At start/restart
mpc	recordpostretrybackoff	120000	At start/restart
mpc	recordpostretrycount	3	At start/restart
mpc	reframereqonconnjoin	true	Immediately/session
mpc	rru.beginsilence	1000	At start/restart
mpc	rru.endsilence	3000	At start/restart
mpc	rtcp.tos	0	Immediately/session
mpc	rtcp.tos.video	0	Immediately/session
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	rtpfeedback.audio	allow	Immediately/session
mpc	rtpfeedback.video	allow	Immediately/session
mpc	rtp.activetimeout	0	At start/restart
mpc	rtp.audiobuffersize	50000	At start/restart
mpc	rtp.dejitter.delay	0	At start/restart
mpc	rtp.dejitter.timeout	200	At start/restart
mpc	rtp.dtmf.crlfenable	false	Immediately/session
mpc	rtp.dtmf.receive	SIPINFO INBAND	Immediately/session
mpc	rtp.dtmf.send	INBAND	Immediately/session
mpc	rtp.enablertcp	1	At start/restart
mpc	rtp.filteroutduplicate	false	At start/restart
mpc	rtp.fixedsocketthreads	8	At start/restart
mpc	rtp.h264allowrfc3984stapa	1	At start/restart
mpc	rtp.inputmode	vad	At start/restart
mpc	rtp.localaddr	\$LocalIP\$	At start/restart
mpc	rtp.localaddrv6		At start/restart
mpc	rtp.maxrtppacketsize	0	At start/restart
mpc	rtp.multichantimeout	60000	At start/restart
mpc	rtp.overwritessrcandtimestamp	1	At start/restart
mpc	rtp.packetseq	0	At start/restart
mpc	rtp.portrange	20000-45000	At start/restart
mpc	rtp.prefilltime	200	At start/restart
mpc	rtp.request_iframe	1	Immediately/session
mpc	rtp.restrictsource	0	At start/restart
mpc	rtp.rfc2429maxpacketsize	1400	At start/restart
mpc	rtp.sendmode	vad	At start/restart
mpc	rtp.senduponrecv	0	At start/restart
mpc	rtp.source_buffer_video_data_size	0	Immediately/session
mpc	rtp.source_buffer_video_size	500	Immediately/session
mpc	rtp.statisticsinterval	300000	At start/restart
mpc	rtp.timeout	60000	At start/restart
mpc	rtp.tos	0	Immediately/session
mpc	rtp.tos.video	0	Immediately/session
mpc	rtp.video.udprecvbuffersize	60480	At start/restart
mpc	rtp.video.udpsendbuffersize	60480	At start/restart
mpc	rtp.videobuffersize	0	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	rtsp.vp8maxpacketize	1400	At start/restart
mpc	rtsp.connection.portrange	14000-15999	
mpc	rtsp.localaddr		At start/restart
mpc	rtsp.localaddrv6		At start/restart
mpc	rtsp.rtp.localaddr		At start/restart
mpc	rtsp.rtp.localaddrv6		At start/restart
mpc	rtsp.rtp.portrange		At start/restart
mpc	sdp.audiobandwidth		At start/restart
mpc	sdp.connection		At start/restart
mpc	sdp.map.origin.0		At start/restart
mpc	sdp.map.origin.0.configain	100	At start/restart
mpc	sdp.map.origin.0.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.1		At start/restart
mpc	sdp.map.origin.1.configain	100	At start/restart
mpc	sdp.map.origin.1.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.2		At start/restart
mpc	sdp.map.origin.2.configain	100	At start/restart
mpc	sdp.map.origin.2.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.3		At start/restart
mpc	sdp.map.origin.3.configain	100	At start/restart
mpc	sdp.map.origin.3.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.4		At start/restart
mpc	sdp.map.origin.4.configain	100	At start/restart
mpc	sdp.map.origin.4.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.5		At start/restart
mpc	sdp.map.origin.5.configain	100	At start/restart
mpc	sdp.map.origin.5.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.6		At start/restart
mpc	sdp.map.origin.6.configain	100	At start/restart
mpc	sdp.map.origin.6.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.7		At start/restart
mpc	sdp.map.origin.7.configain	100	At start/restart
mpc	sdp.map.origin.7.dtmftype	INBAND	At start/restart
mpc	sdp.map.origin.8		At start/restart
mpc	sdp.map.origin.8.configain	100	At start/restart
mpc	sdp.map.origin.8.dtmftype	INBAND	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	sdp.map.origin.9		At start/restart
mpc	sdp.map.origin.9.configain	100	At start/restart
mpc	sdp.map.origin.9.dtmftype	INBAND	At start/restart
mpc	sdp.videobandwidth		At start/restart
mpc	srtp.cryptomethods	AES_CM_128_HMAC_SHA1_20	At start/restart
mpc	srtp.maxerror	5	At start/restart
mpc	srtp.mode	none	At start/restart
mpc	srtp.sessionparams	UNENCRYPTED_S RTP UNENCRYPTED_S RTP UNAUTHENTICATED_S RTP	At start/restart
mpc	srtp.sessionparamsoffer		At start/restart
mpc	telephone_event.maxptime	0	Immediately
mpc	telephone_event.ptime	0	Immediately
mpc	telephone_eventpayload	101	At start/restart
mpc	tfcipayload	96	At start/restart
mpc	tiasfraction	100	At start/restart
mpc	transcoders	G722 GSM G726 G729 AMR AMR-WB MP3 OPUS H263 H264 VP8	At start/restart
mpc	transmitmultiplecodec	0	Immediately/session
mpc	tts.appendrejcodec	0	At start/restart
mpc	tts.codec	pcmu	Immediately
mpc	tts.preferredipinterface	V4	At start/restart
mpc	tts.srtp.cryptomethods	AES_CM_128_HMAC_SHA1_20	At start/restart
mpc	tts.srtp.mode	none	At start/restart
mpc	tts.srtp.sessionparamsoffer		At start/restart
mpc	validatemediatimers	1	At start/restart
mpc	videotranscoder.bitratecheckinterval	10000	At start/restart
mpc	videotranscoder.bitratechecktolerance	50	At start/restart
mpc	videotranscoder.checkbitrate	1	Immediately/session
mpc	videotranscoder.checkframe	1	Immediately/session
mpc	videotranscoder.frameratechecktolerance	50	At start/restart
mpc	videotranscoder.h264.keyframeinterval	1	At start/restart
mpc	videotranscoder.h264.keyframeinterval	50	At start/restart
mpc	videotranscoder.h264.resolutions	SQCIF QCIF QVGA CIF VGA 4CIF SVGA 720P	At start/restart
mpc	videotranscoder.maxbitrate	500000	Immediately/session
mpc	videotranscoder.statsresetinterval	60000	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mpc	voipmetrics.enable	0	At start/restart
mpc	vp8.adaptive	true	At start/restart
mpc	vp8.defaultbitrate	0	At start/restart
mpc	vp8.defaultframerate	1001	At start/restart
mpc	vp8.defaultframerate	30000	At start/restart
mpc	vp8.defaultresolution	CIF	At start/restart
mpc	vp8.maxkeyframeinterval	15	Immediately/session
mpc	vrrecorder.codec	pcmu pcma g722 opus g726 g729 gsm amr amr-wb h263 h263-1998 h264 vp8 telephone- event	At start/restart
mpc	vrrecorder.enable	true	At start/restart
mpc	vrrecorder.preferredinterface	eth0	Immediately
mpc	vrrecorder.srtp.cryptomethod	AES_CM_128_HMAC_SHA1_80	At start/restart
mpc	vrrecorder.srtp.mode	none	At start/restart
mpc	vrrecorder.srtp.sessionparams	offer	At start/restart
mpc	widebandconferences	0	At start/restart
mrcpv2client	sip.transport.0	transport0 udp:any:7080	At start/restart
mrcpv2client	sip.transport.1	transport1 tcp:any:7080	At start/restart
mrcpv2client	sip.transport.2	transport2 tls:any:7081 type=TLSv1	At start/restart
mrcpv2client	sip.transport.localaddress		At start/restart
mrcpv2client	sip.transport.localaddress.strict	false	At start/restart
msml	beep.filename	file://\$InstallationRoot\$/audio/ ulaw/default_audio/ endofprompt.vox	Immediately
msml	beep.join.timelimit	5000	Immediately
msml	callrecording.dtmfhandling	as-is	Immediately/session
msml	clampdtmf.postsilencepackets	0	Immediately/session
msml	clampdtmf.presilencepackets	0	Immediately/session
msml	conference.participantjointimeout	120000	Immediately/session
msml	conference.passthrough_enabled	true	Immediately/session
msml	cpd.beeptimeout	30	Immediately
msml	cpd.postconnecttimeout	30	Immediately
msml	cpd.preconnecttimeout	30	Immediately
msml	cpd.record.basepath	file://\$installationRoot\$/record/	Immediately
msml	cpd.record.fileext	wav	Immediately
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
msml	defaultaudioext	.wav	Immediately
msml	dialogend.silentfail	false	Immediately
msml	info.contenttypes	application/ vnd.radisys.msml+xml	Immediately
msml	play.basepath	file://\$installationRoot\$	Immediately
msml	play.fetchtimeout	25000	Immediately/session
msml	play.h263videofORMAT	QCIF=2	Immediately
msml	play.h264videofORMAT	0a=2,0b=2,0c=2,0d=2,14=2,15=2,16=2,1e=2	Immediately
msml	play.musicbasepath	file://\$installationRoot\$	Immediately
msml	play.preferredvideocontainer	avi	Immediately/session
msml	play.usedefaultsearchorder	true	Immediately
msml	record.amazonallowpublicaccess	false	Immediately/session
msml	record.amazonpostmode	http	Immediately/session
msml	record.amazonsignatureverification	4	Immediately/session
msml	record.amazonsignedpayload	false	Immediately/session
msml	record.appenduniqueid	true	Immediately/session
msml	record.basepath	file://\$installationRoot\$	Immediately
msml	record.channels	2	Immediately/session
msml	record.channels2	2	Immediately/session
msml	record.deferredsink	true	Immediately
msml	record.enablesipfilerecording	false	Immediately/session
msml	record.filename-template	\$id\$	Immediately
msml	record.finalsilence	4	Immediately
msml	record.generatehash	false	Immediately/session
msml	record.irrecoverablerecordpostdir	\$installationRoot\$/cache/ record/failed	Immediately
msml	record.posttimeout	120000	Immediately/session
msml	record.updateheader	false	Immediately
msml	record.userrecordcachedir	false	Immediately
mtinternal	enablertcp	0	At start/restart
mtinternal	max_concurrent_savedata	-1	At start/restart
mtinternal	receive_max_size	-1	At start/restart
mtinternal	receive_min_size	-1	At start/restart
mtinternal	receive_rate_alarm	500	At start/restart
mtinternal	receive_savedata		At start/restart
mtinternal	restrictsource	0	At start/restart
mtinternal	rtp.statisticsinterval	600000	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
mtinternal	transmit_max_size	160	At start/restart
mtinternal	transmit_min_size	160	At start/restart
mtinternal	transmit_rate	10	At start/restart
mtinternal	transmit_rate_alarm	500	At start/restart
mtinternal	transmit_savedata		At start/restart
mtmpc	conference.output_gain	100	At start/restart
Netann	annc.audiodefauRepeat	forever	Immediately
Netann	annc.basepath	\$installationRoot\$	At start/restart
Netann	annc.defaultaudioext	.wav	Immediately
Netann	annc.fetchtimeout	25000	Immediately/session
Netann	annc.h263videofFormat	QCIF=2	Immediately
Netann	annc.h264videofFormat	0a=2,0b=2,0c=2,0d=2,14#2,15#2,16#2,17#2,18#2,19#2,1a#2,1b#2,1c#2,1d#2,1e#2	Immediately
Netann	annc.musicbasepath	\$installationRoot\$	Immediately
Netann	conference.recordmode	mixed	Immediately
Netann	record.appenduniqueid	true	Immediately/session
Netann	record.basepath	\$InstallationRoot\$/record	At start/restart
Netann	record.maxrecordsilence	0	Immediately
Netann	record.maxrecordtime	0	Immediately
Netann	sipinfonotifydtmf	Auto	At start/restart
remdial	maxcalls	500	At start/restart
remdial	maxclientsockets	64	At start/restart
remdial	port	6999	At start/restart
remdial	telnetmode	RAW	At start/restart
sessmgr	acceptcalltimeout	30000	At start/restart
sessmgr	alert_before_fetch	0	At start/restart
sessmgr	appmodules_linux	Remdial:RemoteDial Netann:Netann VXML3:VXML-NG MSML:MSML	At start/restart
sessmgr	appmodules_win	Remdial:RemoteDial Netann:Netann VXML3:VXML-NG MSML:MSML	At start/restart
sessmgr	default_init_url	file://\$InstallationRoot\$/samples/ ulaw/helloworld.vxml	At start/restart
sessmgr	default_vxml_interpreter	VXML-NG	At start/restart
sessmgr	disconnect_cause.badfetch	17	At start/restart
sessmgr	disconnect_cause.decline	21	At start/restart
sessmgr	fcr_video_dir	IN	Immediately
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
sessmgr	init_accept_call_mode	DUPLEX	At start/restart
sessmgr	join_fallback	0	Immediately
sessmgr	licensepoolsize.gvp_ports	max	At start/restart
sessmgr	licensepoolsize.gvp_tts_ports	max	At start/restart
sessmgr	maxincalltime	0	Immediately
sessmgr	mediaswitch_on_alert	0	Immediately
sessmgr	modules_linux	Remdial Netann VXML3 MSML	At start/restart
sessmgr	modules_win	Remdial Netann VXML3 MSML	At start/restart
sessmgr	mrt.sendsdpininvite	true	Immediately/session
sessmgr	MSML.MSML	msml	At start/restart
sessmgr	Netann.Netann	Netann	At start/restart
sessmgr	Remdial.RemoteDial	RemoteDial	At start/restart
sessmgr	VXML3.VXML-NG	vxmli-ng1	At start/restart
sip	attconfnetworktonetimeout	1000	At start/restart
sip	call_rate	0	At start/restart
sip	call_rate_period	0	At start/restart
sip	copyunknownheaders	1	At start/restart
sip	copyxgenesysheaders		At start/restart
sip	defaultblindxfer	REFER	At start/restart
sip	defaultbridgexfer	BRIDGE	At start/restart
sip	defaultconsultxfer	REFERJOIN	At start/restart
sip	defaultfrom		At start/restart
sip	defaultgw		At start/restart
sip	defaulthost		At start/restart
sip	deferoutalerting	0	At start/restart
sip	dnis_correlationid_length	0	At start/restart
sip	dnis_correlationid_offset	0	At start/restart
sip	dtmf.crlfenable	false	Immediately/session
sip	enablemaddr	true	At start/restart
sip	enablesendrecvevents	true	Immediately/session
sip	enabletfc	0	At start/restart
sip	enable_dns_cache	false	At start/restart
sip	handlesessionrefreshsdp	matchfull	Immediately/session
sip	hfdiscimer	5000	At start/restart
sip	hfprefix	!	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
sip	hfstopdial	!	At start/restart
sip	hftype	0	At start/restart
sip	in.bye.headers	Reason	At start/restart
sip	in.info.headers	*	At start/restart
sip	in.invite.headers	*	At start/restart
sip	in.invite.params	RequestURI	At start/restart
sip	info.contenttype	application/text	At start/restart
sip	localuser	Genesys	At start/restart
sip	logmsg.allowed	true	At start/restart
sip	logmsg.maskoption	0	At start/restart
sip	maxtcpaccepts	100	At start/restart
sip	maxtcpconnections	100	At start/restart
sip	maxtlsaccepts	100	At start/restart
sip	maxtlsconnections	100	At start/restart
sip	min_se	90	At start/restart
sip	mpc.copyheaders	X-Genesys-geo-location	At start/restart
sip	mtusize	1500	At start/restart
sip	out.info.headers	*	At start/restart
sip	out.invite.headers	*	At start/restart
sip	out.invite.params	RequestURI	At start/restart
sip	out.refer.headers	*	At start/restart
sip	out.refer.params	RequestURI	At start/restart
sip	outcalluseoriggw	1	At start/restart
sip	p-alcatel-csbu	fb=nottransfer;dtmf_auto=dmmediately/session	
sip	passertedidentity	1	Immediately/session
sip	pcalledpartyid	1	Immediately/session
sip	prack.support	0	At start/restart
sip	preferred_ipversion	ipv4	At start/restart
sip	referredby		At start/restart
sip	referxferhold	0	At start/restart
sip	referxfertryoutbound	0	At start/restart
sip	referxferwaitbye	0	At start/restart
sip	referxferwaitnotify	1	At start/restart
sip	registerexpiryadjustment	10	At start/restart
sip	registration		At start/restart
sip	route.default.tcp		At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
sip	route.default.tls		At start/restart
sip	route.default.udp		At start/restart
sip	route.dest.0		At start/restart
sip	route.dest.1		At start/restart
sip	route.dest.2		At start/restart
sip	route.dest.3		At start/restart
sip	route.dest.4		At start/restart
sip	route.dest.5		At start/restart
sip	routeset		At start/restart
sip	sdpansinprov	1	Immediately/session
sip	sdpwarningheaders	0	Immediately/session
sip	securerouteset		At start/restart
sip	sendalert	1	Immediately/session
sip	sessionexpires	1800	At start/restart
sip	sipinfoallowedcontenttypes		At start/restart
sip	tcp.portrange		At start/restart
sip	threadpoolsize	4	At start/restart
sip	threads	0	After restart
sip	timer.ci_proceeding	120000	At start/restart
sip	timer.provretransmit	60000	At start/restart
sip	timer_si	32000	At start/restart
sip	tls.portrange		At start/restart
sip	transfermethods	HKF REFER REFERJOIN MEDIAREDIRECT ATTCOURTESY ATTCONSULT ATTCONFERENCE ATTOBCOURTESY ATTOBCONSULT ATTOBCONFERENCE NEC61ISDN	At start/restart
sip	transport.0	transport0 udp:any:5070	At start/restart
sip	transport.0.tos	0	At start/restart
sip	transport.1	transport1 tcp:any:5070	At start/restart
sip	transport.1.tos	0	At start/restart
sip	transport.2	transport2 tls:any:5071 cert=\$InstallationRoot\$/config/ x509_certificate.pem key=\$InstallationRoot\$/config/ x509_private_key.pem	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
sip	transport.2.tos	0	At start/restart
sip	transport.3		At start/restart
sip	transport.3.tos	0	At start/restart
sip	transport.4		At start/restart
sip	transport.4.tos	0	At start/restart
sip	transport.5		At start/restart
sip	transport.5.tos	0	At start/restart
sip	transport.dnsharouting	false	At start/restart
sip	transport.localaddress		At start/restart
sip	transport.localaddress.srv	false	At start/restart
sip	transport.localaddress_ipv6		At start/restart
sip	transport.routefailovertime	5	At start/restart
sip	transport.routerrecoverytime	30	At start/restart
sip	transport.setuptimer.tcp	30000	At start/restart
sip	transport.staticroutelist		At start/restart
sip	transport.unavailablewakeupt	true	At start/restart
sip	userouteonrecording	true	Immediately/session
sip	voipmetrics.localhost	sip:\$LocalIP\$:5070	At start/restart
sip	voipmetrics.registration		At start/restart
sip	voipmetrics.remoteserver		At start/restart
sip	voipmetrics.routeset		At start/restart
sip	vxmlininvite	1	At start/restart
sip	warningheaders	0	Immediately/session
sip	xfer.copyheaders	*	Immediately
stack	connection.portrange	10000-11999	
stack	connection.timeout	10000	
stack	trace.debug	true	
tts	defaultengine	default	Immediately/session
tts	reserve	false	Immediately/session
vrm	client.dtmf.abnf_encoding_content		
vrm	client.dtmf.fetchtimeout	10000	
vrm	client.dtmf.maxage	-1	
vrm	client.dtmf.maxloopcount	1000	
vrm	client.dtmf.maxstale	-1	
vrm	client.grpc.credential		
vrm	client.grpc.init_worker_threads	5	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
vrn	client.grpc.init_worker_threads	5	At start/restart
vrn	client.grpc.max_worker_threads	200	At start/restart
vrn	client.grpc.max_worker_threads	350	At start/restart
vrn	client.grpc.sslroots	\$InstallationRoot\$/config/ grpc_roots.pem	
vrn	client.grpc.timeout	10000	At start/restart
vrn	client.modules	MRCPV1 MRCPV2 MRCP_DTMFRECOGNIZER	
vrn	client.mrcpv1.sendtrapformrcprequestfailure	004-006-009-010	Immediately
vrn	client.mrcpv1.sendtrapformrcprequestfailure	405-407	Immediately
vrn	client.mrcpv1.sendtrapformrcprequestfailure	405-407	Immediately
vrn	client.mrcpv1.sendtrapformrcprequestfailure	MRCP-DEFINE-GRAMMAR MRCP-RECOGNIZE MRCP-SPEAK	Immediately
vrn	client.mrcpv1.sendtrapformrcprequestfailure	002-005	Immediately
vrn	client.mrcpv1.sendtrapformrcprequestfailure	405-454,500	Immediately
vrn	client.mrcpv2.earlynomatch	true	
vrn	client.mrcpv2.localaddr		At start/restart
vrn	client.mrcpv2.maxopensockets	256	
vrn	client.mrcpv2.portrange	12000-13999	
vrn	client.mrcpv2.prefix	mrcpv2client	
vrn	client.mrcpv2.proxy	false	At start/restart
vrn	client.mrcpv2.sendtrapformrcprequestfailure	004-006-009-010,012,016	Immediately
vrn	client.mrcpv2.sendtrapformrcprequestfailure	405-407	Immediately
vrn	client.mrcpv2.sendtrapformrcprequestfailure	405-407	Immediately
vrn	client.mrcpv2.sendtrapformrcprequestfailure	MRCP-DEFINE-GRAMMAR MRCP-RECOGNIZE MRCP-SPEAK	Immediately
vrn	client.mrcpv2.sendtrapformrcprequestfailure	002-005	Immediately
vrn	client.mrcpv2.sendtrapformrcprequestfailure	405-513	Immediately
vrn	client.timeout	10000	
vrn	client.universals.uri	builtin:grammar/ universals	
vrn	rtp.localaddr	\$LocalIP\$	At start/restart
vrn	rtp.localaddrv6		At start/restart
vrn	rtp.portrange	45536-65535	At start/restart
vrn	rtsp.localaddr	\$LocalIP\$	At start/restart
vrn	vrn.client.grpc.tts.stripvoice	false	Immediately
vrnrecorder	sip.localport	7090	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
vrmlrecorder	sip.localsecureport	7091	At start/restart
vrmlrecorder	sip.preferred_ipversion	ipv4	At start/restart
vrmlrecorder	sip.routeset		At start/restart
vrmlrecorder	sip.securerouteset		At start/restart
vrmlrecorder	sip.transport.0	transport0 udp:any:7090	At start/restart
vrmlrecorder	sip.transport.1	transport1 tcp:any:7090	At start/restart
vrmlrecorder	sip.transport.2	transport2 tls:any:7091 TLsv1_2	At start/restart
vrmlrecorder	sip.transport.dnsharouting	false	At start/restart
vrmlrecorder	sip.transport.localaddress		At start/restart
vrmlrecorder	sip.transport.localaddress.sip	false	At start/restart
vrmlrecorder	sip.transport.localaddress_ipv6		At start/restart
vrmlrecorder	sip.transport.staticroutelist		At start/restart
vrmlrecorder	sip.transport.unavailablewait	true	At start/restart
vrmlrecorder	toheadermode	toparams	Immediately/session
vrmlrecorder	websocket.asio_worker_threads	3	At start/restart
vrmlrecorder	websocket.buffer_size	200	Immediately
vrmlrecorder	websocket.ssl_ca_file		Immediately
vrmlrecorder	websocket.ssl_ca_path		Immediately
vrmlrecorder	websocket.ssl_cert		Immediately
vrmlrecorder	websocket.ssl_key		Immediately
vrmlrecorder	websocket.ssl_verify_peer	0	Immediately
vrmlrecorder	websocket.streaming_percentage	100	Immediately
vxmli	ac.allow_if_missing	true	At start/restart
vxmli	ac.allow_if_nomatch	false	At start/restart
vxmli	ac.enabled	true	At start/restart
vxmli	ac.use_platform_host_for_file_url	true	At start/restart
vxmli	asr.release_on_transfer	true	Immediately
vxmli	beep.uri	file://\$InstallationRoot\$/audio/ ulaw/default_audio/ endofprompt.vox	At start/restart
vxmli	break.strength.medium	500	At start/restart
vxmli	break.strength.strong	1000	At start/restart
vxmli	break.strength.weak	200	At start/restart
vxmli	break.strength.x-strong	2000	At start/restart
vxmli	break.strength.x-weak	50	At start/restart
vxmli	builtin_path	\$InstallationRoot\$/audio/	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
		ulaw/	
vxmli	cache.document.max_count	50	At start/restart
vxmli	cache.document.max_entry_size	100000	At start/restart
vxmli	cache.document.max_size	1000000	At start/restart
vxmli	compiled_script_cache.enabled	false	At start/restart
vxmli	compiled_script_cache.max_cached_scripts_count	10000	At start/restart
vxmli	compiled_script_cache.max_cached_script_size	100000	At start/restart
vxmli	compiled_script_cache.max_cached_script_size	2000000	At start/restart
vxmli	compiled_script_cache.min_cached_script_size	200	At start/restart
vxmli	conformance.disable_application_lastresult_extensions	false	At start/restart
vxmli	conformance.disallow_executing_prompt_within_prompts	false	At start/restart
vxmli	conformance.rfc5552_bye_timeout	true	At start/restart
vxmli	conformance.strict_completion_timeout	true	
vxmli	conformance.strict_grammar_code	false	At start/restart
vxmli	conformance.strict_tts_mode	false	At start/restart
vxmli	conformance.supported_budding_features	boolean digits currency date number phone time	At start/restart
vxmli	conformance.supported_budding_features	boolean digits currency date number phone time universals/Cancel universals/Exit universals/Help	At start/restart
vxmli	conformance.supported_grammar_languages	en-US	At start/restart
vxmli	conformance.supported_tts_languages	en-US	At start/restart
vxmli	consultationtransfer.result	true	At start/restart
vxmli	data.use_xerces_dom_parser	false	At start/restart
vxmli	data.xmlscript_path	\$InstallationRoot\$/script/	At start/restart
vxmli	debug.enabled	false	At start/restart
vxmli	debug.server.ip	default	At start/restart
vxmli	debug.server.port	27666	At start/restart
vxmli	debug.server.port.public	27666	At start/restart
vxmli	debug.server.tlscert	\$InstallationRoot\$/config/x509_certificate.pem	At start/restart
vxmli	debug.server.tlskey	\$InstallationRoot\$/config/x509_private_key.pem	At start/restart
vxmli	debug.server.tlspassword		At start/restart
vxmli	debug.server.tlsport	27668	At start/restart
vxmli	debug.server.tlsport.public	27668	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
vxmli	default.alternate_uri		At start/restart
vxmli	default.connecttimeout	30000	At start/restart
vxmli	default.xmllang	en-US	At start/restart
vxmli	defaults_vxml_url	file://\$InstallationRoot\$/config/ defaults-ng.vxml	At start/restart
vxmli	detailed_fetch_error.enable	false	At start/restart
vxmli	directories.save_tempfiles	\$InstallationRoot\$/tmp/	At start/restart
vxmli	expose.nlsml.dom	false	At start/restart
vxmli	getinfo_pairs		Immediately
vxmli	grammar.builtin:dtmf/ currency	dtmf/currency.grxml	At start/restart
vxmli	grammar.builtin:dtmf/ date	dtmf/date.grxml	At start/restart
vxmli	grammar.builtin:dtmf/ number	dtmf/number.grxml	At start/restart
vxmli	grammar.builtin:dtmf/ phone	dtmf/phone.grxml	At start/restart
vxmli	grammar.builtin:dtmf/ time	dtmf/time.grxml	At start/restart
vxmli	grammar.builtin_basepath_linux		At start/restart
vxmli	grammar.builtin_basepath_win		At start/restart
vxmli	grammar.builtin_baseurl		At start/restart
vxmli	grammar.mimetypes	application/ srgs+xml .grxml application/ srgs .srgs Media- Type .grammar application/ x-abnf .abnf	At start/restart
vxmli	grammars.cache_size	50000	At start/restart
vxmli	http.accept		At start/restart
vxmli	http.user_agent	NGi/\$VERSION\$	At start/restart
vxmli	http.version	1.1	At start/restart
vxmli	initial_request_encctype	application/x-www-form- urlencoded	At start/restart
vxmli	initial_request_fetchtimeout	30000	At start/restart
vxmli	initial_request_maxage	-1	At start/restart
vxmli	initial_request_maxstale	-1	At start/restart
vxmli	initial_request_method	GET	At start/restart
vxmli	inlinegrammar_by_url	false	At start/restart
vxmli	jsruntime_size	64	At start/restart
vxmli	jsstack_size	16384	At start/restart
Section	Option	Default	Changes Take Effect

Section	Option	Default	Changes Take Effect
		universals/Exit	
vxmli	universals.help	builtin:grammar/ universals/Help	At start/restart
vxmli	universals_path_linux		At start/restart
vxmli	universals_path_win		At start/restart
vxmli	userdata.convert_name_to_lowercase	false	Immediately/session
vxmli	userdata.prefix	X-Genesys-	At start/restart
vxmli	use_isdn_mapping	0	At start/restart
Section	Option	Default	Changes Take Effect
