



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

## Genesys Voice Platform

[MRCPv2\\_ASR](#)

# MRCPv2\_ASR

Options for this component are contained in the following configuration sections:

- provision

## Tip

In the summary table(s) below, type in the Search box to quickly find options, configuration sections, or other values, and/or click a column name to sort the table. Click an option name to link to a full description of the option. Be aware that the default and valid values are the values in effect with the latest release of the software and may have changed since the release you have; refer to the full description of the option to see information for earlier releases.

**Power users:** [Download a CSV file](#) containing default and valid values and descriptions.

The following options are configured at the application level (in other words, on the application object).

Section	Option	Default	Changes Take Effect
provision	vrm.client.ConfidenceScale	100	At start/restart
provision	vrm.client.ConnectPerSetup	true	At start/restart
provision	vrm.client.DisableHotWord	false	
provision	vrm.client.EventLoggingEngine	grec	At start/restart
provision	vrm.client.HotKeybasePath	/mcp/\$AppName\$/grammar/common/hotkey	At start/restart
provision	vrm.client.IBMHotWord	false	At start/restart
provision	vrm.client.NoDuplicatedGrammarURI	true	At start/restart
provision	vrm.client.resource.name		At start/restart
provision	vrm.client.resource.type	ASR	At start/restart
provision	vrm.client.resource.uri		At start/restart
provision	vrm.client.SendLoggingTag	true	At start/restart
provision	vrm.client.SendSessionXML	false	At start/restart
provision	vrm.client.SendSilence	false	At start/restart
provision	vrm.client.SendSWMSParams	true	At start/restart
provision	vrm.client.SrtpLifetime	48	At start/restart
Section	Option	Default	Changes Take Effect

---

<b>Section</b>	<b>Option</b>	<b>Default</b>	<b>Changes Take Effect</b>	
provision	vrm.client.TelispeechRecognize	false	Bargein	At start/restart
provision	vrm.client.TlsCertificateKey	\$!InstallationRoot\$/config/x509_certificate.pem		At start/restart
provision	vrm.client.TlsPassword			At start/restart
provision	vrm.client.TlsPrivateKey	\$!InstallationRoot\$/config/x509_private_key.pem		At start/restart
provision	vrm.client.TlsProtocolType	TLSv1		At start/restart
provision	vrm.client.TransportProtocol	MRCPv2		At start/restart
<b>Section</b>	<b>Option</b>	<b>Default</b>	<b>Changes Take Effect</b>	