



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Performance DNA Administrator Guide

[Other Settings](#)

12/18/2025

Other Settings

The following additional settings are configured in the **General Settings** tab:

Analysis min data points - Enables the exclusion of low volume data points presented in SkillsAnalysis.

Correlation Period (Days) - The number of days' worth of data either side of a learning item being taken to use to analyze its impact.

Learning Item Impact Period (Days) - The number of days into the past to search when performing analysis of learning item impact.

Percentage Correlation Threshold for Learning Item Auto-Assignment - The correlation threshold above which learning items will be automatically assigned to users for whom the learning items are recommended based on their data scores.

Automatically assign learning items - Whether to automatically assign learning items when the correlation matches or exceeds the percentage correlation for learning item auto-assignment.

AICC Student ID Field - The User Field used to identify a user in the integrated LMS. Used only when integrating with a third-party LMS (Learning Management System).

AICC Suppress Put Param - Suppressed PUT parameters when communicating with the LMS over AICC.

CSV Extension - Specifies which extension should be used for exporting data to a file.

Pass text / Fail Text - Message that is presented back to the user on completion of an assessment.

Kite Diagram Enabled - Enables a one-off chart that is shown on completion of an assessment.

Assessment Defaults - Note: leave this selected as default.

Combined tests require signing with a password - Requires password input as part of completion of a combined manager/user feedback assessment that requires agreement between the two parties.

User Field for PDR target counts - the user field used to store the number of possible targets for users' PDR.

Performance DNA URL - The URL of the installed Performance DNA application.

Enable Third-Party Authentication - Whether to enable users to log in using custom third-party authentication.

Third-Party Authentication Login Page URL - The login page of the third-party authentication provider.

Third-Party Authentication Logout Page URL - The logout page of the third-party authentication provider.

User Field for Third Party Authentication – The user field to use when mapping users from the third-party system.

Portal Employee ID Field – The user field that is used to store Portal Employee IDs. This field must be set and all values must be unique to support Performance DNA-Training Manager user integration.

Portal Username Field – The user field that is used to store Portal usernames. This field must be set and all values must be unique to support Performance DNA-Training Manager user integration.

User Location Field – The user field that will hold Portal Manager and Trainer Locations. The locations can be delimited by using the character below.

User Location Delimiter – The single character delimiter used for the locations field.

OrgData Unique User Field – The user field that is used to uniquely identify a user while importing OrgData.

Number of days after which archived users are eligible for auto-anonymisation – Specifies the number of days after which an archived user's details will be automatically anonymised by the OrgData import process. This process ensures GDPR compliance of user's data.