



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Performance Management Advisors Deployment Guide

Deploying FAAA

12/20/2025

Deploying FAAA

You run a .jar installation file to deploy Genesys Frontline Advisor/Agent Advisor. The fa-server-installer-<version>.jar file installs both Frontline Advisor and Agent Advisor dashboards; you use **Role-Based Access Control (RBAC) privileges** to control which dashboard each user can see and use.

You can deploy FAAA on a Red Hat Linux or a Windows platform, and with Oracle or MS SQL databases.

Deployment Roadmap

1. **[+] Install the databases that correspond to the Advisors products you will deploy.**
 - a. Advisors Genesys Adapter metrics database
 - b. Advisors Platform database
 - c. Advisors Cisco Adapter database (if you use ACA)
 - d. Metric Graphing database
2. Create the Advisors User and the Object Configuration User in Configuration Server.
3. **[+] Install the Platform service (Geronimo) on servers where it is required for Advisors components.**
 - Contact Center Advisor Web services
 - Workforce Advisor
 - Frontline Advisor
 - Contact Center Advisor-Mobile Edition
 - Resource Management Console
4. Install each adapter you will use (AGA and ACA).
5. Register the Stat Servers that you plan to use with Advisors.
6. Install the Advisors components for your enterprise in the following order:
 - Contact Center Advisor
 - Workforce Advisor
 - Contact Center Advisor - Mobile Edition

-  Frontline Advisor
 - SDS and Resource Management
7. Make any required configuration changes.

<tabber>

Procedure=

Procedure: Deploying Frontline Advisor and Agent Advisor

Steps

1. Review the [General Prerequisites](#) and [prerequisites specific to Frontline Advisor deployment](#) before beginning deployment.

2. Launch the installation file.
[+] Show Steps for Linux

- a. As root, navigate to the Advisors home directory:

```
cd /home/advisors
```

- b. As root, run the FA installer. The page format of this document might cause a line break in the following command, but you must enter it on one line in the command prompt window:

```
./jdk1.7.0_<version>/bin/java -jar fa-server-installer-<version>.jar
```

[+] Show Step for Windows

Do one of the following:

- Open a command line window, and enter the following command:
`java -jar fa-server-installer-<version>.jar`
- Double-click the `fa-server-installer-<version>.jar` file in the release bundle.

Double-clicking might not work due to system settings, but using the command line terminal should always work.

For 64-bit systems, if double-clicking to launch the installer, please ensure that the Java instance associated with the jar file type is 64-bit. Running the installer with a 32-bit Java instance will create a Windows service with the wrong

executable.

3. On the **Destination Directory** screen, accept the default directory, or specify a different directory. The installation directory for Frontline Advisor server must be the same as the directory where Advisors Platform has been installed.
4. Use the information provided on the *Installation Screens* tab on this page to assist you to complete the remaining deployment screens.
5. After you deploy FA, you must modify the Apache configuration file (`httpd.conf`). See [Deploy and Configure Apache](#).

|–| Installer Screens=

[+] Distributed Mode Configuration

If you are installing a single instance of Frontline Advisor, select the `Run as a single instance` option. This is the default setting.

If you are installing multiple FA instances for use in distributed mode, and this instance is one of those, select the `Run as a cluster member` option.

[+] Distributed Mode - Rollup Engine

You see the **Distributed Mode - Rollup Engine** screen only if you selected the `Run as a cluster member` option on the **Distributed Mode Configuration** screen.

On the **Distributed Mode - Rollup Engine** screen, select one of the two options:

- **Enable Rollup Engine**—Enable the rollup engine if you intend the FA instance you are installing to be responsible for data aggregation. When installing Advisors Platform to support the FA instance on which the rollup engine will be enabled, you must install the Administration workbench.

Tip

Enable the rollup engine for only one of the FA instances in a cluster for a basic setup. In a warm standby configuration, however, ensure you enable the rollup engine on both the primary and backup applications; the two do not run simultaneously, and in the event of failover, the backup must be able to continue the data aggregation processes.

- **Disable rollup engine**—Disable the rollup engine if you intend the FA instance you are installing to be responsible for presentation only. When installing Advisors Platform to support the FA instance on which the rollup engine will be disabled, do not install the Administration workbench.

[+] Failure Notification Configuration

On the **Failure Notification Configuration** screen, specify the e-mail settings for system-level

notifications:

- Application from address—The default *sender* of the notification message; for example, faadmin@genesys.com
- Application to address—The default *recipient* of the notification message; for example, faadmin@genesys.com
- Subject—The default subject line for notification messages; for example, Frontline Advisor Message

[+] Genesys Advisor Platform Database

On the **Genesys Advisor Platform Database** screen, specify the parameters for the Advisors platform database:

- Database server—The host name or IP address of the database server. When using numerical IP v6 addresses, enclose the literal in brackets.
- Database port number—The database server's port number.
- Database name or Service name—The unique name of the database instance.
- Database user or Database schema—The Advisors user with full access to the Advisors platform database.
- Database user password—The password created and used for the Advisors platform database.

[+] Genesys Advisor Platform Database - Advanced

On the **Genesys Advisor Platform Database - Advanced** screen, specify the parameters for the Advisors platform database:

- Database user or Database schema—The Advisors user with full access to the Advisors platform database.
- Database user password or Database schema password—The password created and used for the Advisors platform database.
- Locate file—Enter the location of the file that contains the advanced database connection string. If you do not know how to correctly build the advanced database connection string, contact your database administrator. The installation wizard applies the specified advanced connection string when configuring the data sources.

[+] Hierarchy Source Details

You see the **Hierarchy Source Details** screen only if you selected the Run as a single instance option on the **Distributed Mode Configuration** screen.

On the **Hierarchy Source Details** screen, enter either:

- The name of the tenant in the Genesys Configuration Server in which the monitoring hierarchy resides, and the path to the hierarchy root folder.
In a Cisco environment, the path should look like:

Agent Groups\\<Your Cisco Group Name>

- The name of a Person folder in Configuration Manager, and the path to that Person folder. Selecting this option restricts the hierarchy view that is loaded at startup (or reloaded using the reload feature) to the team of agents belonging to that person (supervisor).

[+] RDBMS Type And JDBC Connectivity

On the **RDBMS Type And JDBC Connectivity** screen, select either the **SQL Server** or the **Oracle** option – whichever you use for database(s). You must also select the Java Database Connectivity (JDBC) type that matches your environment. Select **Basic** for standalone databases or **Advanced** for clustered database configurations. The screens that follow are dependent on your selections on this screen.

[+] SCS Integration

Enter the Geronimo Application name exactly as it is configured in Genesys Configuration Server.

| Start the FA Service=

To start the Frontline Advisor service from the command prompt, you must set the MaxPermSize parameter to 256 in the setenv.bat file. The FA log generates errors or exceptions if you start the service with the default setting of 128.

1. Follow the Advisors Platform instructions to install the Windows service.
2. Each time the service is started, the Monitoring Hierarchy Loader runs.
3. Start the service and refresh a few times to make sure the service stays running.
4. Check the Platform log file if you experience problems. It may take up to 45 minutes to fully start depending on the number of agents and the complexity of the hierarchy.

| Troubleshooting=

The following Table shows parameter validation errors that you may encounter at the end of installation.

Installation Error Message	Cause
<pre>[java] Failed to connect to the database using connection URL: [java] jdbc:sqlserver://192.168.xx.yy:nnn;DatabaseName=ys_fadb;user=sa; password=very_secure_pwd;selectMethod=cursor [java] The following exception was thrown: com.microsoft.sqlserver.jdbc.SQLServerException: The TCP/IP connection to the host 192.168.xx.yy, port nnn has failed. Error: "Connection refused. Verify the connection</pre>	Wrong database server name / IP address or port number

Installation Error Message	Cause
properties, check that an instance of SQL Server is running on the host and accepting TCP/IP connections at the port, and that no firewall is blocking TCP connections to the port.	
[java] Failed to connect to the database using connection URL: <pre>[java] jdbc:sqlserver://192.168.xx.yy:nnnn;DatabaseName=NotAPlatformDB; selectMethod=cursor;user=sa;password=very_secure_pwd [java] The following exception was thrown: com.microsoft.sqlserver.jdbc.SQLServerException: The TCP/IP connection to the host 192.168.xx.yy, port nnnn has failed. Error: "connect timed out. Verify the connection properties, check that an instance of SQL Server is running on the host and accepting TCP/IP connections at the port, and that no firewall is blocking TCP connections to the port."</pre>	Wrong database name
[java] Exception while connecting: Login failed for user 'badUserId'. <pre>[java] url used: jdbc:sqlserver://192.168.xx.yy:nnnn;DatabaseName=ys_fadb;selectMethod=cursor; user=badUserId;password=very_secure_password</pre>	Wrong database user name or password
[loadfile] Unable to load file: java.io.FileNotFoundException: C:\ (The system cannot find the path specified)	Produced in error and can be ignored.