



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

# Contact Center Advisor and Workforce Advisor Administrator User's Guide

Contact Center Advisor Default Rollup Configuration

12/19/2025

---

## Contents

- 1 Contact Center Advisor Default Rollup Configuration
  - 1.1 General Description of the Default Rollup Configuration
  - 1.2 Turning the Automated Rollup Configuration On and Off
  - 1.3 Contact Center Advisor Advanced Automated Rollup Configuration

# Contact Center Advisor Default Rollup Configuration

Starting with Pulse Advisors release 9.0.001.06, Contact Center Advisor (CCAdv) contains a default rollup configuration. Content on this page describes the default rollup configuration, how it works, how to turn it on or off, how to remove the default rollup configuration from the database, and how to customize the object mapping rules.

## General Description of the Default Rollup Configuration

Starting with release 9.0.001.06, in new Advisors installations, all base objects to which the Advisors user has access appear as already assigned to a default Advisors hierarchy; the CCAdv dashboard starts showing the metadata and the real-time data when you start the application for the first time. Previously, all base objects appeared as available for the rollup configuration and the dashboard remained empty until you added a rollup configuration.

The default Advisors hierarchy objects are added to Advisors by the database deployment script. The Advisors default rollup configuration is performed when the CCAdv Server (that is, the xmlgenerator application) starts. The scope of the base objects included in the default rollup configuration is determined by the permissions granted to the Advisors user in the Configuration Server. Review the [Advisors User account permissions](#) table for details. Every new base object that is added to the Configuration Server after the application starts is automatically added to the rollup as long as the default rollup configuration mode is turned on and the Advisors user is granted access to it.

In the default rollup configuration, agent groups are not assigned to any individual applications, but they are assigned to a set of anchor applications used to map the agent groups directly to the default hierarchy object combinations. You can see the anchor applications and the related agent group mapping on the **Applications - Agent Groups** tab of the **Application Configuration** page. The number of anchor applications matches the number of unique hierarchy object combinations. The application names start with the prefix Auto. The name is a concatenation of the prefix, contact center name, application group, reporting region, and operating unit. For example:

Contact Centers	Rollups	Applications - Agent Groups	Application Details
Switches/Peripherals	<input checked="" type="radio"/> View Applications - Agent Groups <input type="radio"/> View Agent Groups - Applications   <a href="#">Display Descriptive Names</a> <a href="#">Display Technical Names</a>		
Application Configuration	<input type="text" value="search"/> <input type="button" value="Q"/>		
Agent Group Configuration	<b>Applications</b>		
Contact Group Configuration	Auto_Voice_Agents_Voice_General_Voice_Interactions_		
Metric Manager	Auto_Outbound_Voice_General_Campaign_		
	Auto_Non-voice_Agents_Non-voice_General_Non-voice_Interactions_		

The anchor applications are not exposed on the dashboard. They are present in the administration module only to allow manual adjustments in the agent group configuration.

### Important

In the default configuration, agent groups are not mapped to any individual applications that originate from the Genesys contact center system; therefore, the application metrics derived from agent groups and agent counters are only visible on the **Contact Centers** pane.

## Turning the Automated Rollup Configuration On and Off

A new parameter, `ccadv.configuration.method.auto`, is introduced in release 9.0.001.06. You can find this parameter in the Advisors Platform `CONFIG_PARAMETER` table. By default, the parameter is set to `true` in all new installations and to `false` in migrated installations. You can change the value of this parameter to `false` if you want to turn off the default rollup configuration, and to `true` if you want to turn on the default rollup configuration.

You can turn off and turn on the Contact Center Advisor default rollup configuration mode at any time. If you turn it off before the CCAdv Server (xmlgenerator application) starts for the first time, then no default rollup configuration is added. If turned off after the first CCAdv Server (xmlgenerator application) start, then all base objects that are added to the Configuration Server later are not appended automatically to the Contact Center Advisor default rollup, while the existing rollup is preserved, unless later removed.

The whole rollup configuration can be removed by executing the `spblkRemoveConfigCCAdv` stored procedure in the Platform database, as shown in the following examples:

### Oracle:

```
DECLARE m varchar2 (4000); r number ;
BEGIN
    "spblkRemoveConfigCCAdv"(m,r);
END;
/
```

### MS SQL Server:

```
SET NOCOUNT ON
DECLARE          @m varchar(4000),
                 @r int;
EXEC             spblkRemoveConfigCCAdv
                 @m = @m OUTPUT,
                 @r = @r OUTPUT;
SELECT @m;

GO
```

The whole rollup can also be removed using the Advisors administration module. In addition, the administration module allows deleting parts of the rollup configuration as well as adding available objects manually. If you use the administration module, the rollup configuration that you remove is not automatically reinstated even if the default rollup configuration mode remains turned on. The objects added manually using the administration module remain intact unless removed manually later, whether the default rollup configuration mode is turned on or off. This is different from using

the `spblkRemoveConfigCCAdv` procedure. If the procedure is used and the default rollup configuration mode remains turned on, all qualified base objects in the Configuration Server are automatically configured again. This can be useful when you change the Advisors user's object permissions in the Configuration Server and want to remove the unnecessary objects from the rollup that was created based on the previous permission settings. This can also be useful when you decide to customize the default hierarchy object names, hierarchy object combinations, or matching patterns and you completely replace the default configuration using your own names and patterns (see the [next section](#)).

The CCAdv default rollup configuration does not apply to objects that are associated with the object segmentation filters. All objects that are associated with the object segmentation filters remain in the **Available** section on the **Application Configuration** and **Agent Group Configuration** pages. You can add these objects manually, where necessary. As with any other objects, the segmented objects that you add manually using the administration module are retained even if the default rollup configuration mode remains turned on.

## Contact Center Advisor Advanced Automated Rollup Configuration

The Contact Center Advisor default rollup configuration is performed using the hierarchy object names, hierarchy object combinations, and name patterns that exist in the `QUICK_START_CONFIG` Platform table. The contents of this table, plus the sequence, define the object mapping rules. Every new base object, such as an ACD queue, virtual queue, DN group, calling list, or interaction queue, that is added to the Configuration Server is automatically added to the Contact Center Advisor rollup during runtime as long as the default rollup configuration mode is turned on.

The following figure shows the default contents of the `QUICK_START_CONFIG` table:

	CALL_CENTER_NAME	GEO_REGION_NAME	APP_GROUP_NAME	REP_REGION_NAME	OP_UNIT_NAME	APP_NAME_PATTERN	OBJ_TYPE_PATTERN	OBJ_SUB_TYPE_PATTERN	SWITCH_PATTERN	CSEQUENCE
1	Outbound	All Locations	Voice	General	Campaign	NULL	%calling%	NULL	NULL	10
2	Outbound	All Locations	Voice	General	Campaign	%callback%	NULL	NULL	NULL	20
3	Non-voice Agents	All Locations	Non-voice	General	Non-voice Interactions	NULL	%interactionqueue%	NULL	NULL	30
4	Non-voice Agents	All Locations	Non-voice	General	Non-voice Interactions	%sms%	NULL	NULL	NULL	40
5	Non-voice Agents	All Locations	Non-voice	General	Non-voice Interactions	%email%	NULL	NULL	NULL	50
6	Non-voice Agents	All Locations	Non-voice	General	Non-voice Interactions	%chat%	NULL	NULL	NULL	60
7	Voice Agents	All Locations	Voice	General	Voice Interactions	NULL	queue	%acd%	NULL	70
8	Voice Agents	All Locations	Voice	General	Voice Interactions	NULL	queue	%virtual%	NULL	80
9	Voice Agents	All Locations	Voice	General	Voice Interactions	NULL	NULL	NULL	NULL	90

In the `QUICK_START_CONFIG` table, you can:

- add or remove rows
- add or edit the names of the hierarchy objects
- add or edit hierarchy object combinations
- add, remove, or edit the matching patterns

Hierarchy object combinations display in the columns with self-descriptive names: `CALL_CENTER_NAME`, `GEO_REGION_NAME`, `APP_GROUP_NAME`, `REP_REGION_NAME`, and `OP_UNIT_NAME`.

## Important

When you edit content in the `QUICK_START_CONFIG` table, each of the four columns that contain hierarchy objects must have content. None can be empty.

Mapping is done based on the sequence that is defined in the `CSEQUENCE` column. Once configured, an application is not included in any further pattern matching. For example, let's say that the virtual queue `VQ_PI_RET_Callbacks` matches the pattern in row 20 and in row 80. `VQ_PI_RET_Callbacks` is mapped to the aggregation combination defined in the row with `CSEQUENCE=20` and is therefore ignored when the mapping algorithm reaches the row that corresponds to `CSEQUENCE=80`.

When there is no pattern in a cell, the matching algorithm works like this:

- When `APP_NAME_PATTERN` is null, the matching algorithm considers applications with any name.
- When `OBJ_TYPE_PATTERN` is null, the matching algorithm considers any object type (Queue, Interaction Queue, DN Group, Calling List).
- When `OBJ_SUB_TYPE_PATTERN` is null, the matching algorithm considers any object sub-type (ACD, Virtual, or no sub-type).
- When `SWITCH_PATTERN` is null, the matching algorithm considers any object that either belongs to any switch or does not belong to any switch.

If there is no pattern in any cell, then all applications that are not yet configured are mapped to the corresponding aggregation combination. In the default `QUICK_START_CONFIG` table shown above, row 90 triggers the mapping of all remaining objects that were not matched by any preceding pattern and to which the Configuration Server user has access. All objects that are not part of the CCAdv rollup by the time that row 90 is processed are mapped to the aggregation combination in row 90. The pattern in row 90 is the last matching pattern processed by the matching algorithm.

There is no pattern for Tenant. If the Advisors Configuration Server user has access to the base objects under multiple tenants, then the objects from all tenants are mapped if they match a certain pattern. In the Advisors default rollup, objects that come from different tenants but have the same name are presented as different applications.

## Object Type Internal Form and External Presentation

While editing the matching patterns, note that the object type patterns are matched using the internal object type codes rather than the form of external presentation:

Form of External Presentation	Internal Code
Queue	queue
Interaction Queue	interactionqueue
DN Group	groupqueues
Calling List	callinglist

## Using Wildcards

The mapping patterns allow wildcard characters. There are two wildcards supported in the Advisors default rollup configuration:

- Percent sign (%) – The percent sign represents zero, one, or multiple characters.
- Underscore (\_) – The underscore represents a single character.

The following table shows examples of using the wildcards:

a%	Finds any values that start with "a".
%a	Finds any values that end with "a".
%or%	Finds any values that have "or" in any position.
_r%	Finds any values that have "r" in the second position.
a_%_%	Finds any values that start with "a" and are at least three characters in length.
a%o	Finds any values that start with "a" and end with "o".

In the Advisors default configuration, matching is case insensitive (case is not recognized). In other words, entering "A" or "a" gives the same matching result.

Wildcards are recognized as such only when they are in columns that include PATTERN in the name:  
APP\_NAME\_PATTERN  
OBJ\_TYPE\_PATTERN  
OBJ\_SUB\_TYPE\_PATTERN  
SWITCH\_PATTERN


When you add wildcards to values in the CALL\_CENTER\_NAME, GEO\_REGION\_NAME, APP\_GROUP\_NAME, REP\_REGION\_NAME, or OP\_UNIT\_NAME columns, then they are not recognized as wildcards; instead, they become part of the aggregation object name.

## Effects of Editing the QUICK\_START\_CONFIG Table

Editing the contents of the QUICK\_START\_CONFIG table changes the rollup mapping rules and adds and preconfigures the new hierarchy objects, if any, on the Advisors side. These objects become visible on the corresponding pages in the Advisors administration module. Once you save a change that you made to the QUICK\_START\_CONFIG table contents, objects that are not yet part of the Contact Center Advisor rollup are automatically mapped according to the rules that you defined in the edited table. The previous rollup remains intact. Any objects that you previously removed from the rollup manually, using the administration module, are not added. If you used the spblkRemoveConfigCCAdv procedure and removed the entire rollup that was created based on the previous QUICK\_START\_CONFIG table contents, then all base objects, including those that were previously removed from the rollup in the administration module, are re-mapped automatically according to the new QUICK\_START\_CONFIG table contents.

To make new hierarchy objects visible on the dashboard, you must add any new hierarchy object names, default or customized, to the corresponding Configuration Server business attribute folders. Use the Advisors migration wizard to append the business attribute data. The following two figures

show the appropriate selections on the migration wizard:



The **Metrics** box is not checked in the following figure, however, if you have an installation with a new Configuration Server, then be sure to check the **Metrics** box on the **Migration Options** screen of the wizard. The wizard adds all of the necessary Advisors folders and related content in the correct form.



