



This PDF is generated from authoritative online content, and is provided for convenience only. This PDF cannot be used for legal purposes. For authoritative understanding of what is and is not supported, always use the online content. To copy code samples, always use the online content.

Performance Management Advisors Deployment Guide

[Change a JDBC Data Source Configuration](#)

Contents

- 1 Change a JDBC Data Source Configuration
 - 1.1 Steps
 - 1.2 Steps
 - 1.3 Changing Database Connection Parameters for CCAAdv XML Generator
 - 1.4 Changing Database Connection Parameters for Advisors Genesys Adapter

Change a JDBC Data Source Configuration

Use the procedures on this page if you must change database connection information for Pulse Advisors.

To change the password for connections described on this page, see [Change Encrypted Passwords](#).

Procedure: Changing Database Connection Parameters for Advisors Platform

Steps

1. Edit the following properties in the Advisors\apache-tomcat-<version>\conf\catalina.properties file:
database.username=
database.password=
database.url=
database.driver=
2. Restart the Advisors server.

Procedure: Changing Database Connection Parameters for the Metric Graphing Data Source

Steps

1. Edit the following properties in the Advisors\apache-tomcat-<version>\conf\catalina.properties file:
dw.database.username=
dw.database.password=
dw.database.url=

```
dw.database.driver=
```

2. Restart the Advisors server.

Changing Database Connection Parameters for CCAdv XML Generator

You can change the database connection information for XML Generator after installation. The XML Generator database connection information is located in the following file:

- `conf/XMLGen.properties`

See also [Modifying the XML Generator Configuration](#) for information about ensuring XML Generator works properly with the metrics database.

Changing Database Connection Parameters for Advisors Genesys Adapter

You can change the database connection information for Advisors Genesys Adapter after installation. The Advisors Genesys Adapter database connection information is located in the following files:

- `conf\inf_genesys_adapter.properties`
- `conf\inf_genesys_importer.properties`